

3GPP TSG CN Plenary Meeting #15
6th – 8th March 2002. Jeju, Korea.

NP-020060

Source: TSG CN WG4
Title: CRs on Rel-4 TEI4
Agenda item: 8.12
Document for: APPROVAL

Introduction:

This document contains 2 CRs on Rel-4 Work Item "TEI4", that have been agreed by TSG CN WG4, and are forwarded to TSG CN Plenary meeting #15 for approval.

Spec	CR	Re	Doc-2nd-Level	Phase	Subject	Cat	Ver_C
29.002	385		N4-020067	Rel-4	Correction to AC version of gprsLocationInfoRetrievalContext	F	4.6.0
29.002	386		N4-020068	Rel-5	Correction to AC version of gprsLocationInfoRetrievalContext	A	5.0.0

CHANGE REQUEST

⌘ 29.002 CR 385 ⌘ rev - ⌘ Current version: 4.6.0 ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: ⌘ (U)SIM ME/UE Radio Access Network Core Network

Title:	⌘ Correction to AC version of gprsLocationInfoRetrievalContext	
Source:	⌘ CN4	
Work item code:	⌘ TEI4	Date: ⌘ 15.1.2002
Category:	⌘ F (Essential Correction) <i>Use one of the following categories:</i> F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification)	Release: ⌘ REL-4 <i>Use one of the following releases:</i> 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) REL-4 (Release 4) REL-5 (Release 5)
Detailed explanations of the above categories can be found in 3GPP <u>TR 21.900</u> .		

Reason for change: ⌘ When CR 29.002-215r2 was approved, the change to chapter 17.3.3 was missing from the CR, which causes misalignment between chapters 17.3.2 and 17.3.3.

Summary of change: ⌘

Consequences if not approved: ⌘ The definition of gprsLocationInfoRetrievalContext-v4 is missing from 29.002.

Clauses affected:	⌘ 17.3.3	
Other specs affected:	<input type="checkbox"/> Other core specifications <input type="checkbox"/> Test specifications <input type="checkbox"/> O&M Specifications	
Other comments:	⌘	

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: http://www.3gpp.org/3G_Specs/CRs.htm. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/>. For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

17.3.3 ASN.1 Module for application-context-names

The following ASN.1 module summarises the application-context-name assigned to MAP application-contexts.

```

MAP-ApplicationContexts {
  ccitt identified-organization (4) etsi (0) mobileDomain (0)
  gsm-Network (1) modules (3) map-ApplicationContexts (2) version7 (7)

DEFINITIONS ::=

BEGIN

-- EXPORTS everything

IMPORTS
  gsm-NetworkId,
  ac-Id
FROM MobileDomainDefinitions {
  ccitt (0) identified-organization (4) etsi (0) mobileDomain (0)
  mobileDomainDefinitions (0) version1 (1)}
;

-- application-context-names

map-ac OBJECT IDENTIFIER ::= {gsm-NetworkId ac-Id}

networkLocUpContext-v3 OBJECT IDENTIFIER ::= {map-ac networkLocUp(1) version3(3)}

locationCancellationContext-v3 OBJECT IDENTIFIER ::= {map-ac locationCancel(2) version3(3)}

roamingNumberEnquiryContext-v3 OBJECT IDENTIFIER ::= {map-ac roamingNbEnquiry(3) version3(3)}

authenticationFailureReportContext-v3 OBJECT IDENTIFIER ::= {map-ac authenticationFailureReport(39) version3(3)}

locationInfoRetrievalContext-v3 OBJECT IDENTIFIER ::= {map-ac locInfoRetrieval(5) version3(3)}

resetContext-v2 OBJECT IDENTIFIER ::= {map-ac reset(10) version2(2)}

handoverControlContext-v3 OBJECT IDENTIFIER ::= {map-ac handoverControl(11) version3(3)}

equipmentMngtContext-v2 OBJECT IDENTIFIER ::= {map-ac equipmentMngt(13) version2(2)}

infoRetrievalContext-v3 OBJECT IDENTIFIER ::= {map-ac infoRetrieval(14) version3(3)}

interVlrInfoRetrievalContext-v3 OBJECT IDENTIFIER ::= {map-ac interVlrInfoRetrieval(15) version3(3)}

subscriberDataMngtContext-v3 OBJECT IDENTIFIER ::= {map-ac subscriberDataMngt(16) version3(3)}

tracingContext-v3 OBJECT IDENTIFIER ::= {map-ac tracing(17) version3(3)}

networkFunctionalSsContext-v2 OBJECT IDENTIFIER ::= {map-ac networkFunctionalSs(18) version2(2)}

networkUnstructuredSsContext-v2 OBJECT IDENTIFIER ::= {map-ac networkUnstructuredSs(19) version2(2)}

```

```
shortMsgGatewayContext-v3 OBJECT IDENTIFIER ::=  
{map-ac shortMsgGateway(20) version3(3)}
```

```
shortMsgMO-RelayContext-v3 OBJECT IDENTIFIER ::=  
{map-ac shortMsgMO-Relay(21) version3(3)}
```

```
shortMsgAlertContext-v2 OBJECT IDENTIFIER ::=  
{map-ac shortMsgAlert(23) version2(2)}
```

```
mwdMngtContext-v3 OBJECT IDENTIFIER ::=  
{map-ac mwdMngt(24) version3(3)}
```

```
shortMsgMT-RelayContext-v3 OBJECT IDENTIFIER ::=  
{map-ac shortMsgMT-Relay(25) version3(3)}
```

```
imsiRetrievalContext-v2 OBJECT IDENTIFIER ::=  
{map-ac imsiRetrieval(26) version2(2)}
```

```
msPurgingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac msPurging(27) version3(3)}
```

```
subscriberInfoEnquiryContext-v3 OBJECT IDENTIFIER ::=  
{map-ac subscriberInfoEnquiry(28) version3(3)}
```

```
anyTimeInfoEnquiryContext-v3 OBJECT IDENTIFIER ::=  
{map-ac anyTimeInfoEnquiry(29) version3(3)}
```

```
callControlTransferContext-v4 OBJECT IDENTIFIER ::=  
{map-ac callControlTransfer(6) version4(4)}
```

```
ss-InvocationNotificationContext-v3 OBJECT IDENTIFIER ::=  
{map-ac ss-InvocationNotification(36) version3(3)}
```

```
SIWFSAccommodationContext-v3 OBJECT IDENTIFIER ::=  
{map-ac SIWFSAccommodation(12) version3(3)}
```

```
groupCallControlContext-v3 OBJECT IDENTIFIER ::=  
{map-ac groupCallControl(31) version3(3)}
```

```
gprsLocationUpdateContext-v3 OBJECT IDENTIFIER ::=  
{map-ac gprsLocationUpdate(32) version3(3)}
```

```
gprsLocationInfoRetrievalContext-v34 OBJECT IDENTIFIER ::=  
{map-ac gprsLocationInfoRetrieval(33) version34(34)}
```

```
failureReportContext-v3 OBJECT IDENTIFIER ::=  
{map-ac failureReport(34) version3(3)}
```

```
gprsNotifyContext-v3 OBJECT IDENTIFIER ::=  
{map-ac gprsNotify(35) version3(3)}
```

```
reportingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac reporting(7) version3(3)}
```

```
callCompletionContext-v3 OBJECT IDENTIFIER ::=  
{map-ac callCompletion(8) version3(3)}
```

```
istAlertingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac istAlerting(4) version3(3)}
```

```
serviceTerminationContext-v3 OBJECT IDENTIFIER ::=  
{map-ac immediateTermination(9) version3(3)}
```

```
locationSvcGatewayContext-v3 OBJECT IDENTIFIER ::=  
{map-ac locationSvcGateway(37) version3(3)}
```

```
locationSvcEnquiryContext-v3 OBJECT IDENTIFIER ::=  
{map-ac locationSvcEnquiry(38) version3(3)}
```

```
mm-EventReportingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac mm-EventReporting(42) version3(3)}
```

```
anyTimeInfoHandlingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac anyTimeInfoHandling(43) version3(3)}
```

subscriberDataModificationNotificationContext-v3 OBJECT IDENTIFIER ::= {map-ac subscriberDataModificationNotification(22) version3(3)}

secureTransportHandlingContext-v3 OBJECT IDENTIFIER ::= {map-ac secureTransportHandling(40) version3(3)}

-- The following Object Identifiers are reserved for application-
-- contexts existing in previous versions of the protocol

-- AC Name & Version	Object Identifier
--	
-- networkLocUpContext-v1	map-ac networkLocUp (1)
-- networkLocUpContext-v2	map-ac networkLocUp (1)
-- locationCancellationContext-v1	map-ac locationCancellation (2)
-- locationCancellationContext-v2	map-ac locationCancellation (2)
-- roamingNumberEnquiryContext-v1	map-ac roamingNumberEnquiry (3)
-- roamingNumberEnquiryContext-v2	map-ac roamingNumberEnquiry (3)
-- locationInfoRetrievalContext-v1	map-ac locationInfoRetrieval (5)
-- locationInfoRetrievalContext-v2	map-ac locationInfoRetrieval (5)
-- resetContext-v1	map-ac reset (10)
-- handoverControlContext-v1	map-ac handoverControl (11)
-- handoverControlContext-v2	map-ac handoverControl (11)
-- equipmentMngtContext-v1	map-ac equipmentMngt (13)
-- infoRetrievalContext-v1	map-ac infoRetrieval (14)
-- infoRetrievalContext-v2	map-ac infoRetrieval (14)
-- interVlrInfoRetrievalContext-v2	map-ac interVlrInfoRetrieval (15)
-- subscriberDataMngtContext-v1	map-ac subscriberDataMngt (16)
-- subscriberDataMngtContext-v2	map-ac subscriberDataMngt (16)
-- tracingContext-v1	map-ac tracing (17)
-- tracingContext-v2	map-ac tracing (17)
-- networkFunctionalSsContext-v1	map-ac networkFunctionalSs (18)
-- shortMsgGatewayContext-v1	map-ac shortMsgGateway (20)
-- shortMsgGatewayContext-v2	map-ac shortMsgGateway (20)
-- shortMsgRelayContext-v1	map-ac shortMsgRelay (21)
-- shortMsgAlertContext-v1	map-ac shortMsgAlert (23)
-- mwdMngtContext-v1	map-ac mwdMngt (24)
-- mwdMngtContext-v2	map-ac mwdMngt (24)
-- shortMsgMT-RelayContext-v2	map-ac shortMsgMT-Relay (25)
-- msPurgingContext-v2	map-ac msPurging (27)
-- callControlTransferContext-v3	map-ac callControlTransferContext (6)
-- gprsLocationInfoRetrievalContext-v3	map-ac gprsLocationInfoRetrievalContext (33) version3 (3)

END

CHANGE REQUEST

⌘ 29.002 CR 386 ⌘ rev - ⌘ Current version: 5.0.0 ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: ⌘ (U)SIM ME/UE Radio Access Network Core Network

Title:	⌘ Correction to AC version of gprsLocationInfoRetrievalContext	
Source:	⌘ CN4	
Work item code:	⌘ TEI4	Date: ⌘ 15.1.2002
Category:	⌘ A	Release: ⌘ REL-5
<small>Use <u>one</u> of the following categories:</small> <small>F (correction)</small> <small>A (corresponds to a correction in an earlier release)</small> <small>B (addition of feature),</small> <small>C (functional modification of feature)</small> <small>D (editorial modification)</small> <small>Detailed explanations of the above categories can be found in 3GPP TR 21.900.</small>		
<small>Use <u>one</u> of the following releases:</small> <small>2 (GSM Phase 2)</small> <small>R96 (Release 1996)</small> <small>R97 (Release 1997)</small> <small>R98 (Release 1998)</small> <small>R99 (Release 1999)</small> <small>REL-4 (Release 4)</small> <small>REL-5 (Release 5)</small>		

Reason for change: ⌘ When CR 29.002-215r2 was approved, the change to chapter 17.3.3 was missing from the CR, which causes misalignment between chapters 17.3.2 and 17.3.3.

Summary of change: ⌘

Consequences if not approved: ⌘ The definition of gprsLocationInfoRetrievalContext-v4 is missing from 29.002.

Clauses affected:	⌘ 17.3.3	
Other specs affected:	<input type="checkbox"/> Other core specifications <input type="checkbox"/> Test specifications <input type="checkbox"/> O&M Specifications	
Other comments:	⌘	

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: http://www.3gpp.org/3G_Specs/CRs.htm. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/>. For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

17.3.3 ASN.1 Module for application-context-names

The following ASN.1 module summarises the application-context-name assigned to MAP application-contexts.

```

MAP-ApplicationContexts {
  ccitt identified-organization (4) etsi (0) mobileDomain (0)
  gsm-Network (1) modules (3) map-ApplicationContexts (2) version7 (7)

DEFINITIONS ::=

BEGIN

-- EXPORTS everything

IMPORTS
  gsm-NetworkId,
  ac-Id
FROM MobileDomainDefinitions {
  ccitt (0) identified-organization (4) etsi (0) mobileDomain (0)
  mobileDomainDefinitions (0) version1 (1)}
;

-- application-context-names

map-ac OBJECT IDENTIFIER ::= {gsm-NetworkId ac-Id}

networkLocUpContext-v3 OBJECT IDENTIFIER ::= {map-ac networkLocUp(1) version3(3)}

locationCancellationContext-v3 OBJECT IDENTIFIER ::= {map-ac locationCancel(2) version3(3)}

roamingNumberEnquiryContext-v3 OBJECT IDENTIFIER ::= {map-ac roamingNbEnquiry(3) version3(3)}

authenticationFailureReportContext-v3 OBJECT IDENTIFIER ::= {map-ac authenticationFailureReport(39) version3(3)}

locationInfoRetrievalContext-v3 OBJECT IDENTIFIER ::= {map-ac locInfoRetrieval(5) version3(3)}

resetContext-v2 OBJECT IDENTIFIER ::= {map-ac reset(10) version2(2)}

handoverControlContext-v3 OBJECT IDENTIFIER ::= {map-ac handoverControl(11) version3(3)}

equipmentMngtContext-v2 OBJECT IDENTIFIER ::= {map-ac equipmentMngt(13) version2(2)}

infoRetrievalContext-v3 OBJECT IDENTIFIER ::= {map-ac infoRetrieval(14) version3(3)}

interVlrInfoRetrievalContext-v3 OBJECT IDENTIFIER ::= {map-ac interVlrInfoRetrieval(15) version3(3)}

subscriberDataMngtContext-v3 OBJECT IDENTIFIER ::= {map-ac subscriberDataMngt(16) version3(3)}

tracingContext-v3 OBJECT IDENTIFIER ::= {map-ac tracing(17) version3(3)}

networkFunctionalSsContext-v2 OBJECT IDENTIFIER ::= {map-ac networkFunctionalSs(18) version2(2)}

networkUnstructuredSsContext-v2 OBJECT IDENTIFIER ::= {map-ac networkUnstructuredSs(19) version2(2)}

```

```
shortMsgGatewayContext-v3 OBJECT IDENTIFIER ::=  
{map-ac shortMsgGateway(20) version3(3)}
```

```
shortMsgMO-RelayContext-v3 OBJECT IDENTIFIER ::=  
{map-ac shortMsgMO-Relay(21) version3(3)}
```

```
shortMsgAlertContext-v2 OBJECT IDENTIFIER ::=  
{map-ac shortMsgAlert(23) version2(2)}
```

```
mwdMngtContext-v3 OBJECT IDENTIFIER ::=  
{map-ac mwdMngt(24) version3(3)}
```

```
shortMsgMT-RelayContext-v3 OBJECT IDENTIFIER ::=  
{map-ac shortMsgMT-Relay(25) version3(3)}
```

```
imsiRetrievalContext-v2 OBJECT IDENTIFIER ::=  
{map-ac imsiRetrieval(26) version2(2)}
```

```
msPurgingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac msPurging(27) version3(3)}
```

```
subscriberInfoEnquiryContext-v3 OBJECT IDENTIFIER ::=  
{map-ac subscriberInfoEnquiry(28) version3(3)}
```

```
anyTimeInfoEnquiryContext-v3 OBJECT IDENTIFIER ::=  
{map-ac anyTimeInfoEnquiry(29) version3(3)}
```

```
callControlTransferContext-v4 OBJECT IDENTIFIER ::=  
{map-ac callControlTransfer(6) version4(4)}
```

```
ss-InvocationNotificationContext-v3 OBJECT IDENTIFIER ::=  
{map-ac ss-InvocationNotification(36) version3(3)}
```

```
SIWFSAccommodationContext-v3 OBJECT IDENTIFIER ::=  
{map-ac SIWFSAccommodation(12) version3(3)}
```

```
groupCallControlContext-v3 OBJECT IDENTIFIER ::=  
{map-ac groupCallControl(31) version3(3)}
```

```
gprsLocationUpdateContext-v3 OBJECT IDENTIFIER ::=  
{map-ac gprsLocationUpdate(32) version3(3)}
```

```
gprsLocationInfoRetrievalContext-v34 OBJECT IDENTIFIER ::=  
{map-ac gprsLocationInfoRetrieval(33) version34(34)}
```

```
failureReportContext-v3 OBJECT IDENTIFIER ::=  
{map-ac failureReport(34) version3(3)}
```

```
gprsNotifyContext-v3 OBJECT IDENTIFIER ::=  
{map-ac gprsNotify(35) version3(3)}
```

```
reportingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac reporting(7) version3(3)}
```

```
callCompletionContext-v3 OBJECT IDENTIFIER ::=  
{map-ac callCompletion(8) version3(3)}
```

```
istAlertingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac istAlerting(4) version3(3)}
```

```
serviceTerminationContext-v3 OBJECT IDENTIFIER ::=  
{map-ac immediateTermination(9) version3(3)}
```

```
locationSvcGatewayContext-v3 OBJECT IDENTIFIER ::=  
{map-ac locationSvcGateway(37) version3(3)}
```

```
locationSvcEnquiryContext-v3 OBJECT IDENTIFIER ::=  
{map-ac locationSvcEnquiry(38) version3(3)}
```

```
mm-EventReportingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac mm-EventReporting(42) version3(3)}
```

```
anyTimeInfoHandlingContext-v3 OBJECT IDENTIFIER ::=  
{map-ac anyTimeInfoHandling(43) version3(3)}
```

subscriberDataModificationNotificationContext-v3 OBJECT IDENTIFIER ::= {map-ac subscriberDataModificationNotification(22) version3(3)}

secureTransportHandlingContext-v3 OBJECT IDENTIFIER ::= {map-ac secureTransportHandling(40) version3(3)}

-- The following Object Identifiers are reserved for application-
-- contexts existing in previous versions of the protocol

-- AC Name & Version	Object Identifier
--	
-- networkLocUpContext-v1	map-ac networkLocUp (1)
-- networkLocUpContext-v2	map-ac networkLocUp (1)
-- locationCancellationContext-v1	map-ac locationCancellation (2)
-- locationCancellationContext-v2	map-ac locationCancellation (2)
-- roamingNumberEnquiryContext-v1	map-ac roamingNumberEnquiry (3)
-- roamingNumberEnquiryContext-v2	map-ac roamingNumberEnquiry (3)
-- locationInfoRetrievalContext-v1	map-ac locationInfoRetrieval (5)
-- locationInfoRetrievalContext-v2	map-ac locationInfoRetrieval (5)
-- resetContext-v1	map-ac reset (10)
-- handoverControlContext-v1	map-ac handoverControl (11)
-- handoverControlContext-v2	map-ac handoverControl (11)
-- equipmentMngtContext-v1	map-ac equipmentMngt (13)
-- infoRetrievalContext-v1	map-ac infoRetrieval (14)
-- infoRetrievalContext-v2	map-ac infoRetrieval (14)
-- interVlrInfoRetrievalContext-v2	map-ac interVlrInfoRetrieval (15)
-- subscriberDataMngtContext-v1	map-ac subscriberDataMngt (16)
-- subscriberDataMngtContext-v2	map-ac subscriberDataMngt (16)
-- tracingContext-v1	map-ac tracing (17)
-- tracingContext-v2	map-ac tracing (17)
-- networkFunctionalSsContext-v1	map-ac networkFunctionalSs (18)
-- shortMsgGatewayContext-v1	map-ac shortMsgGateway (20)
-- shortMsgGatewayContext-v2	map-ac shortMsgGateway (20)
-- shortMsgRelayContext-v1	map-ac shortMsgRelay (21)
-- shortMsgAlertContext-v1	map-ac shortMsgAlert (23)
-- mwdMngtContext-v1	map-ac mwdMngt (24)
-- mwdMngtContext-v2	map-ac mwdMngt (24)
-- shortMsgMT-RelayContext-v2	map-ac shortMsgMT-Relay (25)
-- msPurgingContext-v2	map-ac msPurging (27)
-- callControlTransferContext-v3	map-ac callControlTransferContext (6)
-- gprsLocationInfoRetrievalContext-v3	map-ac gprsLocationInfoRetrievalContext (33) version3 (3)

END