Source:	**RAN WG3 Chairman**
Title:	**Revised Report from WG3 chairman to TSG RAN**
Document for:	**Discussion**
Agenda Item:	**6.4.1**

1. GENERAL

Since the last TSG RAN, RAN WG3 has had two meetings, focusing on corrections and functional additions for R99. Around 280 CRs are presented for approval.

Of the open issues (corrections) presented at RAN#6 for the approved specifications, about 70% have been solved. There has been a lack of contributions for some topics. In addition to the earlier listed open issues, several others have been identified, and a lot of them have been solved.

The effort of delegates and the meeting time required for corrections is larger when working with CRs compared to the situation before approval of the specifications, despite the good support we have got from the secretary / support team. Above 980 Tdoc number have been allocated already this year. One risk is that the WG is very dependent on very few experts identifying dependencies between different specs and functions. Increased activity from more delegates is requested to ensure the overall quality of the standard.

The progress for the functions identified to be added to RAN#7 has been good for most functions, even if some work is remaining on some of the Iur/Iub related functions.

Almost all focus has been on corrections and the added functions to R99. The progress and activity on R99 Technical Reports, R00 issues and other tasks has been very limited.

2. ORGANISATION AND WORKPLAN

WG3 chairman: Per Willars, Ericsson
WG3 vice chairman: Jean-Marie Calmel, Nortel
WG3 secretary: Carolyn Taylor, MCC

Most work has been done in the two subworking groups (SWGs):
- Iu SWG (Chairman: Atte Länsisalmi, Nokia)
- Iur/Iub SWG (Chairman: Per Willars, Ericsson)

Meetings have been held and are planned on the following dates:

Meeting	Dates	Venue, host
WG3#10	*24 – 28 January, 2000*	*Ericsson*
RAN RRM ad hoc	*9 – 11 February*	*Turin, Italy, CSELT*
Iu broadcast ad hoc	*21 February, 2000*	*Dusseldorf, Mannesman*
WG3#11	*28 February – 4 March, 2000*	*ETSI*
WG3#12	10 – 13 April, 2000	Korea
WG3#13	22 – 26 May, 2000	US, T1P1
WG3#14	3 – 7 July, 2000	Finland, Nokia
WG3#15	21 – 25 august, 2000	Germany, Berlin, Siemens
WG3#16	11 – 15 September, 2000 (may be shortened)	US, T1P1
WG3#17	23 – 27 October, 2000	No host!
WG3#18	20 - 24 November, 2000	US, Motorola

3.   STATUS OF ADDITIONAL R99 FUNCTIONS FOR RAN#7

The following functions were identified at RAN#6 as the functions to add to R99 to RAN#7.
Iu-related:
- Cell/Service Area broadcast protocols between SMS-CBC and RNC:
    - A solution has been developed with some limitations based on a prerequisite from T2 to not modify the CBC-UE protocol.
    - Limitation: one Service Area can only be one cell (violates radio network independence in CN)
    - A new TS 25.419 is sent for approval.
    - Solution with SA/cell independence identified as a potential work task for R00
- Iu time alignment (25.402, 25.415): Completed. CRs submitted.
- CN invoked trace deactivation: completed. CR submitted.

Iur / Iub – related:
- CPCH support on Iur and Iub:
    - Good progress. Several CRs submitted. Changes to NBAP proposed but not concluded.
- Possibility to perform soft handover during an active compressed mode pattern: Still open.
- Delayed activation at RL establishment. Not completed, lack of contributions.
- Support for positioning methods on Iur and Iub, basic (cell and RTT based). Not completed.
    - Missing support on Iur to transfer mapping between UC-id and geographical area to SRNC
    - Missing support on Iur/Iub for the RTT measurements
- DSCH and USCH over Iur, reusing RACH/FACH principles (25.423, 25.425):
    - Good progress, several CRs submitted. Changes to RNSAP proposed but not concluded.
- Capacity modelling of Node B resources, simple solution. Completed.

In addition, the following function was not identified by RAN#6, but has been heavily debated:
- Support for TrFO on Iu: Not completed, basic principles not agreed.

For the functions not completed, TSG RAN needs to decide whether to extend the deadline, or whether to remove the function from R99. Several other additional functions have been rejected by RAN3 for R99 following the guideline to not include any more new functionality.

4.   R99 TSs AND TRs

Below the status of each document is summarised, together with a list of issues still not completed (may not be exhaustive). Note that most open issues are quite minor (corrections needed).

4.1 Radio network layer specifications, General

25.401 UTRAN Overall Description
Rapporteur: Pierre Lescuyer, Nortel
Agreed CRs: RP-000073.

Still not completed issues:
- List of functions may still need some update and review
- Performance requirements missing (delay budget still open)
New open issue:
- Support for fast AMR rate control commands over Iub/Iur (redefinition of coordinated set of DCHs)

25.402 Synchronisation in UTRAN, stage 2
Rapporteur: Flavio Piolini, Italtel
Agreed CRs: RP-000074.

Solved issues:
- Clarification of determination of OFF (minor)
- Requirements for Network Synchronisation

4.2 Radio network layer specifications, Iu

25.410 UTRAN Iu Interface: General Aspects and Principles
Rapporteur: Richard Townend, BT
Agreed CRs: RP-000075.

25.413 UTRAN Iu interface RANAP signalling
Rapporteur: Jyrki Jussila, Nokia
Agreed CRs: RP-000078, RP-000079, RP-000080, RP-000081.

New open issues:
- Message syntax clarification (specification now allows duplication of IEs)
- Handling of not–supported functionality (procedure text + cause values)
- Clarification of ASN.1 vs. tabular (normative/informative etc)

25.415 UTRAN Iu interface user plane protocols
Rapporteur: Martin Israelsson, Ericsson
Agreed CRs: RP-000096.

25.419 UTRAN Iu interface: Service Area Broadcast Protocol SABP
Rapporteur: Brendan McWilliams, Vodafone
Version 2.0.0: RP-000112 (cover sheet), RP-000113 (TS)
Presented for approval.

4.3 Radio network layer specifications, Iur/Iub

25.420 UTRAN Iur Interface: General Aspects and Principles
Rapporteur: vacant
Agreed CRs: RP-000097.

New open issues:
- Align diversity control description with NBAP, RNSAP

25.430   UTRAN Iub Interface: General Aspects and Principles
Rapporteur: Mick Wilson, Fujitsu
Agreed CRs: RP-000105.

New open issues:
- Align diversity control description with NBAP, RNSAP

25.423   UTRAN Iur interface RNSAP signalling
Rapporteur: Göran Rune, Ericsson
Agreed CRs: RP-000099, RP-000100, RP-000101.

Still not completed issues:
- The handling of the Transaction ID and its scope of uniqueness.
- Triggering of the Common Transport Channel Resources Initiation procedure (selection of S CCPCH)
- Crossing signalling between the Physical Channel Reconfiguration procedure and other procedures.
New open issues:
- U-RNTI reallocation over Iur (should we support this?)
- Positioning: Geographicall area indication from DRNC to SRNC
Solved issues:
- Definition of DRX Parameter on Iur
- The usage of the BLER in the DRNS is undefined in the procedures text.
- The definition and usage of the *Mean Bit Rate* IE is not defined in the procedures.
- The handling of the *Allocation/Retention Priority* in the DRNS.

25.433   UTRAN Iub interface NBAP signalling
Rapporteur: Nobutaka Ishikawa, NTT Docomo
Agreed CRs: RP-000106, RP-000107, RP-000108

New open issues:
- Configuration of out of sync parameters via CELL SETUP
- Cause values e.g. for the Common procedures
- Range of PRACH codeword range (awaiting outcome L1)
- Resource Status Indication:sometimes ambiguous (e.g. can only 1 error be reported or cleared with 1 message or multiple)
- Is timer needed in Synchronous RL_Reconfiguration case?

Solved issues:
- Alignment of the number of DSCHs supported to one UE (and how to signal TFI in case of >1)
- DSCH (TDD+FDD): signalling of physical channel parameters
- The use of TSTD and STTD parameters in cell setup
- Decide whether mandatory or optional for Node B to support origination of certain SIBs on BCCH (Not considered needed to solve.)

Issues common for 25.423 and 25.433:

Still not completed issues:
- Usage of the *Cause* IE on message level and the *Cause* IE for a specific RL as in the RL RECONFIGURATION FAILURE message.
- Error Cases/Error Handling details (e.g. timers for synchronised RL reconfiguration etc)
- Definitions of the maximum values for the various "range bounds" in the tabular format.
- Alignment of ASN.1 description and coding to tabular format
- Need text alignment with tabular format (e.g. handling of all optional elements)
- The need for extensibility of range need to be reviewed for each parameter

New open issues:
- Major update of compressed mode parameters (to align with updates in RAN1)
- RL Setup/Addition during compressed mode
- Compressed mode procedure: Is repetition of commit allowed ?
- Handling of not supported procedure codes, criticality set to "reject": error indication or failure message?
- Handling of not–supported non-core functionality (procedure text + cause values)
- Clarification of ASN.1 vs. tabular (normative/informative etc)
- Message syntax clarification (ASN.1 now allows duplication of IEs)
- Positioning: RTT measurement
- DL-DPCH, UL-DPCCH and S-CCPCH slot formats (Pilot Bits Used IE)
- Measurement report grouping (more than one measurement report per message?)
- DL power ramping procedure, if needed
- DL power control behaviour in Node B, if needed for interoperability? (currently unspecified)

Solved:
- Review of criticality information in ASN.1
- Algorithm for DL reference power (FDD) (refer to R1 specifications)
- Meaning and usage of RLC Mode
- The meaning of applying a measurement to "allRL"
- Version handling for the user plane (required mechanisms in the control plane): concluded that a solution is not needed in R99. A mechanism can be introduced in R00.

25.425   UTRAN Iur interface user plane protocols for CCH data streams
Rapporteur: Nicolas Drevon, Alcatel
Agreed CRs: RP-000102.

Solved issues:
- Extension mechanisms - compatibility principles

25.435   UTRAN Iub interface user plane protocols for CCH data streams
Rapporteur: Jean-Marie Calmel, Nortel
Agreed CRs: RP-000110.

Solved:
- Backward compatibility and definition of the compatibility information
- Support of reallocation of physical channel for TDD USCH+DSCH due to harmonisation of model with FDD

25.427   UTRAN Iur and Iub interface user plane protocols for DCH data streams
Rapporteur: Fabio Longoni, Nokia
Agreed CRs: RP-000104.

New open issue:
- Multiple transport formats with zero user data (new WG1 option interfering with Iub/Iur silent mode)
Solved:
- Version handling and backward compatibility.

4.4Transport layer specifications

25.411 UTRAN Iu interface Layer 1
Rapporteur: Achim von Brandt, Siemens
Agreed CRs: RP-000076.

25.421   UTRAN Iur interface Layer 1
Rapporteur: Achim von Brandt, Siemens

25.431   UTRAN Iub interface Layer 1
Rapporteur: Achim von Brandt, Siemens

25.412 UTRAN Iu interface signalling transport
Rapporteur: vacant
Agreed CRs: RP-000077.

25.422   UTRAN Iur interface signalling transport
Rapporteur: vacant
Agreed CRs: RP-000098.

25.432   UTRAN Iub interface signalling transport
Rapporteur: Mick Wilson, Fujitsu

25.414   UTRAN Iu interface data transport & transport signalling
Rapporteur: Martin Israelsson, Ericsson
Agreed CRs: RP-000082.

25.424   UTRAN Iur interface data transport & transport signalling for CCH data streams
Rapporteur: Nicolas Drevon, Alcatel
Agreed CRs: RP-000122.

25.434   UTRAN Iub interface data transport & transport signalling for CCH data streams
Rapporteur: Magnus Aldén, telia
Agreed CRs: RP-000109.

25.426   UTRAN Iur and Iub interface data transport & transport signalling for DCH data streams
Rapporteur: Sami Kekki, Nokia
Agreed CRs: RP-000103.

25.442   UTRAN Implementations specific O&M transport
Rapporteur: Stephan Recker, Mannesman
Agreed CRs: RP-000111.

4.5 Technical reports

25.931   UTRAN Functions, examples on signalling procedures
Rapporteur: Enrico Scarrone, CSELT
Version 1.2.4: RP-000087 (cover sheet), RP-000088 (TS)
There has been no meeting time to discuss this. Proposed updates from the editor have been approved on mail reflector.
Anticipated that substantial reviewing is still needed to align with approved TSs.
Presented for information.

25.832   Manifestations of handover and SRNS relocation
Rapporteur: Richard Townend, BT

25.831 TSG RAN WG3 Study Items for Future Releases
Editor: Nicolas Drevon, Alcatel
Not presented to TSG RAN. No work on this in the WG since last TSG RAN.

4.6 Administrative documents

30.531   TSG RAN WG3 Work Plan and Study Items
Editor: Björn Ehrstedt, Ericsson
Version 0.6.0: RP-000114(cover sheet), RP-000115

5   OTHER ACTIVITIES

Very little time has been spent on other acitvities than corrections / additions to R99 TSs.

- Delay budget
Answered LS to SA4. However, no substantial progress to settle an overall delay budget.

- Comment LCS stage 2 TS to RAN2
Did not have meeting time for this. RAN WG3 will start work on UTRAN support of LCS as part of R00.

- Comment 25.921 Protocol methodology
Did not have meeting time for this.

- Vocabulary.
No activity

6   COMING MEETINGS

The focus will be as follows for the coming meetings:

1. Corrections to the R99 specifications. Target: good quality, unambigous specifications.
2. Completion of the additional "RAN#7" functions
3. Technical Reports for R99 (25.931 + Delay budget report)
4. Work on agreed R00 work items
5. Discussion on potential additional R00 work items