

3GPP TSG-CN Meeting #13  
 3GPP TSG-RAN Meeting #13  
 3GPP TSG-T Meeting #13  
 3GPP TSG-SA Meeting #13  
 Beijing, China, September 2001

**Tdoc NP-010481**  
**Tdoc RP-010568**  
**Tdoc TP-010173**  
**Tdoc SP-010419**

CR-Form-v4
<b>CHANGE REQUEST</b>
⌘ <b>01.01 CR 003</b> ⌘ ev <b>-</b> ⌘ Current version: <b>8.2.0</b> ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

**Proposed change affects:** ⌘ (U)SIM  ME/UE  Radio Access Network  Core Network

<b>Title:</b>	⌘ Correction to list of specifications		
<b>Source:</b>	⌘ MCC ( <a href="#">John M Meredith</a> )		
<b>Work item code:</b>	⌘ TEI	<b>Date:</b>	⌘ 2001-09-11
<b>Category:</b>	⌘ <b>F</b>	<b>Release:</b>	⌘ R99
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:
	<b>F</b> (correction)	<b>R96</b>	<b>2</b> (GSM Phase 2)
	<b>A</b> (corresponds to a correction in an earlier release)	<b>R97</b>	(Release 1996)
	<b>B</b> (addition of feature),	<b>R98</b>	(Release 1997)
	<b>C</b> (functional modification of feature)	<b>R99</b>	(Release 1998)
	<b>D</b> (editorial modification)	<b>REL-4</b>	(Release 1999)
	Detailed explanations of the above categories can	<b>REL-4</b>	(Release 4)
	be found in 3GPP <a href="#">TR 21.900</a> .	<b>REL-5</b>	(Release 5)

<b>Reason for change:</b>	⌘ Specs have been stopped / created.		
<b>Summary of change:</b>	⌘ Additions / deletions to table of specs for this release		
<b>Consequences if not approved:</b>	⌘ FUD		

<b>Clauses affected:</b>	⌘ 6		
<b>Other specs affected:</b>	<input type="checkbox"/> Other core specifications <input type="checkbox"/> Test specifications <input type="checkbox"/> O&M Specifications	⌘	
<b>Other comments:</b>	⌘		

**How to create CRs using this form:**

Comprehensive information and tips about how to create CRs can be found at: [http://www.3gpp.org/3G\\_Specs/CRs.htm](http://www.3gpp.org/3G_Specs/CRs.htm). Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

## 6 Specifications and Reports

Specifications in the range 01,xx to 13.xx are 'pure' GSM specs - that is, those required to build systems with a GERAN air interface. Those in the range 21.xxx to 35.xxx are common to GSM and UMTS implementations - that is, to systems with either GERAN or UTRAN air interfaces.

Number	Title	WG prime
01.00	Working Procedures for SMG	SP
01.01	GSM Release 1999 Specifications	SP
01.04	Abbreviations and Acronyms	GP
01.31	Fraud Information Gathering System (FIGS); Service requirements; Stage 0	S3
01.33	Lawful Interception requirements for GSM	S3
01.61	General Packet Radio Service (GPRS); GPRS ciphering algorithm requirements	S3
02.09	Security Aspects	S3
02.17	Subscriber Identity Modules, Functional Characteristics	T3
02.31	Fraud Information Gathering System (FIGS) Service description; Stage 1	S3
02.32	Immediate Service Termination (IST); Service description; Stage 1	S3
02.33	Lawful Interception; Stage 1	S3
02.43	Support of Localised Service Area (SoLSA); Service description; Stage 1	S1
02.48	Security mechanisms for the SIM Application Toolkit; Stage 1	T3
02.53	Tandem Free Operation (TFO); Service description; Stage 1	S4
02.56	GSM Cordless Telephony System (CTS), Phase 1; Service description; Stage 1	S1
02.68	Voice Group Call Service (VGCS); Stage 1	S1
02.69	Voice Broadcast Service (VBS); Stage 1	S1
02.76	Noise Suppression for the AMR	S4
02.94	Follow Me Service description; Stage 1	S1
02.95	Support of Private Numbering Plan (SPNP); Service description; Stage 1	S1
03.05	Technical performance objectives	NP
03.10	GSM Public Land Mobile Network (PLMN) Connection Types	N3
03.13	Discontinuous Reception (DRX) in the GSM System	G1
03.19	GSM API for SIM toolkit stage 2	T3
03.20	Security-related Network Functions	S3
03.22	Functions Related to Mobile Station (MS) in Idle Mode	G1
03.26	Multiband operation of GSM/DCS 1800 by a single operator	G1
03.30	Radio Network Planning Aspects	GP
03.31	Fraud Information Gathering System (FIGS); Service description; Stage 2	S3
03.33	Lawful Interception; Stage 2	S3
03.35	Immediate Service Termination (IST); Stage 2	S3
03.45	Technical Realization of Facsimile Group 3 Service - transparent	N3
03.46	Technical Realization of Facsimile Group 3 Service - non transparent	N3
03.48	Security Mechanisms for SIM Toolkit Application; Stage 2	T3
03.50	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	S4
03.52	Lower layers of the GSM Cordless Telephony System (CTS) radio interface; Stage 2	G1
03.53	Tandem Free Operation (TFO); Service description; Stage 2	S4
03.55	Dual Transfer Mode (DTM); Stage 2	G1
03.58	Characterisation, test methods and quality assessment for handsfree Mobile Stations (MSs)	S4
03.63	Packet Data on Signalling channels service (PDS) Service description, Stage 2	N1
03.64	Overall description of the GPRS radio interface; Stage 2	G1
03.68	Voice Group Call Service (VGCS); Stage 2	N1
03.69	Voice Broadcast service (VBS); Stage 2	N1
03.71	Location services (LCS); Stage 2	S2
04.01	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	N1
04.03	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	G2

04.04	Layer 1 - General Requirements	G2
04.05	Data Link (DL) Layer General Aspects	G2
04.06	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification	G2
04.08	Mobile radio interface layer 3 specification	N1
04.12	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	G2
04.13	Performance Requirements on Mobile Radio Interface	N1
04.14	Individual equipment type requirements and interworking; Special conformance testing functions	G2
04.18	Mobile radio interface layer 3 specification; Radio Resource Control Protocol	G2
04.21	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	N3
04.31	Location Services LCS RR LCS Protocol	G2
04.35	Location Services LCS Stage 3 E-OTD Enhanced Observed	G2
04.56	GSM Cordless Telephony System (CTS), (Phase 1) CTS Radio Interface Layer 3 Specification	N1
04.57	GSM Cordless Telephony System (CTS), (Phase 1) CTS CTS supervising system Layer 3 Specification	N1
04.60	General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/ Medium Access Control (RLC/MAC) protocol	G2
04.63	Packet Data on Signalling channels Service (PDS) Service Description, Stage 3	N1
04.64	Mobile Station - Serving GPRS Support Node (MS-SGSN) Logical Link Control (LLC) Layer Specification	N1
04.65	Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork Dependent Convergence Protocol (SNDCP)	N1
04.68	Group Call Control (GCC) Protocol	N1
04.69	Broadcast Call Control (BCC) protocol	N1
04.71	Location services (LCS) stage 3	G2
05.01	Physical Layer on the Radio Path (General Description)	GP
05.02	Multiplexing and Multiple Access on the Radio Path	G1
05.03	Channel coding	G1
05.04	Modulation	G1
05.05	Radio Transmission and Reception	G1
05.08	Radio Subsystem Link Control	G1
05.09	Link adaptation	G1
05.10	Radio subsystem synchronization	G1
05.22	Radio link management in hierarchical networks	G1
05.50	Background for RF Requirements	G1
05.56	CTS-FP Radio Sub-system	G1
06.01	Full Rate Speech Processing Functions	S4
06.02	Half Rate Speech Processing Functions	S4
06.06	Half Rate Speech: ANSI-C Code for GSM Half Rate Speech Codec	S4
06.07	Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec	S4
06.08	Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec	S4
06.10	Full Rate Speech Transcoding	S4
06.11	Substitution and Muting of Lost Frames for Full Rate Speech Channels	S4
06.12	Comfort Noise Aspects for Full Rate Speech Traffic Channels	S4
06.20	Half Rate Speech Transcoding	S4
06.21	Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels	S4
06.22	Comfort Noise Aspects for Half Rate Speech Traffic Channels	S4
06.31	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	S4
06.32	Voice Activity Detection (VAD)	S4
06.41	Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels	S4
06.42	Voice Activity Detection (VAD) for Half Rate Speech Traffic Channels	S4
06.51	GSM Enhanced full rate speech processing functions: General description	S4
06.53	ANSI-C code for the GSM Enhanced full rate speech codec	S4
06.54	Test sequences for the GSM Enhanced Full Rate (EFR)	S4
06.55	Performance characterisation of the GSM EFR Speech Codec	S4
06.60	Enhanced full rate speech transcoding	S4
06.61	Substitution and muting of lost frames for enhanced full rate speech traffic channels	S4
06.62	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	S4
06.76	Adaptive Multi-Rate (AMR) speech codec; Study phase report	S4
06.77	Minimum Performance Requirements for Noise Suppressor Application to the AMR Speech Encoder	S4

06.78	Results of the AMR noise suppression selection phase	S4
06.81	Discontinuous Transmission (DTX) for enhanced full rate speech traffic channels	S4
06.82	Voice Activity Detection (VAD) for enhanced full rate speech traffic channels	S4
06.85	Subjective tests on the interoperability of the HR/FR/EFR speech codecs; single, tandem and tandem free operation	S4
08.01	General Aspects on the BSS-MSC Interface	G2
08.02	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	G2
08.04	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	G2
08.06	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	G2
08.08	Mobile Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	G2
08.14	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb Interface Layer 1	G2
08.16	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) Interface; Network Service	G2
08.18	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS Protocol	G2
08.20	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	N3
08.31	Location Services LCS: Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC - SMLC); SMLCPP specification	G2
08.51	Base Station Controller - Base Transceiver Station (BSC-BTS) Interface General Aspects	G2
08.52	Base Station Controller - Base Transceiver Station (BSC-BTS) Interface - Interface Principles	G2
08.54	BSC-BTS : Layer 1 Structure of Physical Circuits	G2
08.56	BSC-BTS Layer 2 Specification	G2
08.58	Base Station Controller - Base Transceiver Station (BSC-BTS) Interface Layer 3 Specification	G2
08.60	Inband Control of Remote Transcoders and Rate Adaptors for EFR/FR	G2
08.61	Inband Control of Remote Transcoder and Rate Adaptors;(Half Rate)	G2
08.62	Inband Tandem Free Operation (TFO) of Speech Codecs; Service Description; Stage 3	S4
08.71	Location services (LCS) SMLC-BSS interface L 3	G2
09.01	General Network Interworking Scenarios	N4
09.08	Application of the Base Station System Application Part (BSSAP) on the E-Interface	N1
09.31	Location Services LCS Extension (BSSAP-LE)	G2
10.56	Project scheduling and open issues: GSM Cordless Telephony System CTS, Phase 1	S2
10.59	Project scheduling and open issues for EDGE	G1
<a href="#">10.76</a>	<a href="#">Noise suppression for the AMR codec; Project scheduling and open issues</a>	<a href="#">S4</a>
10.89	GSM to other Systems Handover and Cell Selection/Reselection; Project scheduling and open issues;	GP
11.10-1	Mobile station (MS) conformance specification; Part1: Conformance specification	G4
11.11	Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) Interface	T3
11.14	Specification of Subscriber Identity Module - Mobile Equipment (SIM - ME) Interface for SIM Application Toolkit	T3
11.21	GSM Radio Aspects Base Station System Equipment Specification	G3
11.26	GSM Repeater Equipment Specification	G3
12.03	Security Management	S5
12.04	Performance Management and Measurements for a GSM Public Land Mobile Network (PLMN)	S5
12.71	Location Services (LCS); Location services management	S5
21.978	Feasibility Technical Report – CAMEL Control of VoIP Services	N2
22.001	Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN)	S1
22.002	Circuit Bearer Services Supported by a PLMN	S1
22.003	Circuit Teleservices supported by a Public Land Mobile Network (PLMN)	S1
22.004	General on Supplementary Services	S1
22.011	Service accessibility	S1
22.016	International Mobile Equipment Identities (IMEI)	S1
22.022	Personalisation of GSM ME Mobile functionality specification; Stage 1	S3
22.024	Description of Charge Advice Information (CAI)	S1
22.030	Man-Machine Interface (MMI) of the <a href="#">User Equipment (UE) Mobile Station (MS)</a>	S1
22.034	High Speed Circuit Switched Data (HSCSD); Stage 1	S1
22.038	SIM application toolkit (SAT); Stage 1	S1
22.041	Operator Determined Call Barring	S1
22.042	Network Identity and Time Zone (NITZ), stage 1	S1
<a href="#">22.043</a>	<a href="#">Support of Localised Service Area (SoLSA); Stage 1</a>	<a href="#">S4</a>

22.057	Mobile <del>Station Application</del> -Execution Environment (MExE); Stage 1	S1
22.060	General Packet Radio Service (GPRS); Stage 1	S1
22.066	Support of Mobile Number Portability (MNP); Stage 1	S1
22.067	enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 1	S1
22.071	Location Services (LCS); Stage 1	S1
22.072	Call Deflection (CD); Stage 1	S1
22.078	CAMEL; Stage 1	S1
22.079	Support of Optimal Routing; Stage 1	S1
22.081	Line Identification Supplementary Services; Stage 1	S1
22.082	Call Forwarding (CF) Supplementary Services; Stage 1	S1
22.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 1	S1
22.084	MultiParty (MPTY) Supplementary Service; Stage 1	S1
22.085	Closed User Group (CUG) Supplementary Services; Stage 1	S1
22.086	Advice of Charge (AoC) Supplementary Services; Stage 1	S1
22.087	User-to-user signalling (UUS); Stage 1	S1
22.088	Call Barring (CB) Supplementary Services; Stage 1	S1
22.090	Unstructured Supplementary Service Data (USSD); Stage 1	S1
22.091	Explicit Call Transfer (ECT) Supplementary Service; Stage 1	S1
22.093	Call Completion to Busy Subscriber (CCBS); Stage 1	S1
22.094	Follow Me Stage 1	S1
22.096	<del>Name identification supplementary services; Stage 1</del> Calling Name Presentation (CNAP); Stage 1	S1
22.097	Multiple Subscriber Profile (MSP); Stage 1	S1
22.115	Service Aspects Charging and billing	S1
22.121	Provision of Services in UMTS - The Virtual Home Environment; Stage 1	S1
22.129	Handover Requirements between UMTS and GSM or other Radio Systems	S1
22.945	Study of provision of fax service in GSM and UMTS	T2
23.002	Network Architecture	S2
23.003	Numbering, Addressing and Identification	N4
23.007	Restoration procedures	N4
23.008	Organisation of subscriber data	N4
23.009	Handover procedures	N1
23.011	Technical Realization of Supplementary Services - General Aspects	N4
23.012	Location management procedures	N4
23.014	Support of Dual Tone Multi Frequency (DTMF) signalling	N1
23.015	Technical realisation of Operator Determined Barring (ODB)	N4
23.016	Subscriber data management; Stage 2	N4
23.018	Basic Call Handling - Technical realization	N4
23.032	Universal Geographical Area Description (GAD)	S2
23.034	High Speed Circuit Switched Data (HSCSD); Stage 2	N1
23.038	Alphabets & Language	T2
23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)	T2
23.040	Technical realisation of Short Message Service	T2
23.041	Technical Realization of Cell Broadcast Service	T2
23.042	Compression algorithm for SMS	T2
23.054	Shared Interworking Functions; Stage 2	N3
23.057	Mobile Execution Environment (MExE)	T2
23.060	General Packet Radio Service (GPRS) Service description; Stage 2	S2
23.066	Support of GSM Mobile Number Portability (MNP) stage 2	N4
23.067	Enhanced Multi-Level Precedence and Preemption Service (EMLPP); Stage 2	N4
23.072	Call Deflection Supplementary Service; Stage 2	N4
23.073	Support of Localised Service Area (SoLSA); Stage 2	N4
23.078	Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 3 - Stage 2	N2
23.079	Support of Optimal Routeing - Phase 1; Stage 2	N4
23.081	Line Identification Supplementary Services; Stage 2	N4
23.082	Call Forwarding (CF) Supplementary Services; Stage 2	N4

23.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 2	N4
23.084	MultiParty (MPTY) Supplementary Service; Stage 2	N4
23.085	Closed User Group (CUG) Supplementary Service; Stage 2	N4
23.086	Advice of Charge (AoC) Supplementary Service; Stage 2	N4
23.087	User-to-User Signalling (UUS); Stage 2	N4
23.088	Call Barring (CB) Supplementary Service; Stage 2	N4
23.090	Unstructured Supplementary Service Data (USSD); Stage 2	N4
23.091	Explicit Call Transfer (ECT) Supplementary Service; Stage 2	N4
23.093	Call Completion to Busy Subscriber (CCBS); Stage 2	N4
23.094	Follow Me Stage 2	N4
23.096	Name Identification Supplementary Service; Stage 2	N4
23.097	Multiple Subscriber Profile (MSP); Stage 2	N4
23.108	Mobile Radio Interface Layer 3 specification Core Network Protocols stage 2 (structured procedures)	N1
23.110	UMTS Access Stratum Services and Functions	S2
23.116	Super-Charger technical realization; Stage 2	N4
23.119	Gateway Location Register (GLR); Stage2	N4
23.121	Architecture Requirements for release 99	S2
23.140	Multimedia Messaging Service (MMS)	T2
23.908	Technical report on Pre-Paging	N4
23.909	Technical report on the Gateway Location Register	N4
23.911	Technical report on Out-of-band transcoder control	N4
23.912	Technical report on Super-Charger	N4
23.923	Combined GSM and Mobile IP mobility handling in UMTS IP CN	S2
23.925	UMTS Core network based ATM transport	S2
24.002	GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration	N1
24.007	Mobile Radio Interface Signalling Layer 3 - General Aspects	N1
24.008	Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3	N1
24.010	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects	N4
24.011	Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface	N1
24.022	Radio Link Protocol (RLP) for Data and Telematic Services on the (MS-BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-MSC) Interface	N3
24.067	Enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 3	N4
24.072	Call Deflection Supplementary Service; Stage 3	N4
24.080	Mobile radio Layer 3 Supplementary Service specification - Formats and coding	N4
24.081	Line Identification Supplementary Service; Stage 3	N4
24.082	Call Forwarding Supplementary Service; Stage 3	N4
24.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 3	N4
24.084	MultiParty (MPTY) Supplementary Service; Stage 3	N4
24.085	Closed User Group (CUG) Supplementary Service; Stage 3	N4
24.086	Advice of Charge (AoC) Supplementary Service; Stage 3	N4
24.087	User-to-User Signalling (UUS); Stage 3	N4
24.088	Call Barring (CB) Supplementary Service; Stage 3	N4
24.090	Unstructured Supplementary Service Data (USSD); Stage 3	N4
24.091	Explicit Call Transfer (ECT) Supplementary Service; Stage 3	N4
24.093	Call Completion to Busy Subscriber (CCBS); Stage 3	N4
24.096	Name Identification Supplementary Service; Stage 3	N4
27.001	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	N3
27.002	Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities	N3
27.003	Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities	N3
27.005	Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE - DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS)	T2
27.007	AT command set for 3G User Equipment (UE)	T2
27.010	Terminal Equipment to User Equipment (TE-UE) multiplexer protocol User Equipment (UE)	T2
27.060	<a href="#">Packet domain; Mobile Station (MS) supporting Packet Switched services</a> <del>GPRS-Mobile Stations supporting GPRS</del>	N3
27.103	Wide Area Network Synchronisation	T2
29.002	Mobile Application Part (MAP)	N4

29.007	General requirements on Interworking between the PLMN and the ISDN or PSTN	N3
29.010	Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)	N4
29.011	Signalling Interworking for Supplementary Services	N4
29.013	Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols	N4
29.016	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification	N1
29.018	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Layer 3 Specification	N1
29.060	GPRS Tunnelling protocol (GTP) across the Gn and Gp interface	N4
29.061	<u>Interworking between the Public Land Mobile Network (PLMN) supporting Packet Based services and Packet Data Networks (PDN) General Packet Radio Service (GPRS); Interworking between the Public Land Mobile Network (PLMN) supporting GPRS and Packet</u>	N3
29.078	Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 3; CAMEL Application Part (CAP) specification	N2
31.111	USIM Application Toolkit (USAT)	T3

Note: ~~11.10-1 exists as a Release 1999 specification, but was closed at meeting number 32 of ETSI TC SMG (June 2000). Its contents are thus out of date, and it cannot be reliably used for conformance testing. In fact, the The~~ Release 1999 conformance specifications are contained in the corresponding Release 4 specifications, 51.010-1 to -4 [2], [3], [4] and [5].