RP-040282

Title List of CRs agreed by RAN WG4

Source TSG RAN WG4

Agenda Item 7.5.1

#### Agenda Item 7.5.3 RP-040283 CRs (F

CRs (R99 and Rel-4/Rel-5/Rel-6 Category A) to TS25.133

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title   | Work Item |
|-----------|--------|-----|---|-----|-------|-------------|---|-----------|
| R4-040390 | 25.133 | 676 |   | F   | R99   | 3.18.0      | Redrafting of alignment of the activation time definition between TS 25.133 and TS 25.331 | TEI       |
| R4-040391 | 25.133 | 677 |   | Α   | Rel-4 | 4.12.0      | Redrafting of alignment of the activation time definition between TS 25.133 and TS 25.331 | TEI       |
| R4-040392 | 25.133 | 678 |   | Α   | Rel-5 | 5.11.0      | Redrafting of alignment of the activation time definition between TS 25.133 and TS 25.331 | TEI       |
| R4-040393 | 25.133 | 679 |   | Α   | Rel-6 | 6.6.0       | Redrafting of alignment of the activation time definition between TS 25.133 and TS 25.331 | TEI       |
| R4-040441 | 25.133 | 682 |   | F   | R99   | 3.18.0      | Removal of Cell_FACH requirements for GSM observed time difference measurement            | TEI       |
| R4-040442 | 25.133 | 683 |   | Α   | Rel-4 | 4.12.0      | Removal of Cell_FACH requirements for GSM observed time difference measurement            | TEI       |
| R4-040443 | 25.133 | 684 |   | Α   | Rel-5 | 5.11.0      | Removal of Cell_FACH requirements for GSM observed time difference measurement            | TEI       |
| R4-040444 | 25.133 | 685 |   | Α   | Rel-6 | 6.6.0       | Removal of Cell_FACH requirements for GSM observed time difference measurement            | TEI       |
| R4-040455 | 25.133 | 690 |   | F   | R99   | 3.18.0      | Change of test parameter for event triggered reporting with event 1B                      | TEI       |

Agenda Item 7.5.5

RP-040284 CRs (Rel-5 and Rel-6 Category A) to TS25.101 for HSDPA-RF

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title  | Work Item |
|-----------|--------|-----|---|-----|-------|-------------|--|-----------|
| R4-040526 | 25.101 | 360 |   | F   | Rel-5 | 5.11.0      | Clarification of HS-DSCH level                       | HSDPA-RF  |
| R4-040527 | 25.101 | 361 |   | Α   | Rel-6 | 6.4.0       | Clarification of HS-DSCH level                       | HSDPA-RF  |
| R4-040569 | 25.101 | 362 | 1 | F   | Rel-5 | 5.11.0      | Correction to OCNS code allocation for HSDPA testing | HSDPA-RF  |
| R4-040570 | 25.101 | 363 | 1 | Α   | Rel-6 | 6.4.0       | Correction to OCNS code allocation for HSDPA testing | HSDPA-RF  |

### RP-040285 CRs (Rel-5 and Rel-6 Category A) to TS25.123 for the correction of UTRA Carrier RSSI and other corrections

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title   | Work Item     |
|-----------|--------|-----|---|-----|-------|-------------|---|---------------|
| R4-040404 | 25.123 | 344 |   | F   | Rel-5 | 5.9.0       | Correction to UTRA Carrier RSSI measurement and other corrections in test cases | LCRTDD-<br>RF |
| R4-040405 | 25.123 | 345 |   | Α   | Rel-6 | 6.2.0       | Correction to UTRA Carrier RSSI measurement and other corrections in test cases | LCRTDD-<br>RF |

RP-040286 CRs (Rel-5 and Rel-6 Category A) to TS25.133

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title  | Work Item |
|-----------|--------|-----|---|-----|-------|-------------|--|-----------|
| R4-040552 | 25.133 | 688 | 1 | F   | Rel-5 | 5.11.0      | Removal of square brackets from requirements for number of reporting criteria for traffic volume measurements in cell_FACH state | TEI5      |
| R4-040553 | 25.133 | 689 | 1 | А   | Rel-6 | 6.6.0       | Removal of square brackets from requirements for number of reporting criteria for traffic volume measurements in cell_FACH state | TEI5      |
| R4-040561 | 25.133 | 691 | 1 | F   | Rel-5 | 5.11.0      | FDD/FDD Hard Handover test case clarification  | TEI5      |
| R4-040562 | 25.133 | 692 | 1 | Α   | Rel-6 | 6.6.0       | FDD/FDD Hard Handover test case clarification  | TEI5      |

Agenda Item RP-040287 8.1.2.1

## CR (Rel-6) to TS25.101 for WI "Performance Requirements of Receive Diversity for HSDPA"

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title  | Work Item                   |
|-----------|--------|-----|---|-----|-------|-------------|--|-----------------------------|
| R4-040572 | 25.101 | 364 | 1 | В   | Rel-6 | 6.4.0       | Specification of enhanced performance requirements for HSDPA based on receiver diversity | RInImp-<br>HSPerf-<br>RxDiv |

### Agenda Item RP-040288

# 8.8 CRs (Rel-6) to TS25.101 & TS25.133 for WI "Technical Enhancements and Improvements"

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title  | Work Item         |
|-----------|--------|-----|---|-----|-------|-------------|--|-------------------|
| R4-040459 | 25.101 | 352 |   | F   | Rel-6 | 6.4.0       | Clarification of test parameter of reliable TPC command combining                            | TEI6              |
| R4-040520 | 25.101 | 354 | 1 | F   | Rel-6 | 6.4.0       | UE maximum input level for HS-PDSCH  | TEI6,<br>HSDPA-RF |
| R4-040512 | 25.101 | 358 |   | F   | Rel-6 | 6.4.0       | Clarification to change of TFC and compressed mode time mask diagrams                        | TEI6              |
| R4-040429 | 25.133 | 680 |   | F   | Rel-6 | 6.6.0       | Correction to FDD inter frequency fading test case   | TEI6              |
| R4-040547 | 25.133 | 681 | 1 | F   | Rel-6 | 6.6.0       | Additional scenarios for cell reselection test requirements                                  | TEI6              |
| R4-040557 | 25.133 | 687 | 2 | F   | Rel-6 | 6.6.0       | RX-TX timing test modified to use soft handover, delay range for RX-TX timing test specified | TEI6              |

#### Agenda Item RP-040289

8.9

### CRs (Rel-6) to TS25.106 & TS25.143 for the redrafting of co-existence tables

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title   | Work Item      |
|-----------|--------|-----|---|-----|-------|-------------|---|----------------|
| R4-040422 | 25.106 | 036 |   | F   | Rel-6 | 6.1.0       | Spurious emissions: Redrafting of tables for co-existence | RInImp-<br>REP |
| R4-040423 | 25.143 | 047 |   | F   | Rel-6 | 6.1.0       | Spurious emissions: Redrafting of tables for co-existence | RInImp-<br>REP |

### RP-040290 CRs (Rel-6) to TS25.123 for corrections to Low Chip Rate TDD

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title  | Work Item     |
|-----------|--------|-----|---|-----|-------|-------------|--|---------------|
| R4-040551 | 25.123 | 346 | 1 | F   | Rel-6 | 6.2.0       | Correction to measurement performance units in section 9 | LCRTDD-<br>RF |
| R4-040407 | 25.123 | 347 |   | F   | Rel-6 | 6.2.0       | Correction of inconsistency between 25.123 and 25.331    | LCRTDD-<br>RF |

### RP-040291 CRs (Rel-6) to TS25.101 & TS25.133 for corrections to HSDPA related to power back off

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title   | Work Item |
|-----------|--------|-----|---|-----|-------|-------------|---|-----------|
| R4-040532 | 25.101 | 342 | 2 | Α   | Rel-6 | 6.4.0       | UE maximum output power with HS-DPCCH   | HSDPA-RF  |
| R4-040531 | 25.101 | 344 | 3 | F   | Rel-6 | 6.4.0       | Correction of maximum allowed power and range in TFC selection with HS-DPCCH and other clarifications | HSDPA-RF  |
| R4-040533 | 25.133 | 661 | 3 | Α   | Rel-6 | 6.6.0       | Clarification of HS-DPCCH in Transport format combination selection requirements                      | HSDPA-RF  |

#### RP-040292

# CRs (Rel-6) to TS25.101, TS25.104 & TS25.141 for WI UMTS850 & UMTS1721

| RAN4 Tdoc | Spec   | CR  | R | Cat | Rel   | Curr<br>Ver | Title   | Work Item           |
|-----------|--------|-----|---|-----|-------|-------------|---|---------------------|
| R4-040408 | 25.101 | 346 | 1 | F   | Rel-6 | 6.4.0       | Correction in the Band V (850MHz) additional frequency channel - UARFCN | RInImp-<br>UMTS850  |
| R4-040466 | 25.101 | 353 |   | F   | Rel-6 | 6.4.0       | Frequency range correction of out-of-band blocking for Band IV          | RInImp-<br>UMTS1721 |
| R4-040409 | 25.104 | 227 | 1 | F   | Rel-6 | 6.6.0       | Correction in the Band V (850MHz) additional frequency channel - UARFCN | RInImp-<br>UMTS850  |
| R4-040410 | 25.141 | 351 | 1 | F   | Rel-6 | 6.6.0       | Correction in the Band V (850MHz) additional frequency channel - UARFCN | RInImp-<br>UMTS850  |