

## Status Report for WI to TSG

**Work Item Name:** CS and PS Call Setup Delay Improvement

**SOURCE:** Rapporteur, Juho Pirskanen Nokia   **TSG:** RAN   **WG:** 2

**E-mail address rapporteur:** juho.pirskanen@nokia.com

**Ref. to WI sheet:** RAN\_Work\_Items.doc

### **Progress Report since the last TSG (for all involved WGs):**

#### **RAN2:**

The work on this topic started in RAN WG2 #46bis meeting where:

- TR skeleton was proposed and discussed
- The need to revise wording in the WI sheet was concluded
- Initial scenarios to be analysed were proposed
- Two separate proposal of using stored configurations to reduce signalling load was presented
- Email discussion on scenarios to be analysed was started in RAN2 reflector

The work continued in RAN WG2 #47 meeting even though very tight time schedule in the meeting. During that meeting the actions were

- Review the revised WI sheet, proposed by the rapporteur. The revision was found correct and according the discussion in RAN WG2 #46bis. The revision in RP-050332 proposes:
  - New name for the WI: Delay optimisation for procedures applicable to CS and PS Connections
  - Modifications to the objectives of the WI
  - Wording enhancements
- Present and discuss the report of the email discussion on scenarios to be analysed.
- Agree continuation of email discussion on scenarios to be analysed (Deadline RAN WG2 #48)
- Agree the endorsement of current TR version at email reflector.

#### **Other TSG-RAN working groups:**

No actions

It should be also noted that several signalling optimisation has already been agreed as a part of TEI6 work in RAN2.

#### **List of open issues:**

All objectives described in WI sheet are still open

#### **Estimates of the level of completion (when possible):**

Not yet possible

#### **WI completion date review resulting from the discussion at the working group:**

Presentation for information at plenary #30  
Presentation for approval at plenary #31

#### **References to WG's internal documentation and/or TRs:**