
Source: SA WG3
Title: CR to 33.107: The use of H.248 in setting up a bearer intercept point at the MGW (Rel-5)
Document for: Approval
Agenda Item: 7.3.3

SA doc#	Spec	CR	R	Phase	Subject	Cat	Current Version	SA WG3 doc#
SP-020110	33.107	018		Rel-5	The use of H.248 in setting up a bearer intercept point at the MGW	B	5.1.0	S3-020072

25 - 28 February 2002

Bristol, UK

CHANGE REQUEST

CR-Form-v4

⌘ **33.107 CR 018** ⌘ rev ⌘ Current version: **5.1.0** ⌘

*For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.*

Proposed change affects: ⌘ (U)SIM ME/UE Radio Access Network Core Network

Title:	⌘ The use of H.248 in setting up a bearer intercept point at the MGW.		
Source:	⌘ SA WG3		
Work item code:	⌘ SEC-LI	Date:	⌘ 20 February 2002
Category:	⌘ B	Release:	⌘ REL-5
	<i>Use <u>one</u> of the following categories:</i> F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		<i>Use <u>one</u> of the following releases:</i> 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) REL-4 (Release 4) REL-5 (Release 5)

Reason for change:	⌘ Additional explanation regarding the usage of H.248 in setting up a bearer intercept point at the MGW.
Summary of change:	⌘ Additional annex for the H.248 call flows.
Consequences if not approved:	⌘ H.248 interception flows will be missing from the specification

Clauses affected:	⌘ Annex D	
Other specs affected:	<input checked="" type="checkbox"/> Other core specifications ⌘ <input type="checkbox"/> Test specifications ⌘ <input type="checkbox"/> O&M Specifications ⌘	
Other comments:	⌘	




Figure D.2: Mobile to Mobile call originating side is target