
Source: SA5 (Telecom Management)
Title: Rel-4 CR 32.613 (Bulk CM Integration Reference Point (IRP);
CORBA solution set)
Document for: Approval
Agenda Item: 7.5.3

Doc-1st-	Spec	CR	Rev	Phase	Subject	Cat	Version-	Doc-2nd-	Workitem
SP-020485	32.613	005	-	Rel-4	Correction of Mapping fallbackEnabled Qualifier	F	4.2.0	S5- 026689	OAM-CM

CHANGE REQUEST

⌘ **32.613 CR 005** ⌘ rev **-** ⌘ Current version: **4.2.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ Correction of Mapping fallbackEnabled Qualifier		
Source:	⌘ S5		
Work item code:	⌘ OAM-CM	Date:	⌘ 23/08/2002
Category:	⌘ F	Release:	⌘ REL-4
	Use <u>one</u> of the following categories:		Use <u>one</u> of the following releases:
	F (correction)		2 (GSM Phase 2)
	A (corresponds to a correction in an earlier release)		R96 (Release 1996)
	B (addition of feature),		R97 (Release 1997)
	C (functional modification of feature)		R98 (Release 1998)
	D (editorial modification)		R99 (Release 1999)
	Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Rel-4 (Release 4)
			Rel-5 (Release 5)
			Rel-6 (Release 6)

Reason for change:	⌘ The Bulk CM IS specifies the Activate operation fallbackEnabled parameter shall be Mandatory. The corresponding CORBA Solution Set (32.613) Mapping table incorrectly indicates the parameter is optional (O).
Summary of change:	⌘ Change fallbackEnabled parameter of activate to Mandatory in Mapping Table
Consequences if not approved:	⌘ fallbackEnabled parameter of activate will not be consistent with the Bulk CM IS

Clauses affected:	⌘ 4.3						
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> </table>	Y	N	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other core specifications	⌘
Y	N						
<input type="checkbox"/>	<input checked="" type="checkbox"/>						
	<input checked="" type="checkbox"/>	Test specifications					
	<input checked="" type="checkbox"/>	O&M Specifications					
Other comments:	⌘						

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/>. For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

4.3 Operation Parameter Mapping

Reference Bulk CM IRP; Information Service [3] defines semantics of parameters carried in operations. The tables below indicate the mapping of these parameters, as per operation, to their equivalents defined in this SS.

⋮

⋮

Table 6: Mapping from IS activate parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
sessionId	BulkCmIRPConstDefs::SessionId session_id	M
fallbackEnabled	boolean fallback	M
status	exception ActivateException, exception UnknownSessionIdException, exception NotValidInCurrentStateException, exception ConcurrencyException	M