Source: **SA1**

Title: **CRs to 22.038 on alignment with the specifications TS 11.14 and TS 31.111 (R99, Rel-4, Rel-5, Rel-6)**

Document for: **Approval**

Agenda Item: **7.1.3**

Meet	Doc. No.	Spec	CR	Rev	Phase	Cat	Subject	Vers	New Vers	Doc. SA1
SP-22	SP-030685	22.038	019	-	R99	F	CR to align TS 22.038 with the T3 specifications TS 11.14 and TS 31.111	3.3.0	3.4.0	S1-031319
SP-22	SP-030685	22.038	020	-	Rel-4	A	CR to align TS 22.038 with the T3 specifications TS 11.14 and TS 31.111	4.2.0	4.3.0	S1-031320
SP-22	SP-030685	22.038	021	-	Rel-5	A	CR to align TS 22.038 with the T3 specifications TS 11.14 and TS 31.111	5.3.0	5.4.0	S1-031321
SP-22	SP-030685	22.038	022	-	Rel-6	A	CR to align TS 22.038 with the T3 specifications TS 11.14 and TS 31.111	6.1.0	6.2.0	S1-031322

CR-Form-v7

CHANGE REQUEST

| ⌘ | **22.038** CR **019** | ⌘**rev** | **-** | ⌘ | Current version: | **3.3.0** | ⌘ |

*For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.*

Proposed change affects: UICC apps⌘ ☐   ME **X** Radio Access Network ☐   Core Network ☐

Title: ⌘	CR to align TS 22.038 with the T3 specifications TS 11.14 and TS 31.111	
Source: ⌘	SA1	
Work item code:⌘	EMC1-CS	***Date:*** ⌘ 30/10/2003
Category: ⌘ **F**		***Release:*** ⌘ R99

Use *one* of the following categories:
   F *(correction)*
   A *(corresponds to a correction in an earlier release)*
   B *(addition of feature),*
   C *(functional modification of feature)*
   D *(editorial modification)*
Detailed explanations of the above categories can
be found in 3GPP TR 21.900.

Use *one* of the following releases:
   2   *(GSM Phase 2)*
   R96   *(Release 1996)*
   R97   *(Release 1997)*
   R98   *(Release 1998)*
   R99   *(Release 1999)*
   Rel-4 *(Release 4)*
   Rel-5 *(Release 5)*
   Rel-6 *(Release 6)*

Reason for change: ⌘	The Stage 1 (22.038) makes no mention of the ability for the Toolkit to request an emergency call set up from the ME.
Summary of change:⌘	The requirement for the Toolkit to request an emergency call set up is added. The text is added to the currently Void Clause 12.
Consequences if not approved: ⌘	Severe mis-alignment between the Stage1 and what is currently in the field

Clauses affected: ⌘	12

	Y	N		
Other specs affected: ⌘		X	Other core specifications ⌘	
			Test specifications	
	X		O&M Specifications	

Other comments: ⌘	

12   ~~Void~~Emergency calls

The SAT/USAT shall be able to instruct the ME to set up an emergency call to the default emergency call centre. All other call set up requests shall proceed as a normal call set up, and the dialled digits offered by the SAT/USAT shall not be altered.

<div style="text-align:right">*CR-Form-v7*</div>

CHANGE REQUEST

| ⌘ | **22.038** CR **020** | ⌘**rev** | **-** | ⌘ | Current version: | **4.2.0** | ⌘ |

*For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.*

Proposed change affects: UICC apps⌘ ☐ **ME** **X** Radio Access Network ☐ Core Network ☐

Title: ⌘	CR to align TS 22.038 with the T3 specifications TS 11.14 and TS 31.111	
Source: ⌘	SA1	
Work item code: ⌘	EMC1-CS	***Date:*** ⌘ 30/10/2003
Category: ⌘ **A**		***Release:*** ⌘ Rel-4

Use one of the following categories:
  F *(correction)*
  A *(corresponds to a correction in an earlier release)*
  B *(addition of feature),*
  C *(functional modification of feature)*
  D *(editorial modification)*
Detailed explanations of the above categories can
be found in 3GPP TR 21.900.

Use one of the following releases:
  2   *(GSM Phase 2)*
  R96 *(Release 1996)*
  R97 *(Release 1997)*
  R98 *(Release 1998)*
  R99 *(Release 1999)*
  Rel-4 *(Release 4)*
  Rel-5 *(Release 5)*
  Rel-6 *(Release 6)*

Reason for change: ⌘	The Stage 1 (22.038) makes no mention of the ability for the Toolkit to request an emergency call set up from the ME.
Summary of change: ⌘	The requirement for the Toolkit to request an emergency call set up is added. The text is added to the currently Void Clause 12.
Consequences if not approved: ⌘	Severe mis-alignment between the Stage1 and what is currently in the field

---

Clauses affected: ⌘	12

	Y	N		
Other specs affected: ⌘		X	Other core specifications ⌘	
			Test specifications	
	X		O&M Specifications	

Other comments: ⌘	

12 ~~Void~~Emergency calls

The SAT/USAT shall be able to instruct the ME to set up an emergency call to the default emergency call centre. All other call set up requests shall proceed as a normal call set up, and the dialled digits offered by the SAT/USAT shall not be altered.

CR-Form-v7

CHANGE REQUEST

| ⌘ | **22.038** CR **021** | ⌘**rev** | **-** | ⌘ | Current version: | **5.3.0** | ⌘ |

For **HELP** *on using this form, see bottom of this page or look at the pop-up text over the* ⌘ *symbols.*

Proposed change affects: UICC apps⌘ ☐   **ME** **X**   Radio Access Network ☐   Core Network ☐

Title: ⌘	CR to align TS 22.038 with the T3 specifications TS 11.14 and TS 31.111	
Source: ⌘	SA1	
Work item code: ⌘	EMC1-CS	***Date:*** ⌘ 30/10/2003
Category: ⌘ **A**		***Release:*** ⌘ Rel-5

Use one of the following categories:
F (correction)
A (corresponds to a correction in an earlier release)
B (addition of feature),
C (functional modification of feature)
D (editorial modification)
Detailed explanations of the above categories can be found in 3GPP TR 21.900.

Use one of the following releases:
2   (GSM Phase 2)
R96   (Release 1996)
R97   (Release 1997)
R98   (Release 1998)
R99   (Release 1999)
Rel-4   (Release 4)
Rel-5   (Release 5)
Rel-6   (Release 6)

Reason for change: ⌘	The Stage 1 (22.038) makes no mention of the ability for the Toolkit to request an emergency call set up from the ME.
Summary of change: ⌘	The requirement for the Toolkit to request an emergency call set up is added. The text is added to the currently Void Claise 12.
Consequences if not approved: ⌘	Severe mis-alignment between the Stage1 and what is currently in the field

Clauses affected: ⌘	New clause 12

	Y	N		
Other specs affected: ⌘		X	Other core specifications ⌘	
			Test specifications	
		X	O&M Specifications	

Other comments: ⌘	The table of contents in the current version of the specification is out of alignment with the document itself.

12   Emergency calls

The SAT/USAT shall be able to instruct the ME to set up an emergency call to the default emergency call centre. All other call set up requests shall proceed as a normal call set up, and the dialled digits offered by the SAT/USAT shall not be altered.

CR-Form-v7

CHANGE REQUEST

⌘ **22.038** CR **022** ⌘**rev** **-** ⌘ Current version: **6.1.0** ⌘

For **HELP** *on using this form, see bottom of this page or look at the pop-up text over the* ⌘ *symbols.*

Proposed change affects: UICC apps⌘ ☐ **ME** **X** Radio Access Network ☐ Core Network ☐

Title: ⌘	CR to align TS 22.038 with the T3 specifications TS 11.14 and TS 31.111	
Source: ⌘	SA1	
Work item code: ⌘	EMC1-CS	***Date:*** ⌘ 30/10/2003
Category: ⌘ **A**		***Release:*** ⌘ Rel-6

Use one of the following categories:
F *(correction)*
A *(corresponds to a correction in an earlier release)*
B *(addition of feature),*
C *(functional modification of feature)*
D *(editorial modification)*
Detailed explanations of the above categories can
be found in 3GPP TR 21.900.

Use one of the following releases:
2   (GSM Phase 2)
R96   (Release 1996)
R97   (Release 1997)
R98   (Release 1998)
R99   (Release 1999)
Rel-4   (Release 4)
Rel-5   (Release 5)
Rel-6   (Release 6)

Reason for change: ⌘	The Stage 1 (22.038) makes no mention of the ability for the Toolkit to request an emergency call set up from the ME.
Summary of change: ⌘	The requirement for the Toolkit to request an emergency call set up is added. The text is added to the currently Void Clause 12.
Consequences if not approved: ⌘	Severe mis-alignment between the Stage1 and what is currently in the field

---

Clauses affected: ⌘	New clause 12	

	Y	N		
Other specs affected: ⌘		X	Other core specifications ⌘	
			Test specifications	
	X		O&M Specifications	

Other comments: ⌘	

12   Emergency calls

The SAT/USAT shall be able to instruct the ME to set up an emergency call to the default emergency call centre. All other call set up requests shall proceed as a normal call set up, and the dialled digits offered by the SAT/USAT shall not be altered.