

Title: Draft Report of the 22th 3GPP TSG RAN meeting
(Maui, Hawaii, USA, 9 - 12 December 2003)

Document for: Comments

Please send your comments to TSG RAN reflector before 16th January 2004

Source: 3GPP support



Contents

Executive Report	4
1 Opening of the Meeting	7
2 Approval of the Agenda.....	7
3 Approval of the meeting report on TSG-RAN #21	7
4 Reminder for IPR declaration.....	7
5 Chairman Report of meetings	7
5.1 TSG SA#21.....	7
5.2 3GPP PCG#11 and OP#10.....	8
6 Liaisons from other groups	8
6.1 Groups outside 3GPP.....	8
6.2 TSG-SA, TSG-T, TSG-CN, TSG-GERAN.....	9
6.3 TSG-RAN WGs	10
7 Status Report and Approval of contributions on Release'99 and Release 4 and finished work item for Release 5...11	
7.1 ITU-R Ad Hoc	11
7.2 3GPP TSG RAN WG1	11
7.2.1 Report from WG1 including report on actions required from the previous meeting	11
7.2.2 Discussions on decisions from WG1	12
7.2.3 Approval of CRs to Release '99 with linked CRs to Release 4 and Release 5.....	12
7.2.4 Approval of independent CRs to Release 4 with linked CRs to Release 5	13
7.2.5 Approval of independent CRs to Release 5	13
7.2.6 Approval of linked CRs where the leading one originated from WG1	13
7.3 3GPP TSG RAN WG2	14
7.3.1 Report from WG2 including report on actions required from the previous meeting	14
7.3.2 Discussions on decisions from WG2	15
7.3.3 Approval of CRs to Release '99 with linked CRs to Release 4 and Release 5.....	16
7.3.4 Approval of independent CRs to Release 4 with linked CRs to Release 5	18
7.3.5 Approval of independent CRs to Release 5	18
7.3.6 Approval of linked CRs where the leading one originated from WG2	18
7.4 3GPP TSG RAN WG3	18
7.4.1 Report from WG3 including report on actions required from the previous meeting	18
7.4.2 Discussions on decisions from WG3	19
7.4.3 Approval of CRs to Release '99 with linked CRs to Release 4 and Release 5.....	19
7.4.4 Approval of independent CRs to Release 4 with linked CRs to Release 5	20
7.4.5 Approval of independent CRs to Release 5	20
7.4.6 Approval of linked CRs where the leading one originated from WG3	21
7.5 3GPP TSG RAN WG4	22
7.5.1 Report from WG4 including report on actions required from the previous meeting	22
7.5.2 Discussions on decisions from WG4	23
7.5.3 Approval of CRs to Release '99 with linked CRs to Release 4 and Release 5.....	23
7.5.4 Approval of independent CRs to Release 4 with linked CRs to Release 5	24
7.5.5 Approval of independent CRs to Release 5	24
7.5.6 Approval of linked CRs where the leading one originated from WG4	24
8 Release 6 and beyond: Status update and approval of CRs, reports.....	25
8.1 Radio Interface Improvement Feature (RAN).....	25
8.1.1 Improvement of inter-frequency and inter-system measurements.....	25
8.1.2 UMTS 850.....	25
8.1.3 DS CDMA Introduction in the 800MHz Band	25
8.1.4 UMTS 1.7/2.1 GHz	26
8.2 RAN Improvement Feature.....	26
8.2.1 Radio access bearer support enhancement.....	26
8.2.1.1 Iu enhancements for IMS support in the RAN.....	26
8.2.2 Beamforming enhancement.....	26

8.2.3	RRM optimizations for Iur and Iub	27
8.2.3.1	Improved access to UE measurement data for CRNC to support TDD RRM	27
8.2.4	Remote Control of Electrical Tilting Antennas	27
8.2.5	Network Assisted Cell Change (NACC) from UTRAN to GERAN – network-side aspects	27
8.3	UE Positioning.....	27
8.3.1	UE positioning enhancements	27
8.3.2	A-GPS minimum Performance Specification	28
8.4	Introduction of the Multimedia Broadcast and Multicast Service (MBMS) in RAN.....	28
8.5	Evolution of the transport in the UTRAN.....	29
8.6	Multiple Input Multiple Output Antennas	29
8.7	Subscriber and Equipment Trace Support in UTRAN.....	29
8.8	Enhancement of the support of network sharing in the UTRAN.....	29
8.9	Technical Small Enhancements and Improvements.....	30
8.10	Closed Release-6 Work Items	31
8.11	Study Items	31
8.11.1	Feasibility study on Radio link performance enhancements	31
8.11.2	Feasibility study on UTRA Wideband Distribution System (WDS).....	31
8.11.3	Analysis of OFDM for UTRAN evolution	32
8.11.4	Uplink Enhancements for Dedicated Transport Channels	33
8.11.5	Analysis of Higher Chip Rate for UTRA TDD evolution.....	33
8.11.6	Evolution of UTRAN Architecture	34
8.11.7	Low Output Powers for general purpose FDD BS.....	34
8.11.8	Uplink Enhancements for UTRA TDD	34
8.12	New Work Items/Study Items	34
9	Technical co-ordination among WGs.....	36
9.1	Review of status on action points allocated during the previous meeting.....	36
9.2	Other needs.....	36
10	Outputs to other groups.....	36
11	Project management.....	36
12	Any other business	38
13	Closing of the meeting	38
Annex A:	List of participants	39
Annex B:	List of documents	42
Annex C:	List of CRs presented at TSG RAN #22	48
Annex D:	List of actions	62
Annex E:	Meeting schedule	63
Annex F:	Summary of RAN Work Items	64

Executive Report

TSG RAN meeting #22 took place in Westin Maui Hotel, Hawaii, US. The meeting started at 7:00 on Tuesday 9th December 2003 and finished at 9:30 in the morning on Friday 12th. 89 participants were registered and 177 documents were presented.

The approved Change Requests (CRs) to TSG RAN specifications are summarized in the following table:

Release	WG1	WG2	WG3	WG4	Total
Release 99	1	20	3	5	29
Rel-4 CRs (Rel-4 excluding Cat A)	3 (2)	26 (9)	17 (14)	10 (5)	56 (30)
Rel-5 CRs (Rel-5 excluding Cat A)	18 (15)	48 (25)	67 (50)	33 (23)	166 (113)
Rel-6 CRs (Rel-6 excluding Cat A)	1 (1)	6 (6)	7 (5)	49 (31)	63 (43)
Total CRs (Total excluding Cat A)	23 (19)	100 (60)	94 (72)	97 (64)	314 (215)

TSG RAN WG2 and WG3 have planned to have six meeting next year. PCG will have to authorise the MCC support for the additional meetings, since only 4 meetings per year per WGs has been agreed (sec. 5.2).

It was stressed that TSG RAN WG1 and TSG RAN WG4 shall look for co-located meeting so that better coordination is ensured for new work.

TSG RAN will produce Rel-6 versions of most of its specifications now (December 2003), these specifications need to be sent to ITU-R for Update 4 of M.1457.

The Terms of Reference of WG3 have been updated to align with the current focus of the work in the group (RP-030668).

Update 5 of M.1457 was presented. An action plan, in order to comply with the schedule for submission in ITU-R, was shown. A first proposal for this update, which introduces the new features in UTRAN, was presented and endorsed. It is to be sent to TSG SA and PCG for final approval. The requirements of the submissions to ITU-R for the updates of M.1457 were discussed, as they are quite stringent for TSG RAN (sec. 7.1)

The following Ad Hoc meetings are scheduled to take place in Espoo, Finland, in January 2004:

- 3GPP TSG RAN WG1 Release 6 Ad Hoc: 27th to 29th of January
- 3GPP TSG RAN WG4 A-GPS Ad Hoc: 28th & 29th of January
- Joint Ad Hoc between WG1 & WG4 on the uplink Peak-to-Average Ratio (PAR) studies: 30th of January

A proposal for improving the accuracy of the Work Plan was presented by the 3GPP support. Basically, it is suggested to estimate the duration of a WI instead of its completion date. No objections were raised (RP-030725)

Release 99, Release 4 & Release 5

Some of the R99 CRs agreed by the WGs were rejected, based on RP-020448 (guidelines for approval of R99 CRs) some companies didn't accept that these CRs were essential for the system to work (RP-030707). Although the number of R99 CRs in WG2 doesn't decrease significantly, it was shown that their impact is limited (sec. 7.3.1)

TSG RAN was requested to decide on the status of the TRs below, belonging to closed Release but still not under change control (sec. 11):

- TR 25.833 (R99), Physical layer items not for inclusion in Release 99. It is agreed to bring it under change control as v3.0.0
- TR 25.840 (Rel-4), Terminal power saving features. It is agreed to bring it under change control as v4.0.0
- TR 25.890 (Rel-5), High Speed Downlink Packet Access (HSDPA); User Equipment (UE) radio transmission and reception (FDD). It is agreed to discontinue support of this TR.

The freezing of ASN.1 in WG2 and WG3 was discussed. It seems it cannot be done yet for 25.331 (RRC), and it was preferred to align WG3 with WG2 and hence none of the groups will freeze its ASN.1 at this meeting (RP-030666).

The impossibility to operate TDD USCH with Rel-5 HSDPA was discussed (RP-030708). To some companies, this introduces a service discontinuity; to others, this was a deliberate decision taken within the Rel-5 timeframe and shouldn't be revised now. As a conclusion, it is suggested to allow for joint HSDPA/USCH operation in Release 6, still an open Release. Proposals in this sense are welcome in the future.

Interworking solution 3, for the interworking of ATM based and IP based UTRAN nodes, is still unspecified in Rel-5. A proposal to use ITU-T Q.2631.1 was presented, but it seems that the choice between this solution and IETF PWE3, still in draft, hasn't been made yet in WG3 (RP-030667). WG3 is tasked to provide a solution for the next meeting.

Analysis in WG4 has shown that a significant increase in PAR is produced when HS-DPCCH is transmitted, due to the introduction of a new code. WG4 preliminary conclusion proposes that a reduction in the maximum output power is allowed when the HS-DPCCH is transmitted. However, it seems that this reduction would have impacts on other areas. It is agreed to hold a joint WG1-WG4 Ad Hoc to discuss the issue (sec. 7.5.1).

Release 6 and beyond

See Annex F for a summary of the Work Items under TSG RAN responsibility.

The WI Beamforming Enhancements has been completed, the necessary CRs have been approved (sec. 8.2.2)

The Work Items for the introduction of UMTS in the 800 MHz band in Japan and the 850 MHz band in the US are completed and CRs have been approved. Only a minor CR for the introduction of the signalling in 25.331 to support UMTS850 is missing. Some of the RF requirements are different in each band (sec. 8.1.2 & 8.1.3).

The work on A-GPS performance requirements is progressing in WG4, a new specification is being drafted. The completion date has been moved to June 2004 and the Description Sheet has been revised with explicit objectives (sec. 8.3.2)

The scope of the OFDM feasibility study has been reduced in order to comply with the June 2004 time schedule. This was decided after a long debate on the possibility to cover advanced OFDM technologies and performance evaluation under the Study. It was found preferable to conclude a first stage where the feasibility of the technique within the UTRAN was proved, and to start extensive evaluation and simulation afterwards, once a WI is approved by PCG (sec. 8.11.3)

A new Building Block, under the responsibility of WG4, has been approved:

- Improved Receiver Performance Requirements for HSDPA (RP-030732)

Under this BB, a Work Task has been also approved:

- Performance Requirements of Receive Diversity for HSDPA (RP-030731)

Completion date for both items is September 2004.

A document was presented to introduce the means to perform Node B RF tests over the Iub interface (RP-030714). This topic has been studied in WG4 at length, without agreement so far. As a way forward, it was approved in RAN that WG4 should study again and endorse the technical correctness of the proposal, even if no CRs are agreed afterwards.

1 Opening of the Meeting

Francois Courau (chairman) opened the meeting on Tuesday 9th at 7:00 in the morning and gave the floor to Eisuke Fukuda (vice chairman) who, on behalf of ARIB and North American Friends of 3GPP, welcomed the delegates to Maui and explained the arrangements for the meeting and the social event.

2 Approval of the Agenda

RP-030557 Draft agenda meeting #22 (Chairman)

No comments. The agenda is approved

3 Approval of the meeting report on TSG-RAN #21

RP-030558 Revised draft report TSG RAN #21 (3GPP support)

No comments. The report is approved

4 Reminder for IPR declaration

The chairman made the following call for IPRs:

The attention of the members of this Technical Specification Group is drawn to the fact **that 3GPP Individual Members have the obligation** under the IPR Policies of their respective Organizational Partners to **inform their respective** Organizational Partners **of Essential IPRs they become aware of.**

The members take note that they are hereby invited:

?? to investigate in their company whether their company does own IPRs which are, or are likely to become Essential in respect of the work of the Technical Specification Group.

?? to notify the Director-General, or the Chairman of their **respective** Organizational Partners, of all potential IPRs that their company may own, by means of the IPR Statement and the Licensing declaration forms (e.g. see the ETSI IPR forms <http://webapp.etsi.org/Ipr/>).

5 Chairman Report of meetings

5.1 TSG SA#21

The main issue impacting RAN that discussed in SA#21 was the closing of Release 6, which will not be earlier than March 2004.

5.2 3GPP PCG#11 and OP#10

RP-030709 Meeting reports of 3GPP PCG#11 and 3GPP OP#10 (3GPP Support)

Francois Courau (chairman) gave a brief presentation of the PCG and OP meetings. He reported that PCG had extensively discussed how to reduce the cost of the project, one of the possibilities being the merging of some groups. Francois noted he had defended the requirements for additional MCC support for meetings in RAN WG2 and RAN WG3, on top of the 4 authorized meetings per year.

Also, the timing of Releases was discussed, noting that Rel N+1 should never be frozen before Rel N is stable enough and Release N-2 is commercially deployed. These were considered as guidance to be used by TSGs when freezing one Release

In OP, the budget of MCC was discussed and agreed.

6 Liaisons from other groups

6.1 Groups outside 3GPP

RP-030704 Candidates 3GPP specifications for inclusion in Art 17 list of standards (ETSI ECN&S STF254)

RP-030723 Draft ETSI SR List of standards and/or specifications for electronic communications networks, services and associated facilities and services; in accordance with Article 17 of Directive 2002/21/EC (3GPP Support)

The following is a brief introduction to these documents:

The European Commission (EC) has approved in March 2002 a Directive to establish a common regulatory framework for the provision of electronic communication networks and electronic communication services (ECN&S). This Directive provides overall structure for the new Regulatory Regime which is supported also by 4 Specific Directives (Authorisation, Access & Interconnection, Universal Service and Privacy).

The approach under this new framework is to regulate only markets where there isn't effective competition. In this case, specific obligations may be imposed by the National Regulatory Authorities (NRA) to the Electronic Communication Providers (ECP) which have Significant Market Power to ensure that they cannot use take advantage to restrict or distort competition on the relevant market.

As a basis for encouraging the harmonised provision of ECN&S the EC publishes a list of standards in the Official Journal. NRAs may use these standards when introducing controls or requiring ECPs to make the necessary declarations under the various Directives. The Directive also requests Member States to encourage the use of the standards to the extent strictly necessary to ensure interoperability of services.

ETSI, together with other European Standardisation bodies, has been invited to analyse the current list and to propose revision where necessary. For this task, an Ad Hoc group has been set (OCG ECN&S Ad Hoc) within ETSI. This group, after consultation with all ETSI committees, will produce the requested revision of this list.

TSG RAN participants are invited to review the list provided in document RP-030704 and, focusing on the Radio Access Network, consider which 3GPP Specifications should be included in order to ensure the requirements of the Framework Directive and the 4 Specific Directives.

Document RP-030723 contains a draft of the ETSI Report that analyses the directives and the existing list and provides guidance on how to decide on the applicable specifications.

There are objections to some of the TS listed here, there seems to be no justification for 25.402 for example. The chairman clarified that, to his understanding, at least three specifications should be in the list:

- 25.331, RRC protocol specification. The bearers provided to upper layers are specified here

- 25.321, MAC specification and 25.322, RLC specification. Encryption is specified here.

It was clarified that the intention is to collect comment and not to get approval for the lists. This correct the mistake made when generating the document that is mentioning that it is for discussion and approval. This was creating a lot of misunderstanding. The final approval will be done in ETSI within MSG, in charge of all standards elaboration with regard European regulation for Public Cellular network and where this responsibility has been allocated.

The chairman further explained that the intention of this directive is to ensure that service interfaces offered by operators, in the cases where they have Significant Market Power, to competitors and service providers are open. He also explained that other aspects such as speech telephony or internet services are not covered in this list as this referenced to fixed network aspects because there is no difference in this kind of services. The list is suppose to cover aspects such as national roaming, support of MVNO, Number Portability, support of confidentiality aspects for subscribers to other kind of networks as well as Location Based dependent services offered by third parties.

Generally, it was found that no justification is provided for the inclusion or exclusion of any of the RAN specifications. Delegates where asked to carefully study the Directives, the joint ETSI SR and the proposed list and provide comments. ETSI MSG will have the final word on the list related to Mobile Telecommunications.

RP-030716 Liaison Statement on open essential parameters regarding Repeaters (RAN WG4, R4-031143)

This LS is provided for information, it provides update on the status of the work on repeaters in WG4 as reported in sec. 7.5.1

6.2 TSG-SA, TSG-T, TSG-CN, TSG-GERAN

RP-030632 LS Reply on RAN Work Item "Control of Remote Electrical Tilting Antenna" and possible impact on SA5 (TSG SA WG5)

No actions required, the LS is CC to RAN

RP-030633 Reply LS on RAN Work Item "'Control of Remote Electrical Tilting Antenna" and possible impact on TSG SA 5' (RAN WG3)

No actions required, the LS is CC to RAN

RP-030634 LS on Reply LS on RAN Work Item "'Control of Remote Electrical Tilting Antenna" and possible impact on SA5' (TSG SA WG5)

No actions required, the LS is CC to RAN

RP-030636 LS Reply on charging aspects of Priority Service (draft TR 22.952) (TSG SA WG5)

No actions required, the LS is CC to RAN

RP-030637 Reply to Response on "Work following the joint SA2/RAN2/CN1 meeting on paging" (TSG SA WG2)

Alex Vesely (WG3 chairman) noted that it had been reviewed in WG3 and no further work was identified there.

RP-030638 Reply LS on addition of 768kbps bearer to TS 34.108 (TSG T WG1)

No actions required, presented already in WG2

RP-030639 Coordination of Positioning Methods between TSG GERAN and TSG RAN (TSG GERAN)

No actions required, presented already in WG3. Alex Vesely (WG3 chairman) explained that WG3 is introducing the code-points to align with GERAN

RP-030658 LS on Multiple MBMS Issues (TSG SA WG4)

Paolo Usai (SA WG4 secretary) presented this LS

RAN WG1, WG2 and WG3 are tasked to treat this LS and report back. WG4 will depend on the work on WG1.

It was questioned which was the synchronization requirement (sec 2.1.7). The chairman clarified that WG1 should inform SA WG4 what is achievable in UTRAN networks. Dirk Gerstenberger (WG1 chairman) noted that WG1 had already looked at this issue, but the outcome was not promising. The three WGs will have something to say, the chairmen are tasked to ensure that the response to SA WG4 is coordinated

RP-030659 LS on SA2 updates of the Work Plan (TSG SA WG2)

Francois Courau (chairman) presented briefly this LS. The completion dates of Stage 2 of MBMS and Network Sharing are delayed, this will have an impact on the timing of corresponding RAN WIs.

6.3 TSG-RAN WGs

RP-030635 LS on Reporting of attempted UE positioning methods over Iu (TSG RAN WG2)

Denis Fauconnier (RAN WG2 chairman) explained that the LS has been considered by RAN WG3, the group concerned.

The following table lists the incoming LS treated in this meeting:

Tdoc	Title	Source	Source File
RP-030632	LS Reply on RAN Work Item "Control of Remote Electrical Tilting Antenna" and possible impact on SA5	TSG SA WG5	S5-038681
RP-030633	Reply LS on RAN Work Item "Control of Remote Electrical Tilting Antenna" and possible impact on TSG SA 5'	RAN WG3	R3-031756
RP-030634	LS on Reply LS on RAN Work Item "Control of Remote Electrical Tilting Antenna" and possible impact on SA5'	TSG SA WG5	S5-038807
RP-030635	LS on Reporting of attempted UE positioning methods over lu	TSG RAN WG2	R2-032264
RP-030636	LS Reply on charging aspects of Priority Service (draft TR 22.952)	TSG SA WG5	S5-034642
RP-030637	Reply to Response on "Work following the joint SA2/RAN2/CN1 meeting on paging"	TSG SA WG2	S2-033806
RP-030638	Reply LS on addition of 768kbps bearer to TS 34.108	TSG T WG1	T1-031703
RP-030639	Coordination of Positioning Methods between TSG GERAN and TSG RAN	TSG GERAN	GP-032718
RP-030658	LS on Multiple MBMS Issues	TSG SA WG4	S4-030847
RP-030659	LS on SA2 updates of the Work Plan	TSG SA WG2	S2-034367
RP-030716	Liaison Statement on open essential parameters regarding Repeaters	RAN WG4	R4-031143

7 Status Report and Approval of contributions on Release'99 and Release 4 and finished work item for Release 5

RP-030707 Essential R'99 CR Handling (Three)

Hashem Madadi (Three) presented this document

On the basis of document RP-020448, which provides guidelines for approval of R99 CRs and was endorsed in June 2002, Three objects the approval of some of the CRs agreed by WG2 and WG3. The following CRs are affected:

- 25.413CR631 Correction of RAB Release Request Inter-working
- 25.331CR2119r2 Traffic Volume Measurement Validity
- 25.331CR2097 Ensuring C-RNTI is cleared in Cell_DCH
- 25.331CR2104r1 Correction to Redirection procedure at RRC Connection Setup

The issue was reviewed when looking at the approval of the concerned CRs in WG2 and WG3 sections.

7.1 ITU-R Ad Hoc

RP-030655 ITU-R Ad Hoc Status Report (ITU-R Ad Hoc Contact Person)

RP-030656 Proposed Action Plan toward ITU-R M.1457-5 (ITU-R Ad Hoc)

Giovanni Romano (Tilab) presented these documents

Document RP-030655 introduces Rev5 to M.1457 and the time scale. Document RP-030656 proposes a detailed action plan.

Giovanni clarified that the requirements to RAN in this meeting are to decide whether RAN wants to send an update in October and if is the case, agree on doc RP-030657

Giovanni noted that the stringent deadline is 7th June, when the update containing a short description of the WI available by September has to be sent to ITU. Unfortunately, it was highlighted that this is the same week as RAN meeting.

RP-030657 Proposed Initial submission for updated UTRA FDD and TDD toward Rev. 5 of Rec. ITU-R M.1457 (ITU-R Ad Hoc)

Giovanni Romano (Tilab) clarified that this is a very preliminary contribution and just to give an overview of the on going work. There was some debate on the meaning of "Feature", which seems to be different in ITU and 3GPP. It was however preferred to use it as is, since this is a document that will be treated in ITU. The document is endorsed, it will be sent to SA and PCG for final approval

7.2 3GPP TSG RAN WG1

7.2.1 Report from WG1 including report on actions required from the previous meeting

RP-030582 Status Report WG1 (RAN WG1 Chairman)

Dirk Gerstenberger (WG1 chairman) presented this report

The following point summarize WG1 activity between plenaries. Two WG meetings have been hold:

- Agreed change requests:
 - 1 CR for Rel4 TDD
 - 8 CRs for Rel5 FDD, 2 CRs for Rel5 TDD
- Around 90 delegates attended each RAN1 meeting
 - 191 contributions submitted to RAN1#34
 - 241 contributions submitted to RAN1#35
- Around 80% of the time used for Rel'6 discussions
- Most discussions on
 - Enhanced UL DCH
 - Rel99/Rel4/Rel5 maintenance
 - MBMS
 - OFDM

On slide 19, MBMS, it is commented that discussions on outer coding and selective combining might be of interest of SA WG4.

On slide 7, reliable detection TPC commands, it is clarified that WG4 is studying the issue but hasn't come to an agreed CR yet.

The ACLR degradation when HS-DPCCH is transmitted was studied in WG4, an LS was sent at the end of WG4 meeting to WG1 informing that an output power reduction of around 2 dB might be needed. Since the LS was sent very late it couldn't be treated by WG1 in its last meeting. This issue is not mentioned in Dirk's report.

There was a request that the WG1 Work Plan is made available. It was however clarified that the RAN part of the WP is reviewed and updated at RAN, after all the WI Status Report are presented and the completion dates are discussed. Status Reports presented at RAN have been previously endorsed by the WGs.

Additionally, there was a request that WG1 meeting report is made available at least before the RAN plenary takes place, in order to have the list of agreed CRs available. This was noted

RP-030583 List of agreed CRs RAN WG1 (RAN WG1)

This list is presented for information

7.2.2 Discussions on decisions from WG1

RP-030645 TR 25.833 v 2.0.0 "Physical layer items not for inclusion in Release 99" (RAN WG1 chairman)

This TR is proposed for Rel99, it is a formal step, it contains old material.

The TR is approved, it will be put under change control as v3.0.0

7.2.3 Approval of CRs to Release '99 with linked CRs to Release 4 and Release 5

RP-030711 CRs 68, 66 and 67 to 25.213. Restriction of DL secondary scrambling codes per CCTrCH. (Nokia)

Antti Toskala (Nokia) presented these CRs. Antti noted that some comments had been received to this version of the CRs. Nortel confirmed that the objection presented in WG1 remains, the CR is considered an unjustified restriction of the number of codes used.

Antti justified that there is no need for the UE to support those additional codes given that the corresponding data rates can be achieved with less codes or are not supported. Serge Willenegger (Qualcomm) clarified that companies in WG1 already understood that what has to be supported in one + one scrambling codes, not various secondary codes. However, Serge noted that this not the view of all companies in the group.

It is finally understood that the CR incorporates a necessary correction and the technical content is agreed for R99, Rel-4 and Rel-5.

Rel-6 version of the specifications will be created after this meeting, to be sent to. The first Rel-6 version will be based on Rel-5, so it will include the restriction. This was found inconvenient by some companies, that didn't like to have this limitation in any version of Release 6 of this specification. It was finally accepted to go for R99/Rel-4/Rel-5 CRs, but it is clear that the Release 6 can be changed in the future to remove the limitation.

The CRs coversheets will be revised to properly reflect the clarifying nature of the CRs.

RP-030727 CRs 68, 66 and 67 to 25.213. Restriction of DL secondary scrambling codes per CCTrCH. (Nokia)

No comments, the CRs are approved

7.2.4 Approval of independent CRs to Release 4 with linked CRs to Release 5

RP-030646 CRs (Rel-4 and Rel-5 Category A) to TS 25.222 (RAN WG1)

No comments. The CRs are approved

RP-030698 CRs 127r1 (Rel-4) & 128r1(Rel-5) to 25.224 on "Correction to computed gain factors with signalled reference gain factor values" (Interdigital)

Jim Miller (Interdigital) presented these CRs and explained that they have been discussed on WG1 reflector. The CRs are approved

7.2.5 Approval of independent CRs to Release 5

The following documents contain CRs agreed by RAN WG1

Tdoc	Content	Decision
RP-030647	CRs (Rel-5) to TS 25.212	Approved
RP-030648	CRs (Rel-5) to TS 25.213	Approved
RP-030649	CRs (Rel-5) to TS 25.214	Approved
RP-030650	CRs (Rel-5) to TS 25.222	Approved
RP-030651	CRs (Rel-5) to TS 25.225	Approved

7.2.6 Approval of linked CRs where the leading one originated from WG1

No contributions

7.3 3GPP TSG RAN WG2

7.3.1 Report from WG2 including report on actions required from the previous meeting

RP-030584 Status Report WG2 (RAN WG2 Chairman)

Denis Fauconnier (WG2 chairman) presented this report

WG2 has hold two meetings and an Ad Hoc on MBMS (joint with other groups) since September. The work can be summarized as follows:

- Release 99 corrections
- Release 4 corrections
 - Very few
- Release 5
 - Some HSDPA corrections, HSDPA test procedures and RBs
 - Some other R5 corrections
 - Introduction of a category B and C CR
 - Decision of GERAN Iu mode (last R5 item)
- Release 6
 - RAN2 and RAN3 progressing now in parallel, well synchronised
 - Many contributions on MBMS. Key progress on paging/notification
 - Activity starting on IMS bearers, some TEIs.
 - New frequency bands

Antti Toskala (Nokia) commented that the reporting of RRC issues is very short. He asked that a brief list of the topics covered by the CRs would be presented, like the other WG chairmen do.

Hashem Madadi (Three) questioned the CRs for the new release independent bands. Denis noted that some of the requirements are different for bands V and VI, US 850 MHz and Japan 800 MHz, even though the frequencies are the same. It is necessary that the UE indicates which band covers so that the network knows

if the particular regional requirements are fulfilled or not. The issue was brought up the PCG to request the different SDOs to ensure that requirements are not diverging from one region to the other in order to avoid this kind of problem. So far there has been no result from that action.

Frederic Bonnin (Orange) noted that the number of R99 CRs is not going down, although Denis reports the opposite. Denis showed evidence that most of the CRs do not affect mandatory R99 features of the UE. Hashem also opposed having so many R99 CRs at this point, when commercial networks are already in operation. He made a strong request that the number is reduced. Denis remarked that looking at the contents of the CRs it becomes clear that the impact is not that high. Denis showed that most of the R99 CRs are written by UE manufacturers, and also still a substantial part is produced by operators.

On slide 29, MBMS, Dirk Gerstenberger (Ericsson) questioned if the agreement on paging/notification reached in WG2 would not need to be endorsed and checked by WG1. Denis clarified that nothing new compared to R99 has been put into place, but agreed that WG1 should take a look at the solution.

On slide 26, signalling of DL TPC bits, Suzuki-san (Panasonic) asked what clarification is required from WG1. It seems that the terminology used was unclear for WG2. It is expected that this issue is discussed in February in the collocated WG1-WG2 meeting in Málaga.

Luis Barreto (Nokia) objected the agreement to freeze Rel-5 ASN.1, and to require isolated impact for Rel-5 CRs, in March. He noted that WG2 had not reached that agreement. Francesco Grilli (WG2 vice chairman) explained that WG2 agreed to bring the issue to WG2 for the final decision, since the other WGs are also affected.

There was some debate on the combined use of USCH and HSDPA (slide 26). Martin Beale (IPWireless) questioned if there are solid technical reasons stopping that combination. Steve Dick (Interdigital) clarified that this was decided long time ago, on the Rel-5 timeframe, to go this way and suggested not to re-start the discussion again.

RP-030585 List of agreed CRs RAN WG2 (RAN WG2)

This list is provided for information

7.3.2 Discussions on decisions from WG2

RP-030609 25.993 CRs to the Release 6 version also affecting earlier releases (RAN WG2)

No comments. The CRs are approved

RP-030628 Correction of UTRAN GPS Reference Time quality: 25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5 (RAN WG2)

Although stated in the CR cover page, it is clarified that WG4 has not looked at this issue. Howard Benn (Motorola) explained that the impact of this CR on a Node B is a change in the timing accuracy requirement from 5 ms to 5 us, a 1000% increase in accuracy; this cannot be considered a correction for Rel99, it is a full new functionality. The CR seems to address an UE issue while in fact it affects the Node B. Howard explained that it has a lot of network aspects, impacting also WG3 specs. Denis agreed with Howard and clarified that WG2 focused in the UE aspects and the impacts on the network were overlooked.

Finally it was agreed to study the issue further in WG2, WG3 and WG4 before proceeding with such CRs. The CRs are hence not approved.

RP-030666 Discussion on process for ASN.1 interface freezing (Nokia)

Luis Barreto (Nokia) presented this document

It was found unfortunate that there are two reference documents for ASN.1, one owned by WG2 and other by WG3. It was commented that CN also have ASN.1, notably for MAP and CAMEL, it could be worth contacting that group to check how ASN.1 is handled there. Denis Fauconnier (WG2 chairman) commented that the ASN.1 is much more complicated in RAN, and the problem of the two reference documents doesn't exist there.

As a conclusion, there is agreement that WG2 will not freeze ASN.1 in this meeting. It seems however that the WG3 part could be frozen now, after the work done it has reached that point. However owing to the fact that the RAN WG3 ASN.1 is mainly aligned with the one defined in WG2 it was felt difficult to freeze it now. Finally, no agreement was reached on freezing the ASN.1 of either group but it was agreed to review the issue at the next meeting.

The document is noted.

RP-030708 Service Continuity Between 3GPP Releases 4 and 5 for TDD (IPWireless, Orange)

Martin Beale (IPWireless) presented this document

Steve Dick (Interdigital) explained that the main objection to the proposal comes from the fact that the feature would be mandatory to all UE classes, with only two exceptions. Steve didn't accept that the decision against is not founded, there is a high number of papers documenting that decision. He clarified that the omission in 25.302 is deliberate, and now it is not acceptable to review that decision which is the basis of ongoing developments.

Vodafone supported the proposal from IPWireless, it was found beneficial to have the option of combining USCH with HSDPA in Rel-5.

Dirk Gerstenberg (WG1 chairman) noted that, without having a strong opinion on the ongoing discussion, he believed that the CR cannot be considered a correction, it should be Cat B instead.

Yoshihiro Obata (eAccess) raised the argument that the addition of a new feature, HSDPA in this case, shouldn't involve the deletion of an old, USCH. It was stated that they considered the CR a correction since otherwise RAN specifications would remain inconsistent.

Joerg Gustrau (Siemens) also supported that the proposal should be considered a new feature and hence acceptable only for Rel-6. He also questioned how it applies to low chip rate, as this is mentioned nowhere in the document.

The group agreed that the proposal cannot be considered a correction, but an improvement. Steve corrected that it is a potential improvement, in his view the interest of the proposal has not been proved.

The chairman proposed to go for a solution for Rel-6, given that consensus cannot be reached for Rel-5. Yoshihiro noted that if the proposal is delayed to Rel-6, the final result will be that in R99 & Rel-4 USCH is available in the UL and DSCH in the UL; in Rel-5 the new HS-DSCH is added but USCH cannot work with it; in Rel-6 both HS-DSCH and USCH are available and finally, and looking at the work on UL enhancements, in Rel-7 HS-DSCH and an "advanced" USCH will be available. Yoshihiro questioned if this acceptable from an evolution perspective for an operator.

The chairman agreed with this view, but noted that the proposal doesn't have consensus so simply it cannot be approved, regardless of these considerations.

Finally, the document and the attached draft CR are not approved. IPWireless is invited to carry on the activities to introduce the proposal in Rel-6.

7.3.3 Approval of CRs to Release '99 with linked CRs to Release 4 and Release 5

The following documents contain CRs agreed by RAN WG2:

Tdoc	Content	Decision
RP-030613	25.305 CRs to Release '99 with linked CRs to Release 4 and Release 5	Approved 1)
RP-030614	25.306 CRs to Release '99 with linked CRs to Release 4 and Release 5	Approved
RP-030615	25.307 CRs to Release '99 with linked CRs to Release 4 and Release 5	Withdrawn
RP-030616	25.322 CRs to Release '99 with linked CRs to Release 4 and Release 5	Approved
RP-030617	25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5 (1)	Approved 2)
RP-030618	25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5 (2)	Approved 3)
RP-030619	25.993 CRs to Release '99 with linked CRs to Release 4 and Release 5	Approved
RP-030662	25.331 CRs to Release 99 (and Rel-4/Rel-5 linked CRs).	Approved 4)
RP-030610	SFN associated with GPS timing of cell frame: 25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5	Approved
RP-030611	Correction to redirection procedure at RRC connection setup: 25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5	Approved 5)
RP-030612	Measured results on RACH: 25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5	Approved

- 1) Joerg Gustrau (Siemens) noted that a comment had been sent in WG2 email reflector and requested a few more days to produce a revision. After off line checking, the CRs can be approved.
- 2) Approval of CRs 2097, 2098 and 2099 is objected by Three and NEC. However, it could be possible to accept the Rel-5 CR. Francesco Grilli (Qualcomm) noted that Rel-5 is not an editorial correction, and if the changes are not acceptable for Rel99 shouldn't be accepted for any release. As a conclusion, the changes are believed to be technically correct but the CRs are however not approved. The rest of CRs in RP-030617 are approved
- 3) Approval of CRs 2119, 2120 and 2121 is objected by Three. The same considerations related to Rel-5 apply here, as in the previous document the changes are technically correct but the CRs are not approved. The rest of CRs in RP-030618 are approved
- 4) CRs 2150, 2151 and 2152 are revised by Ericsson in RP-030710. The rest of CRs in RP-030662 are approved
- 5) The CRs in RP-030611 are objected by Three. Qualcomm and Nokia expressed that this is an essential correction, and if not approved the whole feature should be removed. Niels Andersen (Motorola) noted that the consequences if not approved, as stated in the cover page, do not provide sufficient evidence

to agree that the CR is essential. After debate, and since several companies supported that the CRs are essential, Three withdrawn its objections. All CRs are approved

RP-030710 Proposed update of agreed CRs 2150 to 2152 to 25.331 on Minimum UE capability class (Ericsson)

This set of CR is revised in RP-030722

RP-030722 Proposed update of agreed CRs 2150 to 2152 to 25.331 on Minimum UE capability class (Ericsson)

Joakim Bergstrom (Ericsson) presented these CRs

No comments. The CRs are approved

7.3.4 Approval of independent CRs to Release 4 with linked CRs to Release 5

The following documents contain CRs agreed by RAN WG2:

Tdoc	Content	Decision
RP-030620	25.322 CRs to Release 4 with linked CRs to Release 5	Approved
RP-030621	25.331 CRs to Release 4 with linked CRs to Release 5	Approved

7.3.5 Approval of independent CRs to Release 5

The following documents contain CRs agreed by RAN WG2:

Tdoc	Content	Decision
RP-030622	25.302 CR to Release 5	Approved
RP-030623	25.306 CRs to Release 5	Approved
RP-030624	25.321 CRs to Release 5	Approved
RP-030625	25.331 CRs to Release 5	Approved
RP-030626	25.921 CR to Release 5	Approved
RP-030627	25.922 CRs to Release 5	Approved
RP-030629	Inclusion of a default configuration identity for WB-AMR: 25.331 CR to Release 5	Approved

7.3.6 Approval of linked CRs where the leading one originated from WG2

RP-030644 HARQ Memory Partitioning, process identifiers and re-ordering: Rel-5 CRs to 25.331, 25.212, 25.423 and 25.433. (RAN WG2)

Nokia commented that the term soft channel bits is not referenced in other specs. Qualcomm clarified that in WG2 this wording was proposed to align with WG1 terminology. The CRs in RP-030644 are revised by Qualcomm in RP-030713, with the exception of CR185 to 25.212 which is approved

RP-030713 Revision of CRs to 25.331, 25.423 and 25.433 in RP-030644: HARQ Memory Partitioning, process identifiers and re-ordering. (Qualcomm Europe)

These CRs are approved

RP-030660 CR 120 to 25.222 Rel-5: HARQ process identifier mapping (NEC)

Linked to the CRs above. The CR is approved

RP-030712 Rel-5 CR186 to 25.212, Rel-5 CR339 to 25.214 and Rel-5 CR121 to 25.222 on Alignment of "soft channel bits " terminology with 25.306 (Qualcomm Europe)

No comments. The CRs are approved

7.4 3GPP TSG RAN WG3

7.4.1 Report from WG3 including report on actions required from the previous meeting

RP-030586 Status Report WG3 (RAN WG3 Chairman)

Alexander Vesely (WG3 chairman) presented this report.

WG3 has held two meetings since last RAN in September. The following points summarize the activity:

- RAN3 agreed CRs:
 - 4 R99 CRs
 - 18 Rel-4 CRs (4 cat. A, 14 cat F)
 - 65 Rel-5 CRs (18 cat.A, 47 cat. F) (12 CRs on HSDPA)
 - 2 Rel-6 CRs (2 cat.A)
- further:
 - 7 Rel-6 CRs „in principle agreed“ (on hold until Rel-6 specs created)
 - 2 conditionally agreed and 5 technically endorsed CRs
- R99 +mirror CRs required less than 10% of meeting time
- Rel-5 review was the major part in #39
- Progress on RAN3 Rel-6 topics could be better, WG3 treated all WI's and SI's at least once at #38 and #39

Joern Krause, MCC secretary for WG3, will not continue to provide support to the group after the meeting in January. Alexander and Francois Courau thanked him for his dedication.

It is questioned if the communication to WG1 on Beamforming mentioned on slide 24 is via a LS. Alex clarified that there is no LS, it is expected that WG1 companies in WG3 and RAN convey the information. TSG RAN decision are to be provided by the WG officials representing the group at the plenary so that no contradicting decision can be taken by WG. This was considered to be valid for all WG. Chairmen and secretary were tasked to ensure that this is the case.

RP-030587 List of agreed CRs RAN WG3 (RAN WG3)

This list is provided for information

7.4.2 Discussions on decisions from WG3

RP-030668 Proposal for an update of the 'Terms of Reference (ToR) of 3GPP TSG RAN WG3' (RAN WG3)

Alexander Vesely (WG3 chairman) presented this document.

No comments. The new ToR align with the current work of the group.

The ToR are approved

7.4.3 Approval of CRs to Release '99 with linked CRs to Release 4 and Release 5

RP-030669 CRs (R99 and Rel-4/Rel-5 Category A) to TS 25.413 on Correction of RAB Release Request Inter-working (RAN WG3)

R99 and Rel-4 are not approved, Three objected that these CRs are not essential. Rel-5 is agreed, but the category and the WI need to be changed so a revision will be provided.

RP-030715 CR606r1 to 25.413 Rel-5 on Correction of RAB Release Request Inter-working (Revision of RP-030669) (3GPP Support)

Cat F, WI TEI5. No comments. The CR is approved.

RP-030670 CRs (R99 and Rel-4/Rel-5 Category A) to TS 25.433 on DCH Information Response Issue (RAN WG3)

RP-030700 RNSAP DCH Information Response issue (Motorola,Huawei, NEC)

RP-030701 CRs to 25.423 (R99, Rel-4 & Rel-5): Specify the DCH number for a set of coordinated DCHs in some messages (Motorola,Huawei, NEC)

RP-030718 DCH information response issue (reply to RP-030700) (Nortel, Alcatel, Siemens)

Howard Benn (Motorola) explained that one of the changes to 25.433 incorporated from v3.3.0 to v3.4.0 doesn't have a CR associated, due to an error in the implementation of the CRs at that point. This is detailed in document RP-030700. Since the CRs in RP-030679 affect the section of the text with the error, it is preferred to bring the CRs, and the information on the mistake, to WG3 so a comprehensive solution is produced there. Document RP-030718 presents the current understanding of the "mistake" of Nortel, Alcatel and Siemens. In short, the CRs in RP-030670 and RP-030701 are not approved and WG3 is tasked to study the implementation error and agree on a revision of the CRs.

7.4.4 Approval of independent CRs to Release 4 with linked CRs to Release 5

The following documents contain CRs agreed by RAN WG3:

Tdoc	Content	Decision
RP-030671	CRs (Rel-4 and Rel-5 Category A) to TS 25.413	Approved
RP-030672	CRs (Rel-4 and Rel-5 Category A) to TS 25.414 on Inclusion of AAL2 Link Characteristics in ERQ	Approved
RP-030673	CRs (Rel-4 and Rel-5 Category A) to TS 25.419 on Correction of finite number of broadcast	Approved
RP-030674	CRs (Rel-4 and Rel-5 Category A) to TS 25.433	Approved

7.4.5 Approval of independent CRs to Release 5

The following documents contain CRs agreed by RAN WG3:

Tdoc	Content	Decision
RP-030675	CRs (Rel-5 and Rel-6 Category A) to TS 25.401 on NAS/AS issue for shared networks in connected mode	Approved
RP-030676	CRs (Rel-5 only) to TS 25.413	Approved
RP-030677	CRs (Rel-5 only) to TS 25.423 on RNSAP reviews	Approved
RP-030678	CR (Rel-5 only) to TS 25.427 on Signalling support for soft handover indicator	Approved
RP-030679	CRs (Rel-5 only) to TS 25.433	Approved
RP-030680	CR (Rel-5 only) to TS 25.435 on Power control correction for DSCH for TDD	Approved
RP-030681	CR (Rel-5 only) to TS 25.933 on Correction of PE-node as an ATM switch Solution	Approved

RP-030661 Remove inconsistency among specifications on signalling support for power control during loss of RL synchronisation. CR 338 to 25.214 Rel-5 (Samsung, Lucent)

No comments. The CR is approved

RP-030667 Introduction of ITU-T Q.2631.1 for interworking solution 3 (Siemens)

Alexander Vesely (Siemens) presented this document

Denis Fauconnier (Nortel) requested that the issue is studied further in WG3, as it seems that conclusion is not agreed there yet. Alexander noted that the 3rd interworking alternative is still missing in the Rel-5 specifications and that there exists the possibility to agree on the inclusion of references to the UTRAN specifications at this plenary in order to reduce workload in WG3. It seems that two options are considered in WG3 in order to cope with network scenarios where an IP node is not able to access the ATM network: the ITU-T Q.2631.1 and an IETF recommendation (PWE3), which is still in draft state. A possible outcome could be to have both options in 3GPP standards

Tim Frost (Vodafone) was concerned with the impact on existing UTRAN nodes if two solutions are adopted for the standard. Denis clarified that the operator has two choices, either have a dual-stack node or install an interworking unit, and this unit will also have an impact in any case. Denis also supported the possibility of having two options in the standard, and let the market decide.

There was also some debate on the Release to introduce interworking solution 3. It was finally agreed to leave this discussion for March in the plenary, WG3 being tasked to solve the technical aspect and to provide the CRs for both options for the next plenary in March.

RP-030699 CR331r6 to 25.214 on Clarification on reconfiguration of HSDPA (Panasonic)

Hidetoshi Suzuki (Panasonic) presented this CR

It was questioned why this CR is presented here directly and not discussed in WG1. Dirk Gerstenberger (WG1 chairman) pointed to the revision (6) and explained that WG1 has been working for long time on this CR, also during the weeks before RAN. He thanked Panasonic for providing this version here, but noted that there is not full agreement in WG1 in this issue. He noted that there may be impacts on WG2 specifications and a further detailed work is needed. Antti Toskala (Nokia) supported this view, and required that careful coordination with WG2 is pursued.

It seems also that the CR covers two issues, the reconfiguration part and the CQI reporting. It was agreed that both are reconsidered in WG1 with the support of WG2. As a conclusion, the CR is not approved.

RP-030663 CR895r1 to 25.423: Correction of Traffic Class IE (Ericsson)

Ingela Ericsson (Ericsson) presented this CR

The CR is still disputed in WG3 reflector. Alex Vesely (WG3 chairman) clarified that it seems that there is a discussion between Nokia and Ericsson and other companies. Sami Kekki (Nokia) preferred to go back to WG3 with this topic. This is finally accepted as the way forward, the CR is not approved

7.4.6 Approval of linked CRs where the leading one originated from WG3

The following documents contain CRs agreed by RAN WG3 and other WGs:

Tdoc	Content	Decision
RP-030682	CRs (R99 and Rel-4/Rel-5 Category A) to TS 25.425, 25.427 and TS 25.435 on Spare Extension in Data frame	Approved
RP-030683	CRs (Rel-4 and Rel-5 Category A) to TS 25.423, TS 25.433 and TS 25.453 (Rel-5 and Rel-6 Category A) on Information Exchange Initiation behavior correction	Approved
RP-030684	CRs (Rel-5 only) to TS 25.402, TS 25.423 and TS 25.433 on Removal of the ambiguity about the activation time	Approved
RP-030685	CRs (Rel-5 only) to TS 25.414, TS 25.424 and TS 25.434 on Diffserv marking is configurable	Approved
RP-030686	CRs (Rel-5 only) to TS 25.413 and TS 25.423 on RT Load Value Clarification	Approved
RP-030687	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Correction for the HS-DSCH Initial Capacity Allocation	Approved
RP-030688	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Correction of Backward Compatibility for Uni-directional DCH indicator	Approved
RP-030689	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Correction of Transmission Gap Pattern Sequence Information	Approved
RP-030690	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Correction to Addition of HS-DSCH MAC-d Flows	Approved
RP-030691	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Range Extension for GPS Almanac Reporting	Approved
RP-030692	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Reconfiguration of Multiple Radio Links in TDD	Approved
RP-030693	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on the usage of the MAC-hs Reordering Buffer Size	Approved
RP-030694	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on TNL QoS for uplink IP traffic	Approved
RP-030695	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Unsynchronised RL Reconfiguration for HSDPA	Approved 6)
RP-030696	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Modification of the dynamic range of the PCCPCH Power	Not approved 7)

6) CRs in RP-030695 were approved and it was concluded that unsynchronised reconfiguration can be done for the parameters in the CRs as they are not causing interruptions in the terminal DL reception.

7) Since there might be conflicting changes required in WG2 specifications, it is preferred to wait for WG2 to study the issue and may be to include the changes to the lower limit.

7.5 3GPP TSG RAN WG4

7.5.1 Report from WG4 including report on actions required from the previous meeting

RP-030588 Status Report WG4 (RAN WG4 Chairman)

Howard Benn (WG4 chairman) presented this report. The work of the group can be summarized as follows:

- 1 RAN WG4 meeting after the last RAN meeting
- Usual number of delegates (around 80),
- 300 input contributions
- Corrections to the specification (cat B & F numbers)
 - Release 99 - 5 CRs
 - Release 4 - 5 CRs
 - Release 5 - 23 CRs
 - Release 6 - 31 CRs
- There will be one WG meeting before the next plenary.
- Number of Rel99 CRs increased, from 1 to 5, mainly as a result of test specifications issues being generated for 25.133 Annex A by T1
- UMTS800 and UMTS850 WIs completed, CRs presented to this meeting
- AGPS: A first draft of a separate specification has been presented. An independent email reflector has been set up. To subscribe to this reflector:
http://list.etsi.org/scripts/wa.exe?SUBED1=3gpp_tsg_ran_wg4_agps&A=1

On slide 6, NodeB testing over Iub, Joerg Gustrau (Siemens) commented that it is the intention of Siemens to reduce the scope of the proposal in order to be able to fit it inside TEI. See also RP-030714.

On slide 9, Antti Toskala (Nokia) suggested that more coordination between WG4 and WG1 is needed, The Peak to Average Ratio (PAR) analysis in WG1 didn't reveal this problem. He noted that in the future the same situation can arrive. Howard agreed with this view, he supported that WG4 should get involved at an earlier stage if WG1 engages in similar analysis in the future.

Edgar Fernandes (Motorola) explained that the problem is that if HS-DPCCH is transmitted at max power, the UE risks to exceed the ACLR requirements due to the increase in PAR; WG4 is proposing that in those conditions the total TX power is reduced.

There were comments from Tilab and NTT DoCoMo on the impact on coverage of this power reduction, and it was requested that WG1 studies carefully the coverage issue when producing the system impact analysis that WG4 asks for in the LS.

Antti Toskala (Nokia) objected that system wide analysis are not in the scope of WG1, these should be produced by WG4.

Serge Willenegger (Qualcomm) reminded that, in addition to the system and coverage impacts, there is an effect on the link budget for other channels of the UL that are also transmitted, and this cannot be neglected in the analysis.

As a way forward, a joint ad hoc with WG4 and WG1 is suggested.

The chairman questioned the status of the work on Repeaters needed for the Harmonised Standard under development in ETSI TFES. Howard pointed to the LS in RP-030716 (initially not intended for TSG RAN). In short, one of the issues has been solved (up-link spurious emission for co-existence with UTRA FDD) and simulations are still being performed for the second (out of band gain).

RP-030589 List of agreed CRs RAN WG4 (RAN WG4)

This list is provided for information

7.5.2 Discussions on decisions from WG4

No discussions

7.5.3 Approval of CRs to Release '99 with linked CRs to Release 4 and Release 5

The following documents contain CRs agreed by RAN WG4:

Tdoc	Content	Decision
RP-030590	CRs (R'99 and Rel-4/Rel-5/Rel-6 Category A) to TS 25.101, "Correction of W-CDMA modulated interferer definition"	Approved
RP-030591	CRs (R'99 and Rel-4/Rel-5 Category A) to TS 25.123, "out-of-service area for 3.84 Mcps & 1.28 Mcps TDD"	Approved
RP-030592	CRs (R'99 and Rel-4/Rel-5/Rel-6 Category A) to TS 25.133	Approved

7.5.4 Approval of independent CRs to Release 4 with linked CRs to Release 5

The following documents contain CRs agreed by RAN WG4:

Tdoc	Content	Decision
RP-030593	CRs (Rel-4 and Rel-5 Category A) to TS 25.106 & TS 25.143 (Repeaters specifications), "Spurious emissions: Co-existence with UTRA-FDD BS new UL requirement"	Approved
RP-030594	CRs (Rel-4 and Rel-5 Category A) to TS 25.123	Approved

7.5.5 Approval of independent CRs to Release 5

The following documents contain CRs agreed by RAN WG4:

Tdoc	Content	Decision
RP-030595	CRs (Rel-5 and Rel-6 Category A) to TS 25.101 for HSDPA	Approved
RP-030596	CRs (Rel-5 and Rel-6 Category A) to TS 25.101, TS 25.102, TS 25.104, TS 25.105, TS 25.106, TS 25.113, TS 25.141, TS 25.142, TS 25.143 on "Correction of references to ITU recommendations"	Approved
RP-030597	CRs (Rel-5 and Rel-6 Category A) to TS 25.104 & TS 25.141, "Correction of the P-CPICH power accuracy requirement & test in case of TX-diversity"	Approved
RP-030598	CRs (Rel-5 and Rel-6 Category A) to TS 25.104, "Correction of the applicability of requirements in case of TX diversity"	Approved
RP-030599	CRs (Rel-5 and Rel-6 Category A) to TS 25.141, "Correction of transmitter tests in case of TX-diversity"	Approved
RP-030600	CR (Rel-5) to TS 25.113, "Performance criteria for voltage dips and battery backup"	Approved
RP-030601	CRs (Rel-5) to TS 25.123, "Test time Reduction or 3.84 Mcps & 1.28 Mcps TDD"	Approved
RP-030602	CRs (Rel-5) to TS 25.133, "Clarification on filtering requirements"	Approved

7.5.6 Approval of linked CRs where the leading one originated from WG4

No contributions

8 Release 6 and beyond: Status update and approval of CRs, reports

8.1 Radio Interface Improvement Feature (RAN)

8.1.1 Improvement of inter-frequency and inter-system measurements

RP-030559 Status Report for WI Improvement of inter-frequency and inter-system measurement (Nokia)

Antti Toskala (Nokia) presented this report

Very limited impact in WG1 and WG3 specifications is expected, CRs can be produced for the next RAN meeting and the WI concluded. There was some discussion on the impact on the UE from a WG4 perspective, even if the change is just the addition of a word to WG1 spec.

The report is noted, it is agreed that the % completed at this stage is 50%.

8.1.2 UMTS 850

RP-030560 Status Report for WI UMTS-850 (Cingular)

Don Zelmer (Cingular) presented this report

Jussi Numminen (Nokia) pointed that there is still one issue missing in WG2, the frequency band indication in the signalling. The CRs in RP-030630 for 25.331 do not cover this band.

It is clarified that the submission to ITU for revision 4 of M.1457 will include this band.

The WI is closed, although a minor CR still needs to be produced by WG2. The way the CR to 25.331 introduces the support of the 800 MHz bands provide a solid basis for this introduction.

RP-030603 CRs (Rel-6) to TS 25.101, TS 25.104, TS 25.141 for the Introduction of new channel arrangement for bands IV, V and VI (RAN WG4)

Howard Benn (WG4 chairman) presented these CRs. Howard clarified that WG4 has taken special care to cover all the frequencies that can be used in bands V and VI but are not in the common raster.

The CRs are approved

RP-030604 CRs (Rel-6) to TS 25.101, TS 25.104, TS 25.141 for Introduction of UMTS 850 requirements (RAN WG4)

No comments. The CRs are approved

8.1.3 DS CDMA Introduction in the 800MHz Band

RP-030561 Status Report for WI DS-CDMA introduction in the 800 MHz band (NTT DoCoMo)

Takehiro Nakamura (NTT DoCoMo) presented this report.

No comments. The work is completed and the WI is closed

RP-030605 CRs (Rel-6) to TS 25.101, TS 25.104, TS 25.141 for Introduction of UMTS 800 requirements (RAN WG4)

RP-030630 25.307 Release '99 (and linked) CRs, 25.331 Release 6 CRs on the introduction of UMTS 800 and New Bands (RAN WG2)

No comments. The CRs are approved

8.1.4 UMTS 1.7/2.1 GHz

RP-030562 Status Report for WI UMTS 1.7/2.1 GHz (Nokia)

Jussi Numminen (Nokia) presented this report

Jussi explained that the WI is delayed until March because FCC order for Service Rules for Advanced Wireless Services in the 1.7 GHz and 2.1 GHz Bands was not available until at the end of November 2003.

The chairman suggested that the CR in WG2 for UMTS1700/2100 and the CR missing for UMTS800 could be provided together to the next RAN.

The report is noted, the new completion date (March 2004) is agreed.

8.2 RAN Improvement Feature

8.2.1 Radio access bearer support enhancement

RP-030563 Status Report for WI RAB support enhancement (Nokia)

Antti Toskala (Nokia) presented this report

Antti explained that work is ongoing in WG2 on proposals to optimize the support for voice over IMS. A TR (R2-032446) captures the work.

Hideoshi Suzuki (Panasonic) noted that work in WG1 for support of IMS has not been presented, and requested that WG1 is involved. Denis Fauconnier (WG2 chairman) clarified that joint discussions are expected to take place in Málaga in February, when the two groups are collocated.

CRs on this issue are foreseen for June 2004, although for the time being the work falls in the Feasibility Study category. A 30% completion level is estimated.

8.2.1.1 Iu enhancements for IMS support in the RAN

RP-030564 Status Report for WI Iu enhancements for IMS support in RAN (Nortel)

Denis Fauconnier (Nortel) presented this report

It was discussed that the final conclusion might be that no enhancements are possible. It seems that the RAN cannot distinguish between SIB user traffic and SIB signalling, and CN groups and SA WG2 are still working on this issue also. A coordinated approach with these groups is necessary. This will be reported to the TSG SA plenary.

8.2.2 Beamforming enhancement

RP-030565 Status Report for WI Beamforming Enhancements (Nokia)

Antti Toskala (Nokia) presented this report

The work is completed, the CRs are presented below.

Concerning TS25.887, which so far is at version 1.7.0, it will be presented to the next meeting for final approval.

The WI is concluded.

RP-030726 RAN WG1 and RAN WG3 CRs for Beamforming Enhancements (Nokia)

No comments, the CRs are approved

8.2.3 RRM optimizations for Iur and Iub

8.2.3.1 Improved access to UE measurement data for CRNC to support TDD RRM

RP-030566 Status Report for WI Improved access to User Equipment (UE) measurement data for Controlling Radio Network Controller (CRNC) to support Time Division Duplex (TDD) Radio Resource Management (RRM) (Interdigital)

Jim Miller (Interdigital) presented this report

No comments. It is foreseen that the work can be completed by March 2004 as expected

8.2.4 Remote Control of Electrical Tilting Antennas

RP-030567 Status Report for WI Remote Control of Electrical Tilting Antennas (Vodafone)

Volker Hoehn (Vodafone) presented this report

The chairman questioned the feasibility of the completion date (March 2004), when looking at the level of completion (60%). Volker explained that an ad hoc session will be proposed during next WG3 meeting to be able to complete the work.

Volker also noted that no impact on WG4 specifications is expected as this will be considered as an auxiliary equipment form the Node B.

8.2.5 Network Assisted Cell Change (NACC) from UTRAN to GERAN – network-side aspects

RP-030568 Status Report for WI Network Assisted Cell Change (NACC) from UTRAN to GERAN - network-side aspects (Vodafone)

Tim Frost (Vodafone) presented this report

The proposed completion date (March 2004) was contested, given the current status. Tim noted that two WG3 meeting between this and next plenary should be enough to completed the work. March 2004 is endorsed

8.3 UE Positioning

8.3.1 UE positioning enhancements

RP-030652 Status Report for WI UE positioning enhancements (Siemens)

Joerg Gustrau (Siemens) presented this report

Work on “IPDL enhancement using advanced blanking methods” is ongoing under this generic WI.

No foreseen completion date for this study work.

It was questioned why the IPDL structure needs to be changed. It seems that the modifications concern WG4 specifications, even though changes to the signalling are reported here.

It is clarified that there is no need for full Node-B synchronisation, only the IPDL need to be aligned with the frame timing.

There was a concern on the draft CRs presented in WG1, Edgar Fernandes (Motorola) noted that simulations and work in WG4 should be needed before approving the CRs including the new techniques. It was clarified that the CRs were drafts, only to provide a first overview of the required changes. Edgar however requested that WG4 analyses the proposal before CRs are presented at RAN level.

In summary, it was found necessary that the work done in WG1 is presented in the other WGs. It seems clear that issues not considered in WG1 so far may arise in the other groups.

It is clarified that this work was done under a Study Item until RAN#21, where the study was closed and it was decide to move the work to the basked WI "UE positioning enhancements". It seems that now the study phase continues, but somehow hidden under a generic WI.

A completion date for this work was not proposed.

8.3.2 A-GPS minimum Performance Specification

RP-030569 Status Report for WI A-GPS minimum performance specification (AWS)

Donglin Shen (AWS) presented this report

Hashem Madadi (Three) objected that the new objectives proposed by AWS hadn't been approved by WG4. However, no objections from Three to the new objectives, presented in R4-031155, are reported in the R4#29 draft minutes.

It is highlighted that WG4 is creating a new specification for the AGPS requirements, companies in RAN are invited to take this into consideration.

The new completion date, June 2004, is agreed.

RP-030664 Revised WID for A-GPS minimum performance specification (AWS)

Donglin Shen (AWS) presented this revised WIDS

Hashem Madadi (Three) objected the third objective proposed. Hashem required that multiple classes are sought, he explained that currently his company offers a terminal with positioning capabilities much better than the minimum requirements under study and hence a single class based on these minimum requirements would worsen the offer.

Howard Benn (WG4 chairman) noted that the work in WG4 is progressing very well, many new companies from the GPS side are now present and a draft TS is in progress. Considering the classes, he suggested to let WG4 do the work and if classes are needed, they will be specified.

Finally, the proposal was agreed but with the third objective removed. It is also commented that the new TS should be listed in the WIDS. A revision of RP-030664 will be provided

RP-030719 Revised WID for A-GPS minimum performance specification (AWS)

This revised WI Description Sheet includes the two new objectives approved as in RP-030664.

The WIDS is approved

8.4 Introduction of the Multimedia Broadcast and Multicast Service (MBMS) in RAN

RP-030570 Status Report for WI Introduction of MBMS in RAN (Nokia)

Antti Toskala (Nokia) presented this report

Concerning the completion date, it seems feasible for WG2 to finish in June, but there are some doubt on WG3.

It seems agreed that there would be no major impact in WG4, as no new channel is being defined. Only potential impact would be due to the second S-CCPCH. Other issues that could impact WG4 are TX diversity and selective combining.

Finally, it is agreed that the completion date for WG2 and WG3 work is June 2004.

RP-030653 TS25.346 Introduction of the Multimedia Broadcast Multicast Service (MBMS) in the Radio Access Network (Stage-2); version 2.4.0 (Nokia)

Antti Toskala (Nokia) presented this TS

It is once again presented here for information.

8.5 Evolution of the transport in the UTRAN

No work ongoing under this generic feature

8.6 Multiple Input Multiple Output Antennas

RP-030571 Status Report for WI Multiple Input Multiple Output antennas (MIMO) (Lucent)

Said Tatesh (Lucent) presented this report

It is clarified that the completion dates are September 2004 for WG1, WG2 and WG3 and December 2004 for WG4.

Said clarified that the TR is, for the time being, only capturing the different proposals. Dirk Gerstenberger (WG1 chairman) clarified that the current work in WG1 is typical of a study item phase. By now, WG1 has not made the choice between the proposed techniques and the system level simulations hasn't been performed. Said further refined that a difference to a "classic" feasibility study is that the benefit of MIMO is

already proved, it is now a matter of assessing the merits of the different techniques proposed by different manufacturers.

This was found unfortunate from the perspective of work planning, until the "study" phase is finished no accurate estimation of the extension of the work can be provided and hence current completion dates are unreliable.

8.7 Subscriber and Equipment Trace Support in UTRAN

RP-030572 Status Report for WI Subscriber and equipment trace in UTRAN (Nortel)

Denis Fauconnier (Nortel) presented this report

The report is noted.

8.8 Enhancement of the support of network sharing in the UTRAN

RP-030573 Status Report for WI Enhancement of the support of network sharing in the UTRAN (TeliaSonera)

Per Ernstrom (TeliaSonera) presented this report.

Due to the delay in stage 2 in SA WG2 the work in RAN groups couldn't progress. Per proposed June 2004 for the completion in RAN, only 3 months after the expected completion in SA WG2.

Han van Bussel (TMobile) was concerned by the completion dates of some of the WI, which seem to be an estimation provided by the WI rapporteur but not endorsed by the relevant WG. The chairmen confirmed that the dates are in general sent to the email reflectors after the meetings have finished, and the dates presented here have not been contested. It was also noted that some of this WI involve several groups, so it is difficult to agree on completion dates "live" during the meeting like WG4 does.

Han commented that WG chairs could remind the WG delegates of the importance of providing realistic completion dates, given that they are regularly delayed at the RAN meetings.

Finally, the proposed completion date (June 2004) is agreed. It was noted that WG2 has started to look at this topic, so it is agreed that the % completed should be more than zero.

8.9 Technical Small Enhancements and Improvements

RP-030606 CRs (Rel-6) to TS 25.101, TS 25.104, under TEI6 "Co-existence with UTRA FDD in frequency band V" (RAN WG4)

It is noted that this document contains CRs to 25.104 and 25.141, no CR to 25.101

The CRs are approved

RP-030607 CRs (Rel-6) to TS 25.101, TS 25.102, TS 25.104, TS25.123, TS 25.133 under TEI6 (RAN WG4)

It is noted that CR274 to 25.101 should be cat F; cat D is reserved for corrections of English language. Tilab questioned why the new test case is introduced in CR626 to 25.133 and not in an earlier Release. Howard noted that this could be considered a B CR, addition of a feature and hence not acceptable for closed Release.

CR636 to 25.133 is for Release 6, the spec version in the cover page is not correct (should be v6.3.0 instead of v5.8.0)

All CRs are approved, except CR274 to 25.101 and CR626 to 25.133 which are revised in RP-030720.

RP-030720 Revision of CR274 to 25.101 and CR626 in 25.133 in RP-030607 (RAN WG4 chairman)

No comments, the CRs are approved

RP-030631 Update of the AS capability indication: 25.331 CR to Release 6 (Release 5 version) (RAN WG2)

An editorial error has been found in the tabular ASN.1, Nokia will produce a revision

RP-030721 Update of the AS capability indication: 25.331 CR to Release 6 (Nokia)

No comments, the CR is approved

RP-030714 Node-B testing over Iub (Nortel)

Denis Fauconnier (Nortel) presented this document

The document brings a new proposal to implement the Node-B testing over Iub currently under discussion in WG4.

Howard Benn (Motorola) requested the creation of a WI to cover this issue, as the result of this activity will very likely be complicated CRs to be presented in various groups, including CRs to ASN.1. A WI will help to keep track of the work and to have a clear scope.

Joerg Gustrau (Siemens) preferred to keep the activity without a WI and with a low profile, in fact Siemens has already presented some CRs in WG4 under TEI6.

Sami Kekki (Nokia) didn't support the idea of using NBAP for this testing purposes.

Howard warned that if the tests can be used for conformance, they must be written in a way that can be reproduced by test house so many things need to be very well specified, including the physical connection to the RNC simulator for example. If all these issues need to be considered, a precise WI scope is necessary.

It was clarified by Siemens that the purpose behind their proposal in WG4 was for performance testing of the Node B and NOT for conformance testing.

All companies agreed that the use of 3rd party Simulation Equipment in conjunction with the currently standardised Iub is perfectly feasible to enable performance testing of the normal operation of the Node B - without requiring any extra functionality in the Node B itself.

Some Node B manufacturers however had some concerns that, in defining a common methodology within 3GPP specifications for this performance testing scenario, this could be mandated in the future for conformance testing purposes.

WG4 is therefore currently requested to check the technical correctness of the contribution from Siemens (R4-031044).

8.10 Closed Release-6 Work Items

RP-030608 CRs (Rel-6) to TS 25.101 for HSDPA (RAN WG4)

No comments. The CRs are approved

RP-030697 CR (Rel-6 only) to TS 25.453 on Improvement of position calculation through set enlargement (RAN WG3)

No comments. The CRs are approved

8.11 Study Items

8.11.1 Feasibility study on Radio link performance enhancements

RP-030574 Status Report for FS on Radio link performance enhancements (Nokia Networks)

Antti Toskala (Nokia) presented this report

This study comprises three different topics:

- Tx diversity for multiple antennas
- HSDPA enhancements
- Power Control enhancements (for TDD)

The average completion level is 50%.

There was some debate on the concept of "permanent" Study Item. In the view of the chairman, a Study should have a clear objective and a precise completion date. It may also come with a TR recollecting the work done. In this case, now that three different topics are clearly identified, it would be preferable to evolve the SI to three separate SIs, one per topic.

On the other side, it was noted that this Study has been ongoing for several releases and to cover "small enhancements" work without the administrative overload of creating a dedicated SI.

A halfway approach is to have a generic Study Item similar to TEI where the WGs, WG1 in particular, could put new proposals of techniques for study. Once a particular proposal has gained weight and progresses to a certain level, a separate Study can be created.

For the time being, the Study remains as is, covering the three topics. This decision will be revisited at the next meeting.

8.11.2 Feasibility study on UTRA Wideband Distribution System (WDS)

RP-030575 Status Report for FS on UTRA WideBand Distribution Systems (Tekmar)

Takaharu Nakamura (WG4 vicechairman) presented this report

The report is noted.

8.11.3 Analysis of OFDM for UTRAN evolution

RP-030576 Status Report for FS Analysis of OFDM for UTRAN enhancement (Nortel)

Evelyne Lestrat (Nortel) presented this document

Antti Toskala (Nokia) commented that in the list of open issues it should be mentioned that the rest of UTRAN (not only the NodeB) is also impacted. The RRM in the RNC will also be affected. It is clarified that the impact on the network would be studied under the Mobility area. For this purpose, it is clear that WG2 and WG3 will be contacted if necessary.

Howard Benn (WG4 chairman) noted that mobility measurements in WG4 have proven to be harder to handle than expected, notably for HO between different access technologies. He suggested WG1 to liaise with WG4 when dealing with mobility measurements.

There was a comment on the link between MIMO and OFDM, which could be in the future developed jointly. Dirk Gernstenberger (WG1 chairman) clarified that not until WG1 has finished the work on MIMO for FDD/TDD and the study on OFDM, the potential analysis of joint operation MIMO/OFDM will start. It seems however that MIMO is mentioned in the WIDS for OFDM.

It is clarified that a 5 MHz frequency band is used in the deployment under study. It is clarified also that frequency reuse, as understood in OFDM, is done within the 5MHz. No other 5MHz portions are used.

RP-030705 Discussion on Advanced OFDM Technologies (Huawei)

Branislav Popovic (Huawei) presented this document

A long debate followed this presentation. During the discussion, Samsung clarified that in WG1 last meeting there was just one document discussed on the topic of modulation diversity. Branislav agreed but noted that this is not the discussion presented here by this document. He asked for clarification in RAN whether the advanced techniques proposed by Huawei can or cannot be considered within the Study Item.

Dirk Gertenberger (Ericsson) explained that so far, the approach has been to introduce OFDM in an UMTS system, trying to minimize the impact to the established layer 1. Also, Dirk noted that the main issue is timing and scope. His view is that within the timeframe and scope, and given the number of issues still pending, (issues that have been agreed to be studied time since time ago), the new proposal cannot be handled. If RAN believes that this proposal has to be considered, the completion date has to be reviewed and probably the scope as well, but he requested RAN to take this decision and WG1 will follow.

Branislav objected that in his view, the Study should focus on the feasibility of an OFDM access, and to analyze the best techniques available for this purpose. He questioned the need to keep mobility and other issues inside the Study, since simulations are going to be performed at a later stage. Also, in his view, the completion date should be moved according with the expected work.

Denis Fauconnier (Nortel) explained that the Study can be thought of having two phases: first endorsing the applicability of the OFDM modulation within UTRAN, and latter studying the enhancement of UTRAN via OFDM. He noted that it is not possible to finish the second phase, taking into consideration the proposal from Huawei or others, by the deadline set on June 2004.

It is proposed to formally divide the work in these two phases, the first based on "textbook" OFDM to be finished by June 2004, and start later a second phase for enhancement which in fact requires the endorsement by 3GPP PCG.

Branislav questioned what will happen with the TX diversity part of the work. Denis suggested to cover diversity on the second phase. Serge Willenegger (Qualcomm) clarified that WG1 has already spent long time on two areas, integration and feasibility of OFDM within current UTRAN, and studying the merits and performance issues of OFDM. The proposal from Denis is divide the work exactly along these lines, finish the first area by June and create a second Study, with the endorsement of 3GPP PCG, to cover the second area. It seemed clear that for the June deadline, the SI Description Sheet is too broad, the advanced receivers, MIMO and extensive performance simulations cannot be accomplished.

Antti Toskala (Nokia) noted that it will be of little use to PCG to receive a report of the study simply asserting the feasibility but without performance results, this will not help to decide whether the technology is worth or not to be added to 3GPP standard.

RP-030724 Revised Study Item Description Sheet for the Analysis of OFDM for UTRAN evolution (Nortel)

Denis Fauconnier (Nortel) presented this proposal

Revised Description Sheet reducing the scope of the Study.

No comments. The SIDS is approved

8.11.4 Uplink Enhancements for Dedicated Transport Channels

RP-030577 Status Report for FS on Uplink Enhancements for Dedicated Transport Channels (Nokia)

Antti Toskala (Nokia) presented this report.

The completion date is moved to March 2004.

Denis Fauconnier (Nortel) commented that effort should be made to finish the work by March; there is a non stopping flow of new proposals under this FS in WG1 that may delay the closing date. The chairman observed that it seems difficult to estimate the completion date of any of WG1 studies.

Said Tatesh (Lucent) mentioned that there are important decisions, like the length of the TTI, to be taken before the study is closed in order to have a clear picture when the WI starts. Adopting these decisions may take time, the compliance with the completion date shouldn't push to adopt them in a rush. However, it was noted that the SI will not conclude on a closed list of techniques to be implemented in the WI phase. It is possible to introduce new proposals in the WI, or to dump those studied in the FS.

It is confirmed that an Ad Hoc for Rel-6 matters in WG1 is scheduled for the end of January. This meeting will be collocated with the AGPS Ad Hoc in WG4, and a joint session WG1-WG4 will also be held to discuss the PAR with HS-DSCCH transmission issue.

Samsung required that the MBMS issues are properly covered in the Rel-6 Ad Hoc. It was also mentioned that the dates proposed are not convenient for delegates from the Far East, as they have been chosen very close to the Chinese New Year. Agreed dates will be discussed off line. See section 12 for the final schedule.

The change in completion date is endorsed.

8.11.5 Analysis of Higher Chip Rate for UTRA TDD evolution

RP-030578 Status Report for FS on Analysis on Higher Chip Rates for UTRA TDD evolutions (IPWireless)

Martin Beale (IPWireless) presented this report

The completion date is changed from December 2003 to June 2004.

No comments, the report is noted

8.11.6 Evolution of UTRAN Architecture

RP-030579 Status Report for FS on the evolution of the UTRAN architecture (Nokia)

Sami Kekki (Nokia) presented this report

WG3 chairman suggested to move the completion date to June 2004, March seems unrealistic.

There were some comments about closing the study, but it is noted that many contributions were presented although not treated.

Denis Fauconnier (Nortel) noted that the study has been open for long time, the fact that contributions keep arriving shouldn't stop RAN and WG3 to close the study at a given point or set a deadline to be met. Hans van der Veen (NEC) agreed that this is sometimes the situation, but in this case it seems that there is a problem with WG3 being able to handle all the contributions and in any case companies are interested in continuing the work.

Per Beming (Ericsson) commented that although many papers have been presented, some are simply showing that there is no gain and hence no further work needs to be done. He noted that discussions on the topic started very long ago, even if the FS itself was created a year ago. He requested WG3 produce a report showing the progress achieved and the current situation.

There were some complaints on the information conveyed in the Status Report. If contributions couldn't be treated due to the lack of time, it is requested that they are listed here for completeness.

Finally, it is agreed to have March 2004 as completion date and to review the whole Study by then.

8.11.7 Low Output Powers for general purpose FDD BS

RP-030580 Status Report for FS on Low Output Powers for general purpose FDD BSs (Telefonica)

Alex Vesely (Siemens) presented this report

Completion date is changed from December 2003 to March 2004.

No comments, the report is noted

8.11.8 Uplink Enhancements for UTRA TDD

RP-030581 Status Report for FS on Uplink enhancements for UTRA TDD (Interdigital)

Steve Dick (Interdigital) presented this report

The completion date is delayed from March 2004 to September 2004

No comments, the report is noted

8.12 New Work Items/Study Items

RP-030717 New WI Proposal: Performance Requirements of Receive Diversity for HSDP (NTT DoCoMo)

Takehiro Nakamura (NTT DoCoMo) presented this proposal

Antti Toskala (Nokia) thanked DoCoMo for this paper and introduced document RP-030702 which covers topics to be handled on this area

RP-030702 Enhanced UE receiver performance requirements for HSDPA (Nokia)

Jussi Numminen (Nokia) presented this document

It seemed agreed that the specification should not mandate one or various specific implementations and associated tests. Serge Willenegger (Qualcomm) noted that however this case of RX diversity should be specified separately, it is clear that its performance will be better in certain conditions and this has to be acknowledged and estimated with a particular requirement. Serge suggested to open two items, one to cover the RX diversity specifically and a broader item to study improvements in general.

It was questioned to what extent is possible to define performance requirements independently of the implementation. Antti Toskala (Nokia) clarified that if several requirements based on different scenarios are mandated, this may conclude in the need for the terminal to include several receiver techniques in order to meet all the requirements which is certainly not the intention. Hence the need to set the requirements in a way that all techniques can fulfil them.

Volker Hoehn (Vodafone) supported the creation of a WI to introduce the performance for RX diversity and a Study or Work Item for advanced receivers.

Howard Benn (Motorola) reminded that on the BS side, there are performance requirements with and without diversity and there has never been a question of implementation issues.

RP-030703 New Study Item Proposal: Improvements of receiver performance of HSPDA UE for enhancing the performance of FDD system (Nokia)

Jussi Numminen (Nokia) presented this document

The WI proposal was found acceptable, but in parallel with the WI from NTT DoCoMo, not as a substitute. Also, the time schedule proposed was found very demanding.

It was questioned if signalling was needed for the system to benefit of the enhanced performance. Antti explained that there is no need for additional signalling, the improvement will reflect on the CQI reported by the UE and the subsequent reduction in power allocated to that UE in the DL.

A long off line discussion took place to agree on a unified proposal for the WI description. RP-030717 ,RP-030702 and RP-030703 are not approved.

RP-030732 New Work Item Proposal: Improvements of receiver performance of HSPDA UE for enhancing the performance of FDD system (Nokia)

Antti Toskala (Nokia) presented this revision of the previous document

Antti explained that the final agreement is to create a building block to cover all the receiver performance issues.

Concerning the Description Sheet, it is approved here, but WG4 is tasked to review the text and revise it if necessary in its next meeting.

It is commented that the time schedule proposed doesn't fit for a building block that will cover many separate improvements. This will also be reviewed by WG4.

It is noted that modifications to 25.101 are expected under this Building Block, which doesn't make sense as the change requests would be under the Work Tasks underneath. In order to reach consensus, The specification will be removed from the Description Sheet

RP-030731 New WI Proposal: Performance Requirements of Receive Diversity for HSDP (NTT DoCoMo)

Takehiro Nakamura (NTT DoCoMo) presented this proposal.

Finally, RP-030731 and RP-030732 are approved and WG4 is tasked to review both Description Sheets and provide a revision, if needed, to next TSG RAN. It was noted that, if work on equalizers or advanced receiver or any other, a separate Work Task should be started under the Building Block but independent of the WT for RX diversity.

RP-030733 Proposed WI: DL Code Improvement (Nortel)

Denis Fauconnier (Nortel) presented this proposal

Said Tatesh (Lucent) supported the WI but questioned why it is restricted only to dedicated channels. Denis clarified that this is deliberate, considering HSDPA will add a substantial amount of complexity and work and, anyway, there is already a SI dealing with HSDPA improvements.

Hashem Madadi (Three) also supported the WI but asked for more clarification on the objectives and the scope, he agreed however that this can be done at a later stage.

Joerg Gustrau (Siemens) objected that the WIDS is presented very late with no time for analysis, but he questioned why this sort of work is taken out of the study item Radio Link Enhancements which is dealing with HSDPA enhancements. The proponents emphasized that the work is not related to HSDPA directly and that it is not covered in that study.

Many companies also objected approving a WI presented so late in the meeting (it was made available 2 hours before the meeting closed). Consistent justification for the need of the WI should be presented, and it is missing in this case.

Consensus couldn't be reached, so the proposal is not approved. Nortel and the other supporters are invited to discuss further the text with the companies objecting and present it again in the next meeting.

9 Technical co-ordination among WGs

9.1 Review of status on action points allocated during the previous meeting

The action points have been reviewed during the presentation of WGs activity.

9.2 Other needs

No discussions

10 Outputs to other groups

No outgoing Liaisons.

11 Project management

RP-030706 RAN WIs and SIs, active and closed (3GPP Support)

This document contains the description sheets for RAN Work Items and Study Items. It is presented for information

RP-030643 3GPP Dependencies on OMA Deliverables (Nortel)

The chairman explained that RAN doesn't have any OMA dependency, the document is noted.

RP-030640 Rel-5 Specs not yet upgraded to Rel-6 (3GPP Support)

Presented here for information.

The chairman reminded that it had been approved at RAN meeting #21 to produce Rel-6 versions of most of RAN specifications (those listed in RP-030526 and RP-030527) after this meeting #22. Those lists contain the documents needed for the revision 4 of ITU-R recommendation M.1457

RP-030641 Status list before TSG#22 (3GPP Support)

List of 3GPP specifications, for information

RP-030642 Specs for frozen releases, not yet under change control (3GPP Support)

This document lists a number of TSs and TRs, initially created for old releases, that have not been brought under change control yet. RAN is requested to decide whether to bring the documents under Change Control, postpone them to a later Release or stop the support. The following is decided:

- TR 25.833 (R99), Physical layer items not for inclusion in Release 99. It is agreed to bring it under change control as v3.0.0
- TR 25.840 (Rel-4), Terminal power saving features. It is agreed to bring it under change control as v4.0.0
- TR 25.890 (Rel-5), High Speed Downlink Packet Access (HSDPA); User Equipment (UE) radio transmission and reception (FDD). It is agreed to discontinue support of this TR.

RP-030728 Work Plan Slide presentation (3GPP Support)

Alain Sultan (3GPP Support) gave this presentation. These slides are updated with the decisions at TSG RAN, CN & T #22.

After review of the status of all 3GPP items, Alain noted that the most feasible date for closing of Release 6 would be September 2004.

Hashem Madadi (Three) objected that the June date is feasible, some features could be considered "late items" and finalised in September. He proposed to go for the June date, review the decision in March and put pressure in the groups running late.

RP-030730 3GPP Work Plan (MSProject version) (3GPP Support)

Presented for information, it is not updated with the decisions at RAN#22.

RP-030725 Proposal for improving the accuracy of work planning (3GPP Support)

Alain Sultan (3GPP Support) presented this document

It is proposed that the Work Plan reflect the duration of the WI instead of the completion date. It is also proposed that Stage 2 & 3 are linked automatically to the previous Stage. This would mean that if one of the stages is delayed the following stages will have its completion date automatically moved.

The chairman noted that this has little impact on RAN work, given that it is normally not linked to Stages in other TSGs. In particular, this will only affect MBMS and Network Sharing.

No objections were presented to the four proposals presented in the document.

RP-030729 Overview of R99 features (3GPP Support)

Alain Sultan (3GPP Support) presented this document, for information and comments.

It contains textual descriptions of all the features introduced in R99. RAN participants are invited to send their comments to 3GPP support. A final version will be presented in next TSGs.

It is noted that specifications from the 25.1xx series are missing in the table of references.

12 Any other business

Volker Braun (Alcatel) reminded that during the last meeting there was a joint proposal from Alcatel and Nortel for a new WI on improvement on existing Beamforming solutions, now that the Beamforming WI has been closed it is the right time to review the possibility of a new WI. Some companies have shown interest, but for the time being no agreement has been reached, so Volker informed that the proponents will continue the work on beamforming under the newly created building block for performance requirements.

Antti Toskala (Nokia) commented that the invitation for the Ad Hocs in January is already available and ready to be sent. The final dates are as follows:

- 3GPP TSG RAN WG1 Release 6 Ad Hoc: 27th to 29th of January
- 3GPP TSG RAN WG4 A-GPS Ad Hoc: 28th & 29th of January
- Joint Ad Hoc between WG1 & WG4 on the uplink Peak-to-Average Ratio (PAR) studies: 30th of January

The chairman also reminded that Joern Krause, MCC secretary in WG3, will not continue working with the group. He thanked him for his dedication.

13 Closing of the meeting

The chairman closed the meeting on Friday 12th at 9:30 in the morning. He thanked the delegates for their participation and the host for the facilities provided.

Annex A: List of participants

Name	Organization	Status	Country	Internet	Phone	Fax
ANDERSEN Niels Peter Skov	MOTOROLA A/S	3GPPMEMBER ETSI	DK	npa001@motorola.com	+45 43 48 81 10	+45 43 48 80 01
ARUNACHALAM Arun	Skyworks Solutions Inc.	3GPPMEMBER T1	US	arun.arunachalam@skyworksinc.com	+1 949 231 3855	+1 949 231 3800
ARZELIER Claude	ETSI Secretariat	3GPPORG_REP ETSI	FR	claudio.arzelier@etsi.org	+33 4 92 94 42 61	+33 4 93 65 28 17
BABUT George	Rogers Wireless Inc.	3GPPMEMBER T1	CA	gbabut@rci.rogers.com	+1 416 935 6027	+1 416 935 7502
BARNES Nigel	MOTOROLA Ltd	3GPPMEMBER ETSI	GB	nigel.barnes@motorola.com	+44 1 256 790 169	+44 1 256 790 190
BARRETO Luis	Nokia Japan Co, Ltd	3GPPMEMBER ARIB	JP	luis.barreto@nokia.com	+44 1252867618	+44 1252 866302
BARTLETT David	Cambridge Positioning Sytms	3GPPMEMBER ETSI	GB	david.bartlett@cursor-system.com	+44 1223 326973	+44 1223 326 901
BEALE Martin	IPWireless Inc.	3GPPMEMBER ETSI	GB	mbeale@ipwireless.com	+44 1249 467 319	+44 1249 467186
BEMING Per	ERICSSON LM	3GPPMEMBER ETSI	SE	per.beming@ericsson.com	+46 8 404 4681	+46 8 757 5720
BENN Howard	MOTOROLA Ltd	3GPPMEMBER ETSI	GB	howard.benn@motorola.com	+44 7802 361 664	+44 1 793 566225
BERGSTRÖM Joakim	Nanjing Ericsson Panda Com Ltd	3GPPMEMBER CCSA	CN	joakim.ko.bergstrom@ericsson.com	+4684047396	+4687575720
BONNIN Frederic	ORANGE SA	3GPPMEMBER ETSI	FR	frederic.bonnin@francetelecom.com	+33155225797	+33155222624
BRAUN Volker	ALCATEL S.A.	3GPPMEMBER ETSI	FR	volker.braun@alcatel.de	+49 711 821 40985	+49 711 821 32185
CASTELLANI Andrea	TELECOM ITALIA S.p.A.	3GPPMEMBER ETSI	IT	acastellani@mail.tim.it	+39 06 39 00 90 42	+39 06 3900 9315
CHOI Sungho	Samsung Electronics Co., Ltd	3GPPMEMBER TTA	KR	schoi@samsung.com	+82 31 279 5116	+82-31-279-5130
COURAU François	ALCATEL S.A.	3GPPMEMBER ETSI	FR	francois.courau@alcatel.fr	+33 6 08 82 20 22	+33 1 30 77 34 99
DAVIDIAN Jean- jacques	DoCoMo Europe S.A.	3GPPMEMBER ETSI	FR	davidian@docomo.fr	+33 1 5688 3030	+33 1 5688 3045
DECARREAU Guillaume	ORANGE SA	3GPPMEMBER ETSI	FR	guillaume.decarreau@francetelecom.co m	+33 1 45 29 58 99	+33 1 45 29 41 94
DICK Steve	INTERDIGITAL COMMUNICATIONS	3GPPMEMBER ETSI	US	steve.dick@interdigital.com	+1 6316224298	+1 6316220103
DOIG Ian	MOTOROLA S.A.S	3GPPMEMBER ETSI	FR	ian.doig@motorola.com	+33 4 92 94 48 64	+33 4 93 95 80 52
EHRlich Ed	Nokia Telecommunications Inc.	3GPPMEMBER T1	US	ed.ehrlich@nokia.com	+1 972 894 4495	+1 972 894 5525
ELLING Jan	Dansk MobilTelefon I/S	3GPPMEMBER ETSI	DK	jae@sonofon.dk	+45 72 12 12 12	45 72 12 70 70
ELLSBERGER Jan	Ericsson Korea	3GPPMEMBER TTA	KR	jan.ellsberger@ericsson.com	+46 8 508 77965	+46 8 508 77 300
ERICSSON Ingela	Nippon Ericsson K.K.	3GPPMEMBER TTC	JP	ingela.ericsson@ericsson.com	+46 8 4046998	+46 8 4043597
ERNSTRÖM Per	TeliaSonera AB	3GPPMEMBER ETSI	SE	per.ernstrom@teliasonera.com	+46 8 713 8134	+46 8 713 8149
FAUCONNIER Denis	NORTEL NETWORKS (EUROPE)	3GPPMEMBER ETSI	GB	dfauconn@nortelnetworks.com	+33 1 39 44 52 87	+33 1 39 44 50 12
FERNANDES Edgar	MOTOROLA Ltd	3GPPMEMBER ETSI	GB	edgar.fernandes@motorola.com	+44 1256 790 168	+44 1256 790 190

Name	Organization	Status	Country	Internet	Phone	Fax
FROST Tim	VODAFONE LTD	3GPPMEMBER ETSI	GB	tim.frost@gb.vodafone.co.uk	+44 1635 674334	+44 1635 234729
FUKUDA Eisuke	Fujitsu Limited	3GPPMEMBER ARIB	JP	efukuda@jp.fujitsu.com	+81 44 754 8511	+81 44 754 8540
GABIN Frederic	Telecom Modus Ltd.	3GPPMEMBER ETSI	GB	frederic.gabin@nectech.fr	+33 1 49 07 28 21	+33 1 49 07 20 01
GERSTENBERGER Dirk	Nippon Ericsson K.K.	3GPPMEMBER ARIB	JP	dirk.gerstenberger@ericsson.com	+46 8 585 33901	+46 8 404 3700
GERZ Gerhard	BMW	3GPPMEMBER ETSI	DE	gerhard.gerz@regtp.de	+49 6131 18 2223	+49 6131 18 5613
GRILLI Francesco	QUALCOMM EUROPE S.A.R.L.	3GPPMEMBER ETSI	FR	fgrilli@qualcomm.com	+1 858 845 3742	+1858 658 2113
GUSTRUAU Joerg	SIEMENS AG	3GPPMEMBER ETSI	DE	joerg.gustrau@siemens.com	+49 30 386 23467	+49 30 386 25548
GUTIERREZ MIGUELEZ Cesar	ETSI Secretariat	3GPPORG_REP ETSI	FR	cesar.gutierrez@etsi.org	+33 4 92 94 43 21	#VALUE!
HAYES Stephen	Ericsson Inc.	3GPPMEMBER T1	US	stephen.hayes@ericsson.com	+1 972 583 5773	+1 801 409 6319
HOEHN Volker	Vodafone D2 GmbH	3GPPMEMBER ETSI	DE	volker.hoehn@vodafone.com	+49 211 533 3637	+49 211 533 2834
HOWELL Andrew	MOTOROLA GmbH	3GPPMEMBER ETSI	DE	andrew.howell@motorola.com	+44 1452 623967	+44 1256 790 190
HU Teck	Lucent Technologies	3GPPMEMBER T1	US	calhu@lucent.com	+1 973 386 2593	
ISHIDA Yoshihide	ARIB	3GPPORG_REP ARIB	JP	ishida@arib.or.jp	+813 5510 8594	+813 3592 1103
KAINZ Andreas	Telekom Austria AG	3GPPMEMBER ETSI	AT	a.kainz@mobilkom.at	+43 1 33161 6331	+43 133161 6609
KAWANAMI Yukio	NEC Corporation	3GPPMEMBER ARIB	JP	kawanami@cj.jp.nec.com	+81 471 85 7158	+81 471 85 7908
KEKKI Sami	Nokia Korea	3GPPMEMBER TTA	KR	sami.kekki@nokia.com	+358718065058	+358 9 5116 5039
KIM Bonghue	LG Electronics Inc.	3GPPMEMBER TTA	KR	ofdm88@lge.com	+82 31 450 4131	
KRAUSE Joern	ETSI Secretariat	3GPPORG_REP ETSI	FR	joern.krause@etsi.org	+33 4 92 94 43 52	+33 4 92 38 49 32
KUMPUMAKI Timo	TeliaSonera AB	3GPPMEMBER ETSI	SE	timo.kumpumaki@teliasonera.com	+358 40 581 8086	+358 42 581 8086
LE STRAT Evelyne	Nortel Networks	3GPPMEMBER T1	US	elestrat@nortelnetworks.com	+ 33 1 39 44 53 39	+ 33 1 39 44 52 52
LEE Juho	SAMSUNG Electronics Co.	3GPPMEMBER ARIB	JP	juholee@samsung.com	+82-31-279-5115	+82-31-279-5130
LI Xiao Qiang	Samsung Electronics Co., Ltd	3GPPMEMBER TTA	KR	xiaoqiang.li@samsung.com	+86 10 684 27711	+86 10 6848 1891
LIU Jia	China Mobile Com. Corporation	3GPPMEMBER CCSA	CN	liujia@chinamobile.com	+86-10-66006688-3052	+86-10-63600340
MADADI Hashem	3	3GPPMEMBER ETSI	GB	hmadadi@attglobal.net	+44.1628.765.000	+44.1628.765.001
MAKIHIRA Tsuneichi	Mitsubishi Electric Co.	3GPPMEMBER ARIB	JP	tsuneichi.makihira@hq.melco.co.jp	+81 3 6221 6216	+81 3 6221 2779
MEREDITH John M	ETSI Secretariat	3GPPORG_REP ETSI	FR	john.meredith@etsi.org	+33 4 92 94 42 37	+33 (0)4 92 38 52 37
MEYER Juergen	SIEMENS AG	3GPPMEMBER ETSI	DE	jnmeyer@siemens.com	+49 89 722 42545	+49 89 722 37078
MILLER James	INTERDIGITAL COMMUNICATIONS	3GPPMEMBER ETSI	US	jim.miller@interdigital.com	+1 631 622 4071	+1 631 622 0100
NAKAMURA Takaharu	Fujitsu Limited	3GPPMEMBER TTC	JP	n.takaharu@jp.fujitsu.com	+81-46-839-5391	+81-46-839-5571
NAKAMURA Takehiro	NTT DoCoMo	3GPPMEMBER ETSI	JP	takehiro@wsp.yrp.nttdocomo.co.jp	+81 468 40 3190	+81-46-840-3761
NUMMINEN Jussi	NOKIA Corporation	3GPPMEMBER ETSI	FI	jussi.numminen@nokia.com	+358 50 3131277	+358 7180 44283
OBATA Yoshihivo	eAccess Ltd	3GPPMEMBER TTC	JP	obata@eaccess.net	+81 3 5777 82 76	+81 3 5425 2701
O'CONNOR James	IPWireless Inc.	3GPPMEMBER ETSI	GB	joconnor@ipwireless.com	+13035502473	+13035670494
OH Min-seok	LG Electronics Inc.	3GPPMEMBER TTA	KR	minoh@lge.com	+82 10731 450 2916	+82 10311 450 7912

Name	Organization	Status	Country	Internet	Phone	Fax
OKUMURA Yukihiko	NTT DoCoMo Inc.	3GPPMEMBER TTC	JP	okumura@mlab.yrp.nttdocomo.co.jp	+81 468 40 3190	+81 468 40 3840
POPOVIC Branislav	HuaWei Technologies Co., Ltd	3GPPMEMBER CCSA	CN	branislav.popovic@ateliertelecom.se	+46 8 477 0808	+47 8 477 0800
REMY Jean Gabriel	CEGETEL	3GPPMEMBER ETSI	FR	jean-gabriel.remy@cegetel.fr	+33 1 71 77 93 22	+33 1 71 77 93 25
ROBERTS Michael	NEC Technologies (UK) LTD	3GPPMEMBER ETSI	GB	michael.roberts@nectech.fr	+33 149072006	+33 1 4907 2001
ROMANO Giovanni	TELECOM ITALIA S.p.A.	3GPPMEMBER ETSI	IT	giovanni.romano@telecomitalia.it	+39 011 228 7069	+39 011 228 7078
SAITO Takashi	ARIB	3GPPORG_REP ARIB	JP	saito@arib.or.jp	+81-5510-8594	+81-3-3592-1103
SASAKI Tsukasa	ETSI Secretariat	3GPPORG_REP ETSI	FR	tsukasa.sasaki@etsi.org	+33 4 92 94 42 06	+33 4 92 38 49 14
SEHIER Philippe	ALCATEL S.A.	3GPPMEMBER ETSI	FR	philippe.sehier@alcatel.fr	+33 1 01 30 77 18 94	+33 1 01 30 77 95 99
SHEN Donglin	AT&T Wireless Services, Inc.	3GPPMEMBER T1	US	donglin.shen@attws.com	+1 425 580 7614	+1 208 977 1003
SOOD Prem	SHARP Corporation	3GPPMEMBER ARIB	JP	pls@sharplabs.com	+1 360 834 8708	+1 360 834 8696
SUN Xiaoyan	UTStarcom	3GPPMEMBER ETSI	US	gloria.sun@utstar.com	+86 755 26952899	+86 755 26983967
SUZUKI Hidetoshi	Panasonic Mobile Comm.	3GPPMEMBER ARIB	JP	suzuki.hidetoshi@jp.panasonic.com	+81 468 40 5164	+81 468 40 5183
TAMURA Toshiyuki	NEC Corporation	3GPPMEMBER TTC	JP			
TATESH Said	Lucent Technologies N. S. UK	3GPPMEMBER ETSI	GB	statesh@lucent.com	+44 1793 883 293	+44 1793 883 815
TAYLOR Bryan	RIM	3GPPMEMBER ETSI	CA	btaylor@rim.net	+1 519 8887465 x2245	+1 519 888 6727
TOSKALA Antti	NOKIA Corporation	3GPPMEMBER ETSI	FI	antti.toskala@nokia.com	+358 0 718030746	+358 0 9 511 30163
USAI Paolino	ETSI Secretariat	3GPPORG_REP ETSI	FR	paolo.usai@etsi.org	+33 4 92 94 42 36	+33 4 92 38 52 06
USHIROKAWA Akihisa	NEC Electronics (Europe) GmbH	3GPPMEMBER ETSI	DE	a-ushirokawa@aj.jp.nec.com	+81-45-939-2672	+81-45-939-2713
VAN BUSSEL Han	T-MOBILE DEUTSCHLAND	3GPPMEMBER ETSI	DE	han.van.bussel@t-mobile.de	+49 228 936 3 1232	+49 228 936 3 1245
VAN DER VEEN Hans	NEC EUROPE LTD	3GPPMEMBER ETSI	GB	hans.vanderveen@ccrle.nec.de	+49 (0)6221 905 1135	+49 (0)6221 905 1155
VESELY Alexander	Siemens nv/sa	3GPPMEMBER ETSI	BE	alexander.vesely@siemens.com	+43 5 1707 21318	+43 5 1707 51924
WAN Tak Wing	Rogers Wireless Inc.	3GPPMEMBER T1	CA	twwan@rci.rogers.com	+1 416 935 6029	+1 416 935 7502
WANG Ke	CATT	3GPPMEMBER CCSA	CN	wangke@datangmobile.cn	+86 10 82029090	+86 10 62303127
WANG Wei (victoria)	Nanjing Ericsson Panda Com Ltd	3GPPMEMBER CCSA	CN	victoria.wang@ericsson.com	+861065615566-10393	+861065611824
WANG Yanhong	HuaWei Technologies Co., Ltd	3GPPMEMBER CCSA	CN	wangyanhong@huawei.com	+86-21-68644808	+86-21-50470076
WILLENEGGER Serge	QUALCOMM EUROPE S.A.R.L.	3GPPMEMBER ETSI	FR	sergew@qualcomm.com	+41 244 363 541	+41 244 363 542
YI Seung June	LG Electronics Inc.	3GPPMEMBER TTA	KR	seungjune@lge.com	+82 31 450 7859	+82-31-450-7912
YOSHINO Keiji	TTC	3GPPORG_REP TTC	JP	yoshino@ttc.or.jp	+81 3 3432 1551	+81 3 3432 1553
ZELMER Donald E.	Cingular Wireless LLC	3GPPMEMBER T1	US	don.zelmer@cingular.com	+1 404 236 5912	+1 404 236 5968

Annex B: List of documents

See main body of the report for clarification on documents partially approved or approved with a note xx).

All documents can be found at: ftp://ftp.3gpp.org/tsg_ran/TSG_RAN/TSGR_22/

Tdoc	Title	Source	Decision
RP-030557	Draft agenda meeting #22	Chairman	Approved
RP-030558	Revised draft report TSG RAN #21	3GPP support	Approved
RP-030559	Status Report for WI Improvement of inter-frequency and inter-system measurement	Nokia	Noted
RP-030560	Status Report for WI UMTS-850	Cingular	Noted
RP-030561	Status Report for WI DS-CDMA introduction in the 800 MHz band	NTT DoCoMo	Noted
RP-030562	Status Report for WI UMTS 1.7/2.1 GHz	Nokia	Noted
RP-030563	Status Report for WI RAB support enhancement	Nokia	Noted
RP-030564	Status Report for WI Iu enhancements for IMS support in RAN	Nortel	Noted
RP-030565	Status Report for WI Beamforming Enhancements	Nokia	Noted
RP-030566	Status Report for WI Improved access to User Equipment (UE) measurement data for Controlling Radio Network Controller (CRNC) to support Time Division Duplex (TDD) Radio Resource Management (RRM)	Interdigital	Noted
RP-030567	Status Report for WI Remote Control of Electrical Tilting Antennas	Vodafone	Noted
RP-030568	Status Report for WI Network Assisted Cell Change (NACC) from UTRAN to GERAN - network-side aspects	Vodafone	Noted
RP-030569	Status Report for WI A-GPS minimum performance specification	AWS	Noted
RP-030570	Status Report for WI Introduction of MBMS in RAN	Nokia	Noted
RP-030571	Status Report for WI Multiple Input Multiple Output antennas (MIMO)	Lucent	Noted
RP-030572	Status Report for WI Subscriber and equipment trace in UTRAN	Nortel	Noted
RP-030573	Status Report for WI Enhancement of the support of network sharing in the UTRAN	TeliaSonera	Noted
RP-030574	Status Report for FS on Radio link performance enhancements	Nokia Networks	Noted
RP-030575	Status Report for FS on UTRA WideBand Distribution Systems	Tekmar	Noted
RP-030576	Status Report for FS Analysis of OFDM for UTRAN enhancement	Nortel	Noted
RP-030577	Status Report for FS on Uplink Enhancements for Dedicated Transport Channels	Nokia	Noted
RP-030578	Status Report for FS on Analysis on Higher Chip Rates for UTRA TDD evolutions	IPWireless	Noted
RP-030579	Status Report for FS on the evolution of the UTRAN architecture	Nokia	Noted
RP-030580	Status Report for FS on Low Output Powers for general purpose FDD BSs	Telefonica	Noted
RP-030581	Status Report for FS on Uplink enhancements for UTRA TDD	Interdigital	Noted
RP-030582	Status Report WG1	RAN WG1 Chairman	Noted
RP-030583	List of agreed CRs RAN WG1	RAN WG1	Noted
RP-030584	Status Report WG2	RAN WG2 Chairman	Noted
RP-030585	List of agreed CRs RAN WG2	RAN WG2	Noted

Tdoc	Title	Source	Decision
RP-030586	Status Report WG3	RAN WG3 Chairman	Noted
RP-030587	List of agreed CRs RAN WG3	RAN WG3	Noted
RP-030588	Status Report WG4	RAN WG4 Chairman	Noted
RP-030589	List of agreed CRs RAN WG4	RAN WG4	Noted
RP-030590	CRs (R'99 and Rel-4/Rel-5/Rel-6 Category A) to TS 25.101, "Correction of W-CDMA modulated interferer definition"	RAN WG4	Approved
RP-030591	CRs (R'99 and Rel-4/Rel-5 Category A) to TS 25.123, "out-of-service area for 3.84 Mcps & 1.28 Mcps TDD"	RAN WG4	Approved
RP-030592	CRs (R'99 and Rel-4/Rel-5/Rel-6 Category A) to TS 25.133	RAN WG4	Approved
RP-030593	CRs (Rel-4 and Rel-5 Category A) to TS 25.106 & TS 25.143 (Repeaters specifications), "Spurious emissions: Co-existence with UTRA-FDD BS new UL requirement"	RAN WG4	Approved
RP-030594	CRs (Rel-4 and Rel-5 Category A) to TS 25.123	RAN WG4	Approved
RP-030595	CRs (Rel-5 and Rel-6 Category A) to TS 25.101 for HSDPA	RAN WG4	Approved
RP-030596	CRs (Rel-5 and Rel-6 Category A) to TS 25.101, TS 25.102, TS 25.104, TS 25.105, TS 25.106, TS 25.113, TS 25.141, TS 25.142, TS 25.143 on "Correction of references to ITU recommendations"	RAN WG4	Approved
RP-030597	CRs (Rel-5 and Rel-6 Category A) to TS 25.104 & TS 25.141, "Correction of the P-CPICH power accuracy requirement & test in case of TX-diversity"	RAN WG4	Approved
RP-030598	CRs (Rel-5 and Rel-6 Category A) to TS 25.104, "Correction of the applicability of requirements in case of TX diversity"	RAN WG4	Approved
RP-030599	CRs (Rel-5 and Rel-6 Category A) to TS 25.141, "Correction of transmitter tests in case of TX-diversity"	RAN WG4	Approved
RP-030600	CR (Rel-5) to TS 25.113, "Performance criteria for voltage dips and battery backup"	RAN WG4	Approved
RP-030601	CRs (Rel-5) to TS 25.123, "Test time Reduction or 3.84 Mcps & 1.28 Mcps TDD"	RAN WG4	Approved
RP-030602	CRs (Rel-5) to TS 25.133, "Clarification on filtering requirements"	RAN WG4	Approved
RP-030603	CRs (Rel-6) to TS 25.101, TS 25.104, TS 25.141 for the Introduction of new channel arrangement for bands IV, V and VI	RAN WG4	Approved
RP-030604	CRs (Rel-6) to TS 25.101, TS 25.104, TS 25.141 for Introduction of UMTS 850 requirements	RAN WG4	Approved
RP-030605	CRs (Rel-6) to TS 25.101, TS 25.104, TS 25.141 for Introduction of UMTS 800 requirements	RAN WG4	Approved
RP-030606	CRs (Rel-6) to TS 25.101, TS 25.104, under TEI6 "Co-existence with UTRA FDD in frequency band V"	RAN WG4	Approved
RP-030607	CRs (Rel-6) to TS 25.101, TS 25.102, TS 25.104, TS25.123, TS 25.133 under TEI6	RAN WG4	Approved
RP-030608	CRs (Rel-6) to TS 25.101 for HSDPA	RAN WG4	Approved
RP-030609	25.993 CRs to the Release 6 version also affecting earlier releases	RAN WG2	Approved
RP-030610	SFN associated with GPS timing of cell frame: 25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5	RAN WG2	Approved
RP-030611	Correction to redirection procedure at RRC connection setup: 25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5	RAN WG2	Approved
RP-030612	Measured results on RACH: 25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5	RAN WG2	Approved
RP-030613	25.305 CRs to Release '99 with linked CRs to Release 4 and Release 5	RAN WG2	Approved

Tdoc	Title	Source	Decision
RP-030614	25.306 CRs to Release '99 with linked CRs to Release 4 and Release 5	RAN WG2	Approved
RP-030615	25.307 CRs to Release '99 with linked CRs to Release 4 and Release 5	RAN WG2	Withdrawn
RP-030616	25.322 CRs to Release '99 with linked CRs to Release 4 and Release 5	RAN WG2	Approved
RP-030617	25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5 (1)	RAN WG2	Approved 2)
RP-030618	25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5 (2)	RAN WG2	Approved 3)
RP-030619	25.993 CRs to Release '99 with linked CRs to Release 4 and Release 5	RAN WG2	Approved
RP-030620	25.322 CRs to Release 4 with linked CRs to Release 5	RAN WG2	Approved
RP-030621	25.331 CRs to Release 4 with linked CRs to Release 5	RAN WG2	Approved
RP-030622	25.302 CR to Release 5	RAN WG2	Approved
RP-030623	25.306 CRs to Release 5	RAN WG2	Approved
RP-030624	25.321 CRs to Release 5	RAN WG2	Approved
RP-030625	25.331 CRs to Release 5	RAN WG2	Approved
RP-030626	25.921 CR to Release 5	RAN WG2	Approved
RP-030627	25.922 CRs to Release 5	RAN WG2	Approved
RP-030628	Correction of UTRAN GPS Reference Time quality: 25.331 CRs to Release '99 with linked CRs to Release 4 and Release 5	RAN WG2	Not approved
RP-030629	Inclusion of a default configuration identity for WB-AMR: 25.331 CR to Release 5	RAN WG2	Approved
RP-030630	25.307 Release '99 (and linked) CRs, 25.331 Release 6 CRs on the introduction of UMTS 800 and New Bands	RAN WG2	Approved
RP-030631	Update of the AS capability indication: 25.331 CR to Release 6 (Release 5 version)	RAN WG2	Revised in 721
RP-030632	LS Reply on RAN Work Item "Control of Remote Electrical Tilting Antenna" and possible impact on SA5	TSG SA WG5	Noted
RP-030633	Reply LS on RAN Work Item "Control of Remote Electrical Tilting Antenna" and possible impact on TSG SA 5'	RAN WG3	Noted
RP-030634	LS on Reply LS on RAN Work Item "Control of Remote Electrical Tilting Antenna" and possible impact on SA5'	TSG SA WG5	Noted
RP-030635	LS on Reporting of attempted UE positioning methods over lu	TSG RAN WG2	Noted
RP-030636	LS Reply on charging aspects of Priority Service (draft TR 22.952)	TSG SA WG5	Noted
RP-030637	Reply to Response on "Work following the joint SA2/RAN2/CN1 meeting on paging"	TSG SA WG2	Noted
RP-030638	Reply LS on addition of 768kbps bearer to TS 34.108	TSG T WG1	Noted
RP-030639	Coordination of Positioning Methods between TSG GERAN and TSG RAN	TSG GERAN	Noted
RP-030640	Rel-5 Specs not yet upgraded to Rel-6	3GPP Support	Noted
RP-030641	Status list before TSG#22	3GPP Support	Noted
RP-030642	Specs for frozen releases, not yet under change control	3GPP Support	Noted
RP-030643	3GPP Dependencies on OMA Deliverables	Nortel	Noted
RP-030644	HARQ Memory Partitioning, process identifiers and re-ordering: Rel-5 CRs to 25.331, 25.212, 25.423 and 25.433.	RAN WG2	Approved
RP-030645	TR 25.833 v 2.0.0 "Physical layer items not for inclusion in Release 99"	RAN WG1 chairman	Approved
RP-030646	CRs (Rel-4 and Rel-5 Category A) to TS 25.222	RAN WG1	Approved
RP-030647	CRs (Rel-5) to TS 25.212	RAN WG1	Approved

Tdoc	Title	Source	Decision
RP-030648	CRs (Rel-5) to TS 25.213	RAN WG1	Approved
RP-030649	CRs (Rel-5) to TS 25.214	RAN WG1	Approved
RP-030650	CRs (Rel-5) to TS 25.222	RAN WG1	Approved
RP-030651	CRs (Rel-5) to TS 25.225	RAN WG1	Approved
RP-030652	Status Report for WI UE positioning enhancements	Siemens	Noted
RP-030653	TS25.346 Introduction of the Multimedia Broadcast Multicast Service (MBMS) in the Radio Access Network (Stage-2); version 2.4.0	Nokia	Noted
RP-030654	New WI Proposal: Performance Requirements of Receive Diversity for HSDP	NTT DoCoMo	Revised in 717
RP-030655	ITU-R Ad Hoc Status Report	ITU-R Ad Hoc Contact Person	Noted
RP-030656	Proposed Action Plan toward ITU-R M.1457-5	ITU-R Ad Hoc	Approved
RP-030657	Proposed Initial submission for updated UTRA FDD and TDD toward Rev. 5 of Rec. ITU-R M.1457	ITU-R Ad Hoc	Approved
RP-030658	LS on Multiple MBMS Issues	TSG SA WG4	Noted
RP-030659	LS on SA2 updates of the Work Plan	TSG SA WG2	Noted
RP-030660	CR 120 to 25.222 Rel-5: HARQ process identifier mapping	NEC	Approved
RP-030661	Remove inconsistency among specifications on signalling support for power control during loss of RL synchronisation. CR 338 to 25.214 Rel-5	Samsung, Lucent	Approved
RP-030662	25.331 CRs to Release 99 (and Rel-4/Rel-5 linked CRs).	RAN WG2	Approved 4)
RP-030663	CR895r1 to 25.423: Correction of Traffic Class IE	Ericsson	Not approved
RP-030664	Revised WID for A-GPS minimum performance specification	AWS	Revised in 719
RP-030665	A-GPS Minimum Performance Specification WI Update	AWS	Withdrawn
RP-030666	Discussion on process for ASN.1 interface freezing	Nokia	Noted
RP-030667	Introduction of ITU-T Q.2631.1 for interworking solution 3	Siemens	Noted
RP-030668	Proposal for an update of the 'Terms of Reference (ToR) of 3GPP TSG RAN WG3'	RAN WG3	Approved
RP-030669	CRs (R99 and Rel-4/Rel-5 Category A) to TS 25.413 on Correction of RAB Release Request Inter-working	RAN WG3	Approved
RP-030670	CRs (R99 and Rel-4/Rel-5 Category A) to TS 25.433 on DCH Information Response Issue	RAN WG3	Not approved
RP-030671	CRs (Rel-4 and Rel-5 Category A) to TS 25.413	RAN WG3	Approved
RP-030672	CRs (Rel-4 and Rel-5 Category A) to TS 25.414 on Inclusion of AAL2 Link Characteristics in ERQ	RAN WG3	Approved
RP-030673	CRs (Rel-4 and Rel-5 Category A) to TS 25.419 on Correction of finite number of broadcast	RAN WG3	Approved
RP-030674	CRs (Rel-4 and Rel-5 Category A) to TS 25.433	RAN WG3	Approved
RP-030675	CRs (Rel-5 and Rel-6 Category A) to TS 25.401 on NAS/AS issue for shared networks in connected mode	RAN WG3	Approved
RP-030676	CRs (Rel-5 only) to TS 25.413	RAN WG3	Approved
RP-030677	CRs (Rel-5 only) to TS 25.423 on RNSAP reviews	RAN WG3	Approved
RP-030678	CR (Rel-5 only) to TS 25.427 on Signalling support for soft handover indicator	RAN WG3	Approved
RP-030679	CRs (Rel-5 only) to TS 25.433	RAN WG3	Approved
RP-030680	CR (Rel-5 only) to TS 25.435 on Power control correction for DSCH for TDD	RAN WG3	Approved
RP-030681	CR (Rel-5 only) to TS 25.933 on Correction of PE-node as an ATM switch Solution	RAN WG3	Approved
RP-030682	CRs (R99 and Rel-4/Rel-5 Category A) to TS 25.425, 25.427 and TS 25.435 on Spare Extension in	RAN WG3	Approved

Tdoc	Title	Source	Decision
	Data frame		
RP-030683	CRs (Rel-4 and Rel-5 Category A) to TS 25.423, TS 25.433 and TS 25.453 (Rel-5 and Rel-6 Category A) on Information Exchange Initiation behavior correction	RAN WG3	Approved
RP-030684	CRs (Rel-5 only) to TS 25.402, TS 25.423 and TS 25.433 on Removal of the ambiguity about the activation time	RAN WG3	Approved
RP-030685	CRs (Rel-5 only) to TS 25.414, TS 25.424 and TS 25.434 on Diffserv marking is configurable	RAN WG3	Approved
RP-030686	CRs (Rel-5 only) to TS 25.413 and TS 25.423 on RT Load Value Clarification	RAN WG3	Approved
RP-030687	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Correction for the HS-DSCH Initial Capacity Allocation	RAN WG3	Approved
RP-030688	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Correction of Backward Compatibility for Uni-directional DCH indicator	RAN WG3	Approved
RP-030689	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Correction of Transmission Gap Pattern Sequence Information	RAN WG3	Approved
RP-030690	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Correction to Addition of HS-DSCH MAC-d Flows	RAN WG3	Approved
RP-030691	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Range Extension for GPS Almanac Reporting	RAN WG3	Approved
RP-030692	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Reconfiguration of Multiple Radio Links in TDD	RAN WG3	Approved
RP-030693	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on the usage of the MAC-hs Reordering Buffer Size	RAN WG3	Approved
RP-030694	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on TNL QoS for uplink IP traffic	RAN WG3	Approved
RP-030695	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Unsynchronised RL Reconfiguration for HSDPA	RAN WG3	Approved
RP-030696	CRs (Rel-5 only) to TS 25.423 and TS 25.433 on Modification of the dynamic range of the PCCPCH Power	RAN WG3	Not approved
RP-030697	CR (Rel-6 only) to TS 25.453 on Improvement of position calculation through set enlargement	RAN WG3	Approved
RP-030698	CRs 127r1 (Rel-4) & 128r1(Rel-5) to 25.224 on "Correction to computed gain factors with signalled reference gain factor values"	Interdigital	Approved
RP-030699	CR331r6 to 25.214 on Clarification on reconfiguration of HSDPA	Panasonic	Not approved
RP-030700	RNSAP DCH Information Response issue	Motorola,Huawei, NEC	Noted
RP-030701	CRs to 25.423 (R99, Rel-4 & Rel-5): Specify the DCH number for a set of coordinated DCHs in some messages	Motorola,Huawei, NEC	Not approved
RP-030702	Enhanced UE receiver performance requirements for HSDPA	Nokia	Noted
RP-030703	New Study Item Proposal: Improvements of receiver performance of HSPDA UE for enhancing the performance of FDD system	Nokia	Revised in 732
RP-030704	Candidates 3GPP specifications for inclusion in Art 17 list of standards	ETSI ECN&S STF254	Noted
RP-030705	Discussion on Advanced OFDM Technologies	Huawei	Noted
RP-030706	RAN WIs and SIs, active and closed	3GPP Support	Noted
RP-030707	Essential R'99 CR Handling	Three	Noted
RP-030708	Service Continuity Between 3GPP Releases 4 and 5 for TDD	IPWireless, Orange	Noted
RP-030709	Meeting reports of 3GPP PCG#11 and 3GPP OP#10	3GPP Support	Noted
RP-030710	Proposed update of agreed CRs 2150 to 2152 to 25.331 on Minimum UE capability class	Ericsson	Revised in 722
RP-030711	CRs 68, 66 and 67 to 25.213. Restriction of DL secondary scrambling codes per CCTrCH.	Nokia	Revised in 727
RP-030712	Rel-5 CR186 to 25.212,Rel-5 CR339 to 25.214 and Rel-5 CR121 to 25.222 on Alignment of "soft	Qualcomm Europe	Approved

Tdoc	Title	Source	Decision
	channel bits " terminology with 25.306		
RP-030713	Revision of CRs to 25.331, 25.423 and 25.433 in RP-030644: HARQ Memory Partitioning, process identifiers and re-ordering.	Qualcomm Europe	Approved
RP-030714	Node-B testing over lub	Nortel	Noted
RP-030715	CR606r1 to 25.413 Rel-5 on Correction of RAB Release Request Inter-working (Revision of RP-030669)	3GPP Support	Approved
RP-030716	Liaison Statement on open essential parameters regarding Repeaters	RAN WG4	Noted
RP-030717	New WI Proposal: Performance Requirements of Receive Diversity for HSDP	NTT DoCoMo	Revised in 731
RP-030718	DCH information response issue (reply to RP-030700)	Nortel, Alcatel, Siemens	Noted
RP-030719	Revised WID for A-GPS minimum performance specification	AWS	Approved
RP-030720	Revision of CR274 to 25.101 and CR626 in 25.133 in RP-030607	RAN WG4 chairman	Approved
RP-030721	Update of the AS capability indication: 25.331 CR to Release 6	Nokia	Approved
RP-030722	Proposed update of agreed CRs 2150 to 2152 to 25.331 on Minimum UE capability class	Ericsson	Approved
RP-030723	Draft ETSI SR List of standards and/or specifications for electronic communications networks, services and associated facilities and services; in accordance with Article 17 of Directive 2002/21/EC	3GPP Support	Noted
RP-030724	Revised Study Item Description Sheet for the Analysis of OFDM for UTRAN evolution	Nortel	Approved
RP-030725	Proposal for improving the accuracy of work planning	3GPP Support	Approved
RP-030726	RAN WG1 and RAN WG3 CRs for Beamforming Enhancements	Nokia	Approved
RP-030727	CRs 68, 66 and 67 to 25.213. Restriction of DL secondary scrambling codes per CCTrCH.	Nokia	Approved
RP-030728	Work Plan Slide presentation	3GPP Support	Noted
RP-030729	Overview of R99 features	3GPP Support	Noted
RP-030730	3GPP Work Plan (MSProject version)	3GPP Support	Noted
RP-030731	New WI Proposal: Performance Requirements of Receive Diversity for HSDP	NTT DoCoMo	Approved
RP-030732	New Study Item Proposal: Improvements of receiver performance of HSPDA UE for enhancing the performance of FDD system	Nokia	Approved
RP-030733	Proposed WI: DL Code Improvement	Nortel	Not approved

Annex C: List of CRs presented at TSG RAN #22

The table below lists all the CRs presented at RAN#22, regardless of their final status.

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.101	272	1	Rel-5	F	RP-030595	R4-031079	Approved	Correction for FRC test in Closed loop mode 1	5.8.0	R4	HSDPA-RF
25.101	273	1	Rel-5	F	RP-030595	R4-031084	Approved	DTX handling for CQI test in fading channel	5.8.0	R4	HSDPA-RF
25.101	274	1	Rel-6	D	RP-030607	R4-031076	Revised	SML definition	6.2.0	R4	TEI6
25.101	274	2	Rel-6	F	RP-030720		Approved	SML definition	6.2.0	R4	TEI6
25.101	275		Rel-5	F	RP-030595	R4-030865	Approved	Power allocation for HS-SCCH in FRC test	5.8.0	R4	HSDPA-RF
25.101	276	1	Rel-5	F	RP-030595	R4-031077	Approved	Corrections of CQI reporting section	5.8.0	R4	HSDPA-RF
25.101	277		Rel-5	F	RP-030596	R4-030877	Approved	Correction of references to ITU recommendations	5.8.0	R4	TEI5
25.101	278		Rel-6	A	RP-030596	R4-030885	Approved	Correction of references to ITU recommendations	6.2.0	R4	TEI5
25.101	280	1	Rel-6	B	RP-030605	R4-031128	Approved	DS-CDMA Introduction in the 800 MHz Band	6.2.0	R4	RInImp-UMTS800
25.101	281		Rel-6	F	RP-030608	R4-030918	Approved	Specification of HSDPA FRC Performance for H-Set 6	6.2.0	R4	HSDPA-RF
25.101	282	1	Rel-6	F	RP-030608	R4-031104	Approved	Specification of HS-SCCH Performance with Open Loop Transmit Diversity	6.2.0	R4	HSDPA-RF
25.101	283	2	Rel-5	F	RP-030595	R4-031140	Approved	Additional Specification of CQI Testing for UE Capability Categories 11 and 12	5.8.0	R4	HSDPA-RF
25.101	284	1	Rel-6	F	RP-030608	R4-031107	Approved	Specification of CQI Testing for UE Capability Categories 11, 12 and 1-6 in Open and Closed Loop Transmit Diversities	6.2.0	R4	HSDPA-RF
25.101	285	1	Rel-6	F	RP-030608	R4-031108	Approved	Specification of CQI Testing for UE Capability Categories 7 and 8	6.2.0	R4	HSDPA-RF
25.101	286	2	Rel-6	B	RP-030604	R4-031147	Approved	Introduction of UMTS 850 requirements	6.2.0	R4	RInImp-UMTS850
25.101	294		Rel-6	F	RP-030607	R4-030965	Approved	New Compressed Mode Reference Pattern	6.2.0	R4	TEI6
25.101	296	3	Rel-5	F	RP-030595	R4-031101	Approved	Clarification to HSDPA OCNS definition	5.8.0	R4	HSDPA-RF
25.101	297	3	Rel-6	A	RP-030595	R4-031102	Approved	Clarification to HSDPA OCNS definition	6.2.0	R4	HSDPA-RF
25.101	300	1	R99	F	RP-030590	R4-031087	Approved	Correction of W-CDMA modulated interferer definition	3.15.0	R4	TEI
25.101	301	1	Rel-4	A	RP-030590	R4-031088	Approved	Correction of W-CDMA modulated interferer definition	4.9.0	R4	TEI

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.101	302		Rel-6	A	RP-030595	R4-031075	Approved	Power allocation for HS-SCCH in FRC test	6.2.0	R4	HSDPA-RF
25.101	303		Rel-6	A	RP-030595	R4-031078	Approved	Corrections of CQI reporting section	6.2.0	R4	HSDPA-RF
25.101	304		Rel-6	A	RP-030595	R4-031080	Approved	Correction for FRC test in Closed loop mode 1	6.2.0	R4	HSDPA-RF
25.101	305		Rel-6	A	RP-030595	R4-031085	Approved	DTX handling for CQI test in fading channel	6.2.0	R4	HSDPA-RF
25.101	306		Rel-5	A	RP-030590	R4-031089	Approved	Correction of W-CDMA modulated interferer definition	5.8.0	R4	TEI
25.101	307		Rel-6	A	RP-030590	R4-031090	Approved	Correction of W-CDMA modulated interferer definition	6.2.0	R4	TEI
25.101	308		Rel-6	B	RP-030603	R4-031094	Approved	Introduction of new channel arrangement for bands IV, V and VI	6.2.0	R4	RInImp-UMTS850,UMTS800,UMTS1721
25.101	309	1	Rel-6	A	RP-030595	R4-031141	Approved	Additional Specification of CQI Testing for UE Capability Categories 11 and 12	6.2.0	R4	HSDPA-RF
25.101	314		Rel-6	B	RP-030605	R4-031131	Approved	DS CDMA introduction in the 800 MHz band (performance requirement in Band VI)	6.2.0	R4	RInImp-UMTS800
25.101	315		Rel-6	B	RP-030605	R4-031134	Approved	DS CDMA introduction in the 800 MHz band (Addition of spurious emissions requirement)	6.2.0	R4	RInImp-UMTS800
25.101	316		Rel-6	F	RP-030607	R4-031146	Approved	Additional spurious emission requirements for Band II to protect UMTS850	6.2.0	R4	TEI6
25.101	317		Rel-6	F	RP-030607	R4-031149	Approved	Clarification of UE blocking definition	6.2.0	R4	TEI6
25.102	141		Rel-5	F	RP-030596	R4-030878	Approved	Correction of references to ITU recommendations	5.5.0	R4	TEI5
25.102	142		Rel-6	F	RP-030607	R4-030901	Approved	Transmitter and Receiver Spurious emissions for TDD	5.5.0	R4	TEI6
25.104	201	1	Rel-5	F	RP-030597	R4-031067	Approved	Correction of the P-CPICH power accuracy requirement in case of TX-diversity	5.7.0	R4	TEI5
25.104	202	1	Rel-6	A	RP-030597	R4-031070	Approved	Correction of the P-CPICH power accuracy requirement in case of TX-diversity	6.3.0	R4	TEI5
25.104	203		Rel-5	F	RP-030596	R4-030879	Approved	Correction of references to ITU recommendations	5.7.0	R4	TEI5
25.104	204		Rel-6	A	RP-030596	R4-030886	Approved	Correction of references to ITU recommendations	6.3.0	R4	TEI5
25.104	206	1	Rel-6	B	RP-030605	R4-031129	Approved	DS-CDMA Introduction in the 800 MHz Band	6.3.0	R4	RInImp-UMTS800
25.104	207	1	Rel-6	B	RP-030604	R4-031122	Approved	Introduction of UMTS 850 requirements	6.3.0	R4	RInImp-UMTS850
25.104	208		Rel-5	F	RP-030598	R4-031073	Approved	Correction of the applicability of requirements in case of TX diversity	5.7.0	R4	TEI5

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.104	209		Rel-6	A	RP-030598	R4-031074	Approved	Correction of the applicability of requirements in case of TX diversity	6.3.0	R4	TEI5
25.104	210		Rel-6	B	RP-030603	R4-031095	Approved	Introduction of new channel arrangement for bands IV, V and VI	6.3.0	R4	RInImp-UMTS850,UMTS800,UMTS1721
25.104	211		Rel-6	B	RP-030607	R4-031110	Approved	Introduction of DCH performances for BS without RX diversity	6.3.0	R4	TEI6
25.104	213		Rel-6	F	RP-030606	R4-031125	Approved	Co-existence with UTRA FDD in frequency band V	6.3.0	R4	TEI6
25.104	214		Rel-6	B	RP-030605	R4-031132	Approved	DS CDMA introduction in the 800 MHz band (performance requirement in Band VI)	6.3.0	R4	RInImp-UMTS800
25.105	151		Rel-5	F	RP-030596	R4-030880	Approved	Correction of references to ITU recommendations	5.4.0	R4	TEI5
25.106	027		Rel-5	F	RP-030596	R4-030881	Approved	Correction of references to ITU recommendations	5.6.0	R4	TEI5
25.106	028	1	Rel-4	F	RP-030593	R4-031097	Approved	Spurious emissions: Co-existence with UTRA-FDD BS new UL requirement	4.6.0	R4	RInImp-REP
25.106	029	1	Rel-5	A	RP-030593	R4-031098	Approved	Spurious emissions: Co-existence with UTRA-FDD BS new UL requirement	5.6.0	R4	RInImp-REP
25.113	021		Rel-5	F	RP-030600	R4-030948	Approved	Performance criteria for voltage dips and battery backup	5.4.0	R4	TEI5
25.113	022		Rel-5	F	RP-030596	R4-031050	Approved	Correction of references to ITU recommendations	5.4.0	R4	TEI5
25.123	322		R99	F	RP-030591	R4-030890	Approved	out-of-service area for 3.84Mcps TDD	3.13.0	R4	TEI
25.123	323		Rel-4	A	RP-030591	R4-030891	Approved	out-of-service area for 3.84Mcps TDD	4.10.0	R4	TEI
25.123	324		Rel-5	A	RP-030591	R4-030892	Approved	out-of-service area for 3.84Mcps TDD	5.6.0	R4	TEI
25.123	325		Rel-4	F	RP-030591	R4-030893	Approved	out-of-service area for 1.28Mcps TDD	4.10.0	R4	LCRTDD-RF
25.123	326		Rel-5	A	RP-030591	R4-030894	Approved	out-of-service area for 1.28Mcps TDD	5.6.0	R4	LCRTDD-RF
25.123	327		Rel-5	F	RP-030601	R4-030895	Approved	Test time Reduction for 3.84Mcps TDD	5.6.0	R4	TEI5
25.123	328		Rel-5	F	RP-030601	R4-030896	Approved	Test time Reduction for 1.28Mcps TDD	5.6.0	R4	LCRTDD-RF
25.123	329		Rel-6	B	RP-030607	R4-030897	Approved	Interference measurement in UpPTS for 1.28Mcps TDD	5.6.0	R4	TEI6
25.123	330		Rel-4	F	RP-030594	R4-030903	Approved	Correction to Cell re-selection test case in CELL_FACH for 1,28Mcps TDD	4.10.0	R4	LCRTDD-RF
25.123	331		Rel-5	A	RP-030594	R4-030904	Approved	Correction to Cell re-selection test case in CELL_FACH for 1,28Mcps TDD	5.6.0	R4	LCRTDD-RF
25.123	332		Rel-4	F	RP-030594	R4-030905	Approved	Test case for UE transmitted power for 1.28Mcps TDD	4.10.0	R4	LCRTDD-RF
25.123	333		Rel-5	A	RP-030594	R4-030906	Approved	Test case for UE transmitted power for	5.6.0	R4	LCRTDD-RF

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
								1.28Mcps TDD			
25.133	617		Rel-5	F	RP-030602	R4-030898	Approved	Clarification on filtering requirements	5.8.0	R4	TEI5
25.133	618		Rel-6	A	RP-030602	R4-030899	Approved	Clarification on filtering requirements	6.3.0	R4	TEI5
25.133	619	1	R99	F	RP-030592	R4-031062	Approved	GSM test case on correct reporting of GSM neighbors	3.15.0	R4	TEI
25.133	620	1	Rel-4	A	RP-030592	R4-031063	Approved	GSM test case on correct reporting of GSM neighbors	4.10.0	R4	TEI
25.133	621	1	Rel-5	A	RP-030592	R4-031064	Approved	GSM test case on correct reporting of GSM neighbors	5.8.0	R4	TEI
25.133	622	1	Rel-6	A	RP-030592	R4-031065	Approved	GSM test case on correct reporting of GSM neighbors	6.3.0	R4	TEI
25.133	626		Rel-6	F	RP-030607	R4-030969	Revised	FDD Inter Frequency Fading Test Case	6.3.0	R4	TEI6
25.133	626	1	Rel-6	F	RP-030720		Approved	FDD Inter Frequency Fading Test Case	6.3.0	R4	TEI6
25.133	627		Rel-6	F	RP-030607	R4-030971	Approved	Correction to CPICH RSCP measurement report mapping	6.3.0	R4	TEI6
25.133	628		Rel-6	F	RP-030607	R4-030972	Approved	Correction to correct reporting of neighbours in AWGN propagation condition	6.3.0	R4	TEI6
25.133	629		Rel-6	F	RP-030607	R4-030973	Approved	Correction to correct reporting of neighbours in fading propagation condition	6.3.0	R4	TEI6
25.133	632		R99	F	RP-030592	R4-030990	Approved	Correction to Random Access test case	3.15.0	R4	TEI
25.133	633		Rel-4	A	RP-030592	R4-030991	Approved	Correction to Random Access test case	4.10.0	R4	TEI
25.133	634		Rel-5	A	RP-030592	R4-030992	Approved	Correction to Random Access test case	5.8.0	R4	TEI
25.133	635		Rel-6	A	RP-030592	R4-030993	Approved	Correction to Random Access test case	6.3.0	R4	TEI
25.133	636		Rel-6	F	RP-030607	R4-031014	Approved	Test time reduction for RRM delay tests	5.8.0	R4	TEI6
25.133	637	1	R99	F	RP-030592	R4-031112	Approved	CPICH Ec/Io relative accuracy	3.15.0	R4	TEI
25.133	638	1	Rel-4	A	RP-030592	R4-031113	Approved	CPICH Ec/Io relative accuracy	4.10.0	R4	TEI
25.133	639	1	Rel-5	A	RP-030592	R4-031114	Approved	CPICH Ec/Io relative accuracy	5.8.0	R4	TEI
25.133	640	1	Rel-6	A	RP-030592	R4-031115	Approved	CPICH Ec/Io relative accuracy	6.3.0	R4	TEI
25.141	320	1	Rel-5	F	RP-030597	R4-031068	Approved	Correction of the P-CPICH power accuracy test in case of TX-diversity	5.7.0	R4	TEI5
25.141	321	1	Rel-5	F	RP-030599	R4-031069	Approved	Correction of transmitter tests in case of TX-diversity	5.7.0	R4	TEI5
25.141	322	1	Rel-6	A	RP-030597	R4-031071	Approved	Correction of the P-CPICH power accuracy test in case of TX-diversity	6.3.0	R4	TEI5
25.141	323	1	Rel-6	A	RP-030599	R4-031072	Approved	Correction of transmitter tests in case of TX-diversity	6.3.0	R4	TEI5
25.141	324		Rel-5	F	RP-030596	R4-030882	Approved	Correction of references to ITU recommendations	5.7.0	R4	TEI5
25.141	325		Rel-6	A	RP-030596	R4-030887	Approved	Correction of references to ITU	6.3.0	R4	TEI5

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
								recommendations			
25.141	327	1	Rel-6	B	RP-030605	R4-031130	Approved	DS-CDMA Introduction in the 800 MHz Band	6.3.0	R4	RInImp-UMTS800
25.141	328	1	Rel-6	B	RP-030604	R4-031123	Approved	Introduction of UMTS 850 requirements	6.3.0	R4	RInImp-UMTS850
25.141	333		Rel-6	B	RP-030603	R4-031096	Approved	Introduction of new channel arrangement for bands IV, V and VI	6.3.0	R4	RInImp-UMTS850,UMTS800,UMTS1721
25.141	334		Rel-6	F	RP-030606	R4-031126	Approved	Co-existence with UTRA FDD in frequency band V	6.3.0	R4	TEI6
25.141	335		Rel-6	B	RP-030605	R4-031133	Approved	DS CDMA introduction in the 800 MHz band (performance requirement in Band VI)	6.3.0	R4	RInImp-UMTS800
25.142	168		Rel-5	F	RP-030596	R4-030883	Approved	Correction of references to ITU recommendations	5.5.0	R4	TEI5
25.143	038		Rel-5	F	RP-030596	R4-030884	Approved	Correction of references to ITU recommendations	5.6.0	R4	TEI5
25.143	039	1	Rel-4	F	RP-030593	R4-031099	Approved	Spurious emissions: Co-existence with UTRA-FDD BS new UL requirement	4.8.0	R4	RInImp-REP
25.143	040	1	Rel-5	A	RP-030593	R4-031100	Approved	Spurious emissions: Co-existence with UTRA-FDD BS new UL requirement	5.6.0	R4	RInImp-REP
25.212	183	-	Rel-5	F	RP-030647	R1-031101	Approved	Clarification of the CRC attachment procedure for HS-SCCH	5.6.0	R1	HSDPA-Phys
25.212	184	1	Rel-5	F	RP-030647	R1-031272	Approved	Correction of UE identity notation	5.6.0	R1	HSDPA-Phys
25.212	185	-	Rel-5	F	RP-030644	R1-031344	Approved	HARQ process identifier mapping	5.6.0	R1	HSDPA-Phys
25.212	186	-	Rel-5	F	RP-030712		Approved	Alignment of "soft channel bits" terminology with 25.306	5.6.0	R1	HSDPA-Phys
25.213	064	1	Rel-5	F	RP-030648	R1-031270	Approved	Correction of figure in combining of downlink physical channels	5.4.0	R1	TEI-5
25.213	065	1	Rel-5	F	RP-030648	R1-031271	Approved	Correction of reference to calculation of HS-DPCCH gain factor	5.4.0	R1	HSDPA-Phys
25.214	331	6	Rel-5	F	RP-030699		Rejected	Clarification on reconfiguration of HSDPA	5.6.0	R1	HSDPA-Phys
25.214	335	1	Rel-5	F	RP-030649	R1-031113	Approved	Clarification of HS-SCCH reception	5.6.0	R1	HSDPA-Phys
25.214	336	1	Rel-5	F	RP-030649	R1-031352	Approved	Clarification of CQI definition	5.6.0	R1	HSDPA-Phys
25.214	337	1	Rel-5	F	RP-030649	R1-031343	Approved	Clarification of the HS-SCCH detection	5.6.0	R1	HSDPA-Phys
25.214	338	-	Rel-5	F	RP-030661		Approved	Remove inconsistency among specifications on signalling support for power control during loss of RL synchronisation	5.6.0	R1	TEI
25.214	339	-	Rel-5	F	RP-030712		Approved	Alignment of "soft channel bits" terminology with 25.306	5.6.0	R1	HSDPA-Phys

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.222	117	1	Rel-4	F	RP-030646	R1-031277	Approved	Correction of subframe segmentation, physical channel mapping & rate matching for 1.28Mcps TDD	4.6.0	R1	LCRTDD
25.222	118	1	Rel-5	A	RP-030646	R1-031277	Approved	Correction of subframe segmentation, physical channel mapping & rate matching for 1.28Mcps TDD	5.5.0	R1	LCRTDD
25.222	119	-	Rel-5	F	RP-030650	R1-031328	Approved	Clarification of the CRC attachment procedure for HS-SCCH (TDD)	5.5.0	R1	HSDPA-Phys
25.222	120	-	Rel-5	F	RP-030660		Approved	HARQ process identifier mapping	5.5.0	R1	HSDPA-Phys
25.222	121	-	Rel-5	F	RP-030712		Approved	Alignment of "soft channel bits" terminology with 25.306	5.5.0	R1	HSDPA-Phys
25.224	127	1	Rel-4	F	RP-030698		Approved	Correction to computed gain factors with signalled reference gain factor values	4.9.0	R1	TEI4
25.224	128	1	Rel-5	A	RP-030698		Approved	Correction to computed gain factors with signalled reference gain factor values	5.6.0	R1	TEI4
25.225	071	4	Rel-5	F	RP-030651	R1-031140	Approved	Definition of Transmitted Code Power and ISCP measurements in the case of antenna diversity for TDD	5.5.0	R1	TEI-5
25.302	144	-	Rel-5	F	RP-030622	R2-032618	Approved	Correction to TDD HSDPA channel combinations	5.6.0	R2	HSDPA-L23
25.305	099	1	R99	F	RP-030613	R2-032678	Approved	Correction to Location Reporting procedure	3.10.0	R2	TEI
25.305	100	1	Rel-4	F	RP-030613	R2-032679	Approved	Correction to Location Reporting procedure	4.6.0	R2	TEI4
25.305	101	2	Rel-5	A	RP-030613	R2-032680	Approved	Correction to Location Reporting procedure	5.7.0	R2	TEI4
25.306	082	-	Rel-5	F	RP-030623	R2-032265	Approved	Removal of reference combinations for HS-DSCH capabilities	5.6.0	R2	HSDPA-L23
25.306	083	-	R99	F	RP-030614	R2-032540	Approved	Definition of minimum UE capability class	3.9.0	R2	TEI
25.306	084	-	Rel-4	A	RP-030614	R2-032541	Approved	Definition of minimum UE capability class	4.8.0	R2	TEI
25.306	085	-	Rel-5	A	RP-030614	R2-032542	Approved	Definition of minimum UE capability class	5.6.0	R2	TEI
25.306	086	-	R99	F	RP-030614	R2-032599	Approved	TDD Radio Access Parameters for UL 32kbs class UE's	3.9.0	R2	TEI
25.306	087	-	Rel-4	A	RP-030614	R2-032600	Approved	TDD Radio Access Parameters for UL 32kbs class UE's	4.8.0	R2	TEI
25.306	088	-	Rel-5	A	RP-030614	R2-032601	Approved	TDD Radio Access Parameters for UL 32kbs class UE's	5.6.0	R2	TEI
25.306	089	-	Rel-5	F	RP-030623	R2-032617	Approved	Correction to HSDPA capability	5.6.0	R2	HSDPA-L23
25.307	007	1	R99	B	RP-030630	R2-032709	Approved	Introduction of UMTS800	3.1.0	R2	RinImp-UMTS800
25.307	008	1	Rel-4	B	RP-030630	R2-032710	Approved	Introduction of UMTS800	4.1.0	R2	RinImp-UMTS800
25.307	009	1	Rel-5	B	RP-030630	R2-032711	Approved	Introduction of UMTS800	5.0.0	R2	RinImp-

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
											UMTS800
25.307	010	-	Rel-6	B	RP-030630	R2-032596	Approved	Introduction of UMTS800	5.0.0	R2	RinImp-UMTS800
25.321	179	-	Rel-5	F	RP-030624	R2-032619	Approved	Corrections Relating to HSDPA TB Sizes for 1.28Mcps TDD	5.6.0	R2	HSDPA-L23
25.321	180	-	Rel-5	F	RP-030624	R2-032620	Approved	HSDPA Transport block size table for 3.84Mcps TDD	5.6.0	R2	HSDPA-L23
25.321	181	-	Rel-5	F	RP-030624	R2-032621	Approved	HSDPA TB size table	5.6.0	R2	HSDPA-L23
25.321	182	-	Rel-5	F	RP-030624	R2-032622	Approved	Unwarranted HARQ re-transmissions	5.6.0	R2	HSDPA-L23
25.321	183	-	Rel-5	F	RP-030624	R2-032623	Approved	MAC-hs Re-ordering Protocol Flushing correction	5.6.0	R2	HSDPA-L23
25.321	184	-	Rel-5	F	RP-030624	R2-032624	Approved	Correction to window based stall avoidance mechanism	5.6.0	R2	HSDPA-L23
25.322	248	-	R99	F	RP-030616	R2-032283	Approved	BITMAP and status report content	3.16.0	R2	TEI
25.322	249	-	Rel-4	A	RP-030616	R2-032284	Approved	BITMAP and status report content	4.10.0	R2	TEI
25.322	250	-	Rel-5	A	RP-030616	R2-032285	Approved	BITMAP and status report content	5.6.0	R2	TEI
25.322	251	-	Rel-4	F	RP-030620	R2-032602	Approved	Indication of discarded SDU in RLC Reset and Re-establishment	4.10.0	R2	TEI4
25.322	252	-	Rel-5	A	RP-030620	R2-032603	Approved	Indication of discarded SDU in RLC Reset and Re-establishment	5.6.0	R2	TEI4
25.331	2073	-	R99	F	RP-030617	R2-032232	Approved	Unsuccessful security mode control procedure and Integrity Protection	3.16.0	R2	TEI
25.331	2074	-	Rel-4	A	RP-030617	R2-032233	Approved	Unsuccessful security mode control procedure and Integrity Protection	4.11.0	R2	TEI
25.331	2075	-	Rel-5	A	RP-030617	R2-032234	Approved	Unsuccessful security mode control procedure and Integrity Protection	5.6.0	R2	TEI
25.331	2076	-	Rel-5	F	RP-030625	R2-032241	Approved	START value calculation for RLC size change	5.6.0	R2	TEI5
25.331	2077	1	R99	F	RP-030617	R2-032270	Approved	UE Positioning UE based assisted GPS	3.16.0	R2	TEI
25.331	2078	-	Rel-4	A	RP-030617	R2-032243	Approved	UE Positioning UE based assisted GPS	4.11.0	R2	TEI
25.331	2079	-	Rel-5	A	RP-030617	R2-032244	Approved	UE Positioning UE based assisted GPS	5.6.0	R2	TEI
25.331	2083	-	R99	F	RP-030617	R2-032248	Approved	Handling of zero-rate TrCHs in TFCS	3.16.0	R2	TEI
25.331	2084	-	Rel-4	A	RP-030617	R2-032249	Approved	Handling of zero-rate TrCHs in TFCS	4.11.0	R2	TEI
25.331	2085	-	Rel-5	A	RP-030617	R2-032250	Approved	Handling of zero-rate TrCHs in TFCS	5.6.0	R2	TEI
25.331	2089	3	R99	F	RP-030617	R2-032699	Approved	Measurement control for A-GPS	3.16.0	R2	TEI
25.331	2090	3	Rel-4	A	RP-030617	R2-032700	Approved	Measurement control for A-GPS	4.11.0	R2	TEI
25.331	2091	3	Rel-5	A	RP-030617	R2-032701	Approved	Measurement control for A-GPS	5.6.0	R2	TEI
25.331	2092	-	Rel-4	F	RP-030621	R2-032259	Approved	Corrections to 1.28 Mcps TDD power control: ASN1/Tabular consistency, correction of omissions	4.11.0	R2	LCRTDD-L23

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.331	2093	-	Rel-5	A	RP-030621	R2-032260	Approved	Corrections to 1.28 Mcps TDD power control: ASN1/Tabular consistency, correction of omissions	5.6.0	R2	LCRTDD-L23
25.331	2094	-	Rel-4	F	RP-030621	R2-032268	Approved	UpPCH power control for 1.28Mcps	4.11.0	R2	LCRTDD-L23
25.331	2095	-	Rel-5	A	RP-030621	R2-032269	Approved	UpPCH power control for 1.28Mcps	5.6.0	R2	LCRTDD-L23
25.331	2097	-	R99	F	RP-030617	R2-032286	Rejected	Ensuring C-RNTI is cleared in Cell_DCH	3.16.0	R2	TEI
25.331	2098	-	Rel-4	A	RP-030617	R2-032287	Rejected	Ensuring C-RNTI is cleared in Cell_DCH	4.11.0	R2	TEI
25.331	2099	-	Rel-5	A	RP-030617	R2-032288	Rejected	Ensuring C-RNTI is cleared in Cell_DCH	5.6.0	R2	TEI
25.331	2100	2	R99	F	RP-030617	R2-032544	Approved	Interaction between compressed mode pattern activation and message activation time	3.16.0	R2	TEI
25.331	2101	1	Rel-4	A	RP-030617	R2-032545	Approved	Interaction between compressed mode pattern activation and message activation time	4.11.0	R2	TEI
25.331	2102	1	Rel-5	A	RP-030617	R2-032546	Approved	Interaction between compressed mode pattern activation and message activation time	5.6.0	R2	TEI
25.331	2103	-	Rel-5	F	RP-030625	R2-032543	Approved	Initialisation of virtual active set	5.6.0	R2	TEI5
25.331	2104	1	R99	F	RP-030611	R2-032719	Approved	Correction to Redirection procedure at RRC Connection Setup	3.16.0	R2	TEI
25.331	2105	1	Rel-4	A	RP-030611	R2-032720	Approved	Correction to Redirection procedure at RRC Connection Setup	4.11.0	R2	TEI
25.331	2106	1	Rel-5	A	RP-030611	R2-032721	Approved	Correction to Redirection procedure at RRC Connection Setup	5.6.0	R2	TEI
25.331	2107	-	R99	F	RP-030628	R2-032551	Withdrawn	Correction of UTRAN GPS Reference Time quality	3.16.0	R2	TEI
25.331	2108	-	Rel-4	A	RP-030628	R2-032552	Withdrawn	Correction of UTRAN GPS Reference Time quality	4.11.0	R2	TEI
25.331	2109	-	Rel-5	A	RP-030628	R2-032553	Withdrawn	Correction of UTRAN GPS Reference Time quality	5.6.0	R2	TEI
25.331	2110	2	R99	F	RP-030610	R2-032730	Approved	SFN associated with GPS timing of cell frame	3.16.0	R2	TEI
25.331	2111	2	Rel-4	A	RP-030610	R2-032731	Approved	SFN associated with GPS timing of cell frame	4.11.0	R2	TEI
25.331	2112	2	Rel-5	A	RP-030610	R2-032732	Approved	SFN associated with GPS timing of cell frame	5.6.0	R2	TEI
25.331	2113	-	R99	F	RP-030618	R2-032558	Approved	Correction to Handling SIB1	3.16.0	R2	TEI
25.331	2114	-	Rel-4	A	RP-030618	R2-032559	Approved	Correction to Handling SIB1	4.11.0	R2	TEI
25.331	2115	-	Rel-5	A	RP-030618	R2-032560	Approved	Correction to Handling SIB1	5.6.0	R2	TEI
25.331	2116	-	R99	F	RP-030618	R2-032561	Approved	Measurement Handling In State Transition for UE Positioning	3.16.0	R2	TEI
25.331	2117	-	Rel-4	A	RP-030618	R2-032562	Approved	Measurement Handling In State Transition for UE Positioning	4.11.0	R2	TEI

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.331	2118	-	Rel-5	A	RP-030618	R2-032563	Approved	Measurement Handling In State Transition for UE Positioning	5.6.0	R2	TEI
25.331	2119	2	R99	F	RP-030618	R2-032673	Rejected	Traffic Volume Measurement Validity	3.16.0	R2	TEI
25.331	2120	2	Rel-4	A	RP-030618	R2-032674	Rejected	Traffic Volume Measurement Validity	4.11.0	R2	TEI
25.331	2121	2	Rel-5	A	RP-030618	R2-032675	Rejected	Traffic Volume Measurement Validity	5.6.0	R2	TEI
25.331	2122	-	R99	F	RP-030618	R2-032568	Approved	Corrections to UE positioning reporting for UE assisted and UE based methods	3.16.0	R2	TEI
25.331	2123	-	Rel-4	A	RP-030618	R2-032569	Approved	Corrections to UE positioning reporting for UE assisted and UE based methods	4.11.0	R2	TEI
25.331	2124	-	Rel-5	A	RP-030618	R2-032570	Approved	Corrections to UE positioning reporting for UE assisted and UE based methods	5.6.0	R2	TEI
25.331	2125	-	R99	F	RP-030662	R2-032574	Approved	SIB 7 reading	3.16.0	R2	TEI
25.331	2126	-	Rel-4	F	RP-030662	R2-032575	Approved	SIB 7 reading	4.11.0	R2	TEI4
25.331	2127	1	Rel-5	A	RP-030662	R2-032662	Approved	SIB 7 reading	5.6.0	R2	TEI4
25.331	2128	-	R99	F	RP-030662	R2-032579	Approved	HFN initialisation in case of pending security configurations	3.16.0	R2	TEI
25.331	2129	-	Rel-4	A	RP-030662	R2-032580	Approved	HFN initialisation in case of pending security configurations	4.11.0	R2	TEI
25.331	2130	-	Rel-5	A	RP-030662	R2-032581	Approved	HFN initialisation in case of pending security configurations	5.6.0	R2	TEI
25.331	2131	1	Rel-4	F	RP-030621	R2-032655	Approved	General protocol error handling failure for DL CCCH messages due to ASN.1 error	4.11.0	R2	TEI4
25.331	2132	1	Rel-5	A	RP-030621	R2-032656	Approved	General protocol error handling failure for DL CCCH messages due to ASN.1 error	5.6.0	R2	TEI4
25.331	2133	-	Rel-6	B	RP-030630	R2-032592	Approved	Introduction of UMTS800	5.6.0	R2	RinImp-UMTS800
25.331	2134	-	Rel-6	F	RP-030631	R2-032597	Revised	AS capability indication	5.6.0	R2	TEI6
25.331	2134	1	Rel-6	F	RP-030721		Approved	AS capability indication	5.6.0	R2	TEI6
25.331	2135	-	Rel-4	F	RP-030621	R2-032604	Approved	Corrections Relating to 1.28 Mcps TDD	4.11.0	R2	LCRTDD-L23
25.331	2136	-	Rel-5	A	RP-030621	R2-032605	Approved	Corrections Relating to 1.28 Mcps TDD	5.6.0	R2	LCRTDD-L23
25.331	2137	-	Rel-4	F	RP-030621	R2-032606	Approved	Missing CHOICE RLC Info type in the ASN.1 IE 'RB-InformationSetup-r4'	4.11.0	R2	TEI4
25.331	2138	-	Rel-5	A	RP-030621	R2-032607	Approved	Missing CHOICE RLC Info type in the ASN.1 IE 'RB-InformationSetup-r4'	5.6.0	R2	TEI4
25.331	2139	1	Rel-5	B	RP-030625	R2-032687	Approved	RRM in PCH/FACH	5.6.0	R2	TEI5
25.331	2140	-	Rel-5	F	RP-030625	R2-032625	Approved	Correction of operating band reference	5.6.0	R2	TEI5
25.331	2141	-	Rel-5	F	RP-030644	R2-032626	Revised	Re-ordering Queue and HARQ Ids	5.6.0	R2	HSDPA-L23
25.331	2141	1	Rel-5	F	RP-030713		Approved	Re-ordering Queue and HARQ IDs	5.6.0	R2	HSDPA-L23
25.331	2142	-	Rel-5	F	RP-030625	R2-032627	Approved	Correction to the procedural description:	5.6.0	R2	HSDPA-L23

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
								Reconfiguration of MAC-d flow			
25.331	2143	1	Rel-5	C	RP-030625	R2-032688	Approved	Enhancement of RRC transaction identifier for measurement control message	5.6.0	R2	TEI5
25.331	2144	-	Rel-5	F	RP-030629	R2-032631	Approved	Inclusion of a default configuration identity for AMR-WB	5.6.0	R2	TEI5
25.331	2145	-	Rel-5	F	RP-030625	R2-032633	Approved	TDD C-RNTI in Cell DCH	5.6.0	R2	TEI5
25.331	2146	-	R99	F	RP-030662	R2-032635	Approved	Additional Measurements List Modify	3.16.0	R2	TEI
25.331	2147	-	Rel-4	A	RP-030662	R2-032636	Approved	Additional Measurements List Modify	4.11.0	R2	TEI
25.331	2148	-	Rel-5	A	RP-030662	R2-032637	Approved	Additional Measurements List Modify	5.6.0	R2	TEI
25.331	2149	-	Rel-5	F	RP-030625	R2-032638	Approved	IP activation time for RBO	5.6.0	R2	TEI5
25.331	2150	1	R99	F	RP-030662	R2-032684	Revised	Minimum UE capability class	3.16.0	R2	TEI
25.331	2150	2	R99	F	RP-030710		Revised	Minimum UE capability class	3.16.0	R2	TEI
25.331	2150	3	R99	F	RP-030722		Approved	Minimum UE capability class	3.16.0	R2	TEI
25.331	2151	1	Rel-4	A	RP-030662	R2-032685	Revised	Minimum UE capability class	4.11.0	R2	TEI
25.331	2151	2	Rel-4	A	RP-030710		Revised	Minimum UE capability class	4.11.0	R2	TEI
25.331	2151	3	Rel-4	A	RP-030722		Approved	Minimum UE capability class	4.11.0	R2	TEI
25.331	2152	1	Rel-5	F	RP-030662	R2-032686	Revised	Minimum UE capability class	5.6.0	R2	TEI5
25.331	2152	2	Rel-5	F	RP-030710		Revised	Minimum UE capability class	5.6.0	R2	TEI5
25.331	2152	3	Rel-5	F	RP-030722		Approved	Minimum UE capability class	5.6.0	R2	TEI5
25.331	2156	4	R99	F	RP-030612	R2-032722	Approved	Measured results on RACH	3.16.0	R2	TEI
25.331	2157	4	Rel-4	A	RP-030612	R2-032723	Approved	Measured results on RACH	4.11.0	R2	TEI
25.331	2158	4	Rel-5	F	RP-030612	R2-032724	Approved	Measured results on RACH	5.6.0	R2	TEI5
25.331	2159	-	Rel-5	F	RP-030625	R2-032638	Approved	COUNT-I reverting in case Security Mode Control procedure failure	5.6.0	R2	TEI5
25.331	2160	-	Rel-6	B	RP-030630	R2-032725	Approved	Introduction of new bands	5.6.0	R2	RinImp-UMTS800
25.401	075	2	Rel-5	F	RP-030675	R3-031827	Approved	NAS/AS issue for shared networks in connected mode	5.6.0	R3	NETSHARE
25.401	076	1	Rel-6	A	RP-030675	R3-031828	Approved	NAS/AS issue for shared networks in connected mode	6.1.0	R3	NETSHARE
25.402	042	1	Rel-5	F	RP-030684	R3-031772	Approved	Removal of the ambiguity about the activation time	5.2.0	R3	TEI5
25.413	596	-	Rel-4	F	RP-030671	R3-031477	Approved	Backwards Compatibility for LCS	4.10.0	R3	TEI4
25.413	597	-	Rel-5	A	RP-030671	R3-031478	Approved	Backwards Compatibility for LCS	5.6.0	R3	TEI4
25.413	601	2	Rel-5	F	RP-030676	R3-031844	Approved	Serious Correction for Rescue Handovers	5.6.0	R3	TEI5
25.413	604	-	Rel-5	F	RP-030676	R3-031528	Approved	Serious Correction for Security in multi-domain calls	5.6.0	R3	TEI5
25.413	605	1	Rel-4	A	RP-030669	R3-031794	Rejected	Correction of RAB Release Request Inter-working	4.10.0	R3	TEI

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.413	606	1	Rel-5	A	RP-030669	R3-031795	Revised	Correction of RAB Release Request Inter-working	5.6.0	R3	TEI
25.413	606	2	Rel-5	F	RP-030715		Approved	Correction of RAB Release Request Inter-working	5.6.0	R3	TEI5
25.413	607	3	Rel-5	F	RP-030676	R3-031838	Approved	RANAP Review Issue 2: Correction of Position Data	5.6.0	R3	TEI5
25.413	608	-	Rel-5	F	RP-030676	R3-031534	Approved	RANAP Review issue 3- LCS Accuracy	5.6.0	R3	TEI5
25.413	612	1	Rel-4	F	RP-030671	R3-031784	Approved	Add IE 'Criticality Diagnostics' for LOCATION RELATED DATA RESPONSE and LOCATION RELATED DATA FAILURE messages	4.10.0	R3	TEI4
25.413	613	1	Rel-5	A	RP-030671	R3-031785	Approved	Add IE 'Criticality Diagnostics' for LOCATION RELATED DATA RESPONSE and LOCATION RELATED DATA FAILURE messages	5.6.0	R3	TEI4
25.413	614	1	Rel-5	F	RP-030686	R3-031802	Approved	RT Load Value Clarification	5.6.0	R3	TEI5
25.413	617	1	Rel-4	F	RP-030671	R3-031796	Approved	Correction of Reference section	4.10.0	R3	TEI4
25.413	618	1	Rel-5	A	RP-030671	R3-031797	Approved	Correction of Reference section	5.6.0	R3	TEI4
25.413	620	1	Rel-5	F	RP-030676	R3-031801	Approved	Corrections to the data volume reporting function	5.6.0	R3	TEI5
25.413	622	2	Rel-5	F	RP-030676	R3-031836	Approved	Big clarification CR based on RANAP Rel-5 review	5.6.0	R3	TEI5
25.413	623	2	Rel-5	F	RP-030676	R3-031829	Approved	Correction to CRRM lu solution	5.6.0	R3	TEI5, RANimp- ImpRRM
25.413	631	-	R99	F	RP-030669	R3-031793	Rejected	Correction of RAB Release Request Inter-working	3.14.0	R3	TEI
25.414	068	-	Rel-4	F	RP-030672	R3-031479	Approved	Inclusion of AAL2 Link Characteristics in ERQ	4.6.0	R3	TEI4
25.414	069	-	Rel-5	A	RP-030672	R3-031480	Approved	Inclusion of AAL2 Link Characteristics in ERQ	5.4.0	R3	TEI4
25.414	071	1	Rel-5	F	RP-030685	R3-031814	Approved	Diffserv marking is configurable	5.4.0	R3	ETRAN-IPtrans
25.419	129	-	Rel-4	F	RP-030673	R3-031739	Approved	Correction of finite number of broadcast	4.9.0	R3	TEI4
25.419	130	-	Rel-5	A	RP-030673	R3-031740	Approved	Correction of finite number of broadcast	5.5.0	R3	TEI4
25.423	867	-	Rel-5	F	RP-030687	R3-031483	Approved	Correction for the HS-DSCH Initial Capacity Allocation	5.7.0	R3	HSDPA-Iublur
25.423	868	-	Rel-5	F	RP-030688	R3-031485	Approved	Correction of Backward Compatibility for Uni-directional DCH indicator	5.7.0	R3	HSDPA-Iublur
25.423	869	-	Rel-5	F	RP-030692	R3-031487	Approved	Reconfiguration of Multiple Radio Links in TDD	5.7.0	R3	TEI5
25.423	870	-	Rel-5	F	RP-030693	R3-031489	Approved	The usage of the MAC-hs Reordering Buffer Size	5.7.0	R3	HSDPA-Iublur
25.423	872	-	Rel-5	F	RP-030696	R3-031494	Rejected	Modification of the dynamic range of the PCCPCH Power	5.7.0	R3	TEI5
25.423	877	1	Rel-5	F	RP-030691	R3-031775	Approved	Range Extension for GPS Almanac Reporting	5.7.0	R3	TEI5

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.423	879	1	Rel-5	F	RP-030644	R3-031778	Revised	Explicit HARQ Memory Partitioning Clarification	5.7.0	R3	HSDPA-Iublur
25.423	879	2	REL-5	F	RP-030713		Approved	Explicit HARQ Memory Partitioning Clarification	5.7.0	R3	HSDPA-Iublur
25.423	880	1	Rel-5	F	RP-030686	R3-031803	Approved	RT Load Value Clarification	5.7.0	R3	TEI5
25.423	881	1	Rel-5	F	RP-030677	R3-031783	Approved	RNSAP TDD Review	5.7.0	R3	TEI5
25.423	885	1	Rel-5	F	RP-030684	R3-031773	Approved	Removal of the ambiguity about the activation time	5.7.0	R3	TEI5
25.423	887	-	Rel-6	B	RP-030726		Approved	Signalling Support for Beamforming Enhancement	5.7.0	R3	RANimp-BFE
25.423	888	2	Rel-5	F	RP-030690	R3-031841	Approved	Correction to Addition of HS-DSCH MAC-d Flows	5.7.0	R3	HSDPA-Iublur
25.423	889	2	Rel-5	F	RP-030695	R3-031842	Approved	Unsynchronised RL Reconfiguration for HSDPA	5.7.0	R3	HSDPA-Iublur
25.423	890	2	Rel-5	F	RP-030694	R3-031855	Approved	TNL QoS for uplink IP traffic	5.7.0	R3	ETRAN-IPtrans
25.423	891	-	Rel-5	F	RP-030689	R3-031700	Approved	Correction of Transmission Gap Pattern Sequence Information	5.7.0	R3	TEI5
25.423	892	-	Rel-4	F	RP-030683	R3-031745	Approved	Information Exchange Initiation behavior correction	4.10.0	R3	TEI4
25.423	893	-	Rel-5	A	RP-030683	R3-031746	Approved	Information Exchange Initiation behavior correction	5.7.0	R3	TEI4
25.423	894	2	Rel-5	F	RP-030677	R3-031875	Approved	RNSAP Review	5.7.0	R3	TEI5
25.423	895	1	Rel-5	F	RP-030663	R3-031878	Rejected	Correction of Traffic Class IE	5.7.0	R3	HSDPA-Iublur
25.423	896	-	R99	F	RP-030701		Rejected	Specify the DCH number for a set of coordinated DCHs in some messages.	3.14.0	R3	TEI
25.423	897	-	Rel-4	A	RP-030701		Rejected	Specify the DCH number for a set of coordinated DCHs in some messages.	4.10.0	R3	TEI
25.423	898	-	Rel-5	A	RP-030701		Rejected	Specify the DCH number for a set of coordinated DCHs in some messages.	5.7.0	R3	TEI
25.424	026	1	Rel-5	F	RP-030685	R3-031812	Approved	Diffserv marking is configurable	5.2.0	R3	ETRAN-IPtrans
25.425	064	1	Rel-6	B	RP-030726		Approved	Signalling Support for Beamforming Enhancement	5.5.0	R3	RANimp-BFE
25.425	065	1	R99	F	RP-030682	R3-031759	Approved	Spare Extension in Data Frame	3.7.0	R3	TEI
25.425	066	1	Rel-4	A	RP-030682	R3-031760	Approved	Spare Extension in Data Frame	4.3.0	R3	TEI
25.425	067	1	Rel-5	A	RP-030682	R3-031761	Approved	Spare Extension in Data Frame	5.5.0	R3	TEI
25.427	090	1	Rel-5	F	RP-030678	R3-031757	Approved	Signalling support for soft handover indicator	5.2.0	R3	TEI5
25.427	091	1	R99	F	RP-030682	R3-031762	Approved	Spare Extension in Data Frame	3.10.0	R3	TEI
25.427	092	1	Rel-4	A	RP-030682	R3-031763	Approved	Spare Extension in Data Frame	4.4.0	R3	TEI
25.427	093	1	Rel-5	A	RP-030682	R3-031764	Approved	Spare Extension in Data Frame	5.2.0	R3	TEI

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.433	899	1	Rel-4	F	RP-030674	R3-031517	Approved	Correction of Wrong Number in GPS Timing Calculation	4.10.0	R3	TEI4
25.433	900	1	Rel-5	A	RP-030674	R3-031518	Approved	Correction of Wrong Number in GPS Timing Calculation	5.6.0	R3	TEI4
25.433	901	-	Rel-5	F	RP-030687	R3-031484	Approved	Correction for the HS-DSCH Initial Capacity Allocation	5.6.0	R3	HSDPA-lublur
25.433	902	-	Rel-5	F	RP-030688	R3-031486	Approved	Correction of Backward Compatibility for Uni-directional DCH indicator	5.6.0	R3	HSDPA-lublur
25.433	903	-	Rel-5	F	RP-030692	R3-031488	Approved	Reconfiguration of Multiple Radio Links in TDD	5.6.0	R3	TEI5
25.433	904	-	Rel-5	F	RP-030693	R3-031490	Approved	The usage of the MAC-hs Reordering Buffer Size	5.6.0	R3	HSDPA-lublur
25.433	906	-	Rel-5	F	RP-030696	R3-031495	Rejected	Modification of the dynamic range of the PCCPCH Power, DwPCH Power and Max FPACH Power	5.6.0	R3	TEI5
25.433	907	-	Rel-5	F	RP-030679	R3-031496	Approved	Correction for the Dedicated Measurement procedure with all Node B Communication Context	5.6.0	R3	TEI5
25.433	912	-	Rel-4	F	RP-030674	R3-031558	Approved	Correction of the repetition name for 1.28Mcps TDD in the RADIO LINK RECONFIGURATION PREPARE TDD message	4.10.0	R3	LCRTDD-lublur
25.433	913	-	Rel-5	A	RP-030674	R3-031559	Approved	Correction of the repetition name for 1.28Mcps TDD in the RADIO LINK RECONFIGURATION PREPARE TDD message	5.6.0	R3	LCRTDD-lublur
25.433	914	1	Rel-4	F	RP-030674	R3-031806	Approved	Correction of Node B synchronisation procedures	4.10.0	R3	RANimp-Nbsync
25.433	915	1	Rel-5	A	RP-030674	R3-031807	Approved	Correction of Node B synchronisation procedures	5.6.0	R3	RANimp-Nbsync
25.433	916	-	Rel-4	F	RP-030674	R3-031562	Approved	Correction of the ProtocolIE-Single-Containers in ASN.1 for TDD	4.10.0	R3	TEI4
25.433	917	-	Rel-5	A	RP-030674	R3-031563	Approved	Correction of the ProtocolIE-Single-Containers in ASN.1 for TDD	4.10.0	R3	TEI4
25.433	918	-	Rel-4	F	RP-030674	R3-031564	Approved	ASN.1 corrections for 1.28Mcps TDD	4.10.0	R3	LCRTDD-lublur
25.433	919	-	Rel-5	A	RP-030674	R3-031565	Approved	ASN.1 corrections for 1.28Mcps TDD	5.6.0	R3	LCRTDD-lublur
25.433	920	1	Rel-5	F	RP-030679	R3-031792	Approved	TDD-Review Corrections for NBAP Rel-5	5.6.0	R3	TEI5
25.433	921	1	Rel-5	F	RP-030691	R3-031776	Approved	Range Extension for GPS Almanac Reporting	5.6.0	R3	TEI5
25.433	925	1	Rel-5	F	RP-030644	R3-031777	Revised	Explicit HARQ Memory Partitioning Clarification	5.6.0	R3	HSDPA-lublur

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.433	925	2	REL-5	F	RP-030713		Approved	Explicit HARQ Memory Partitioning Clarification	5.6.0	R3	HSDPA-lublur
25.433	926	-	Rel-4	F	RP-030674	R3-031614	Approved	Clarification of Timing advance applied for 1.28Mcps TDD	4.10.0	R3	TEI4
25.433	927	-	Rel-5	A	RP-030674	R3-031615	Approved	Clarification of Timing advance applied for 1.28Mcps TDD	5.6.0	R3	TEI4
25.433	931	1	Rel-5	F	RP-030684	R3-031774	Approved	Removal of the ambiguity about the activation time	5.6.0	R3	TEI5
25.433	933	-	Rel-5	F	RP-030679	R3-031636	Approved	Ambiguity of the activation time of the Physical Shared CH Reconfiguration	5.6.0	R3	HSDPA-lublur
25.433	935	2	Rel-6	B	RP-030726		Approved	Signalling Support for Beamforming Enhancement	5.6.0	R3	RANimp-BFE
25.433	937	1	Rel-5	F	RP-030690	R3-031779	Approved	Correction to Addition of HS-DSCH MAC-d Flows	5.6.0	R3	HSDPA-lublur
25.433	938	1	Rel-5	F	RP-030679	R3-031808	Approved	Resource Status Indication and Audit for HSDPA	5.6.0	R3	HSDPA-lublur
25.433	939	1	Rel-5	F	RP-030695	R3-031782	Approved	Unsynchronised RL Reconfiguration for HSDPA	5.6.0	R3	HSDPA-lublur
25.433	940	2	Rel-5	F	RP-030694	R3-031856	Approved	TNL QoS for uplink IP traffic	5.6.0	R3	ETRAN-IPtrans
25.433	941	-	Rel-5	F	RP-030689	R3-031699	Approved	Correction of Transmission Gap Pattern Sequence Information	5.6.0	R3	TEI5
25.433	942	-	R99	F	RP-030670	R3-031724	Rejected	DCH Information Response Issue	3.14.0	R3	TEI
25.433	943	-	Rel-4	A	RP-030670	R3-031725	Rejected	DCH Information Response Issue	4.10.0	R3	TEI
25.433	944	-	Rel-5	A	RP-030670	R3-031726	Rejected	DCH Information Response Issue	5.6.0	R3	TEI
25.433	945	2	Rel-5	F	RP-030679	R3-031876	Approved	NBAP Review	5.6.0	R3	TEI5
25.433	946	1	Rel-5	F	RP-030679	R3-031804	Approved	Correction to Physical Shared Channel Reconfiguration for HSDPA	5.6.0	R3	HSDPA-lublur
25.433	947	1	Rel-5	F	RP-030679	R3-031805	Approved	Correction to Common Measurements for HSDPA	5.6.0	R3	HSDPA-lublur
25.433	948	-	Rel-4	F	RP-030683	R3-031747	Approved	Information Exchange Initiation behavior correction	4.10.0	R3	TEI4
25.433	949	-	Rel-5	A	RP-030683	R3-031748	Approved	Information Exchange Initiation behavior correction	5.6.0	R3	TEI4
25.433	950	-	Rel-4	F	RP-030674	R3-031751	Approved	Extension of Requested Data Value IE	4.10.0	R3	TEI4
25.433	951	-	Rel-5	A	RP-030674	R3-031752	Approved	Extension of Requested Data Value IE	5.6.0	R3	TEI4
25.434	028	1	Rel-5	F	RP-030685	R3-031813	Approved	Diffserv marking is configurable	5.2.0	R3	ETRAN-IPtrans
25.435	105	1	Rel-5	F	RP-030680	R3-031519	Approved	Power control correction for DSCH for TDD	5.5.0	R3	TEI5
25.435	106	1	Rel-6	B	RP-030726		Approved	Signalling Support for Beamforming Enhancement	5.5.0	R3	RANimp-BFE
25.435	107	1	R99	F	RP-030682	R3-031765	Approved	Spare Extension in Data Frame	3.10.0	R3	TEI

Spec	CR	Rev	Phase	Cat	TSG Doc	WG Doc	TSG Status	Subject	CR to version	WG	Workitem
25.435	108	1	Rel-4	A	RP-030682	R3-031766	Approved	Spare Extension in Data Frame	4.5.0	R3	TEI
25.435	109	1	Rel-5	A	RP-030682	R3-031767	Approved	Spare Extension in Data Frame	5.5.0	R3	TEI
25.453	061	-	Rel-6	C	RP-030697	R3-031570	Approved	Improvement of position calculation through set enlargement	6.2.0	R3	LCS-Rel4Pos
25.453	063	-	Rel-5	F	RP-030683	R3-031749	Approved	Information Exchange Initiation behavior correction	5.7.0	R3	TEI5
25.453	064	-	Rel-6	A	RP-030683	R3-031750	Approved	Information Exchange Initiation behavior correction	6.2.0	R3	TEI5
25.921	048	-	Rel-5	F	RP-030626	R2-032610	Approved	Incorporation of PCAP	5.2.0	R2	TEI5
25.922	027	-	Rel-5	F	RP-030627	R2-032615	Approved	Radio Resource handling of streaming traffic class PDP contexts	5.1.0	R2	TEI5
25.933	005	-	Rel-5	F	RP-030681	R3-031539	Approved	Correction of PE-node as an ATM Switch Solution	5.3.0	R3	ETRAN-IPtrans
25.993	014	-	Rel-6	F	RP-030609	R2-032254	Approved	BTFD with flexible TrCH position	6.3.0	R2	TEI
25.993	015	-	Rel-6	F	RP-030609	R2-032588	Approved	Addition of Conversational – Interactive/Background RAB combination	6.3.0	R2	TEI
25.993	016	-	R99	F	RP-030619	R2-032589	Approved	Keeping the “Release independent” concept: references&abbreviations removal in the “pointer versions”	3.0.0	R2	TEI
25.993	017	-	Rel-4	A	RP-030619	R2-032590	Approved	Keeping the “Release independent” concept: references&abbreviations removal in the “pointer versions”	4.0.0	R2	TEI
25.993	018	-	Rel-5	A	RP-030619	R2-032591	Approved	Keeping the “Release independent” concept: references&abbreviations removal in the “pointer versions”	5.0.0	R2	TEI
TS25.2 13	066	1	Rel-4	A	RP-030711		Revised	Restriction of DL secondary scrambling codes per CCTrCH	4.3.0	R1	TEI
TS25.2 13	066	2	Rel-4	A	RP-030727		Approved	Restriction of DL secondary scrambling codes per CCTrCH	4.3.0	R1	TEI-4
TS25.2 13	067	1	Rel-5	A	RP-030711		Revised	Restriction of DL secondary scrambling codes per CCTrCH	5.4.0	R1	TEI
TS25.2 13	067	2	Rel-5	A	RP-030727		Approved	Restriction of DL secondary scrambling codes per CCTrCH	5.4.0	R1	TEI-5
TS25.2 13	068	-	R99	F	RP-030711		Revised	Restriction of DL secondary scrambling codes per CCTrCH	3.8.0	R1	TEI
TS25.2 13	068	1	R99	F	RP-030727		Approved	Restriction of DL secondary scrambling codes per CCTrCH	3.8.0	R1	TEI
TS25.2 15	145	2	Rel-6	B	RP-030726		Approved	Beamforming Enhancement related measurements	5.5.0	R1	RANimp-BFE

Annex D: List of actions

RP-030658, LS on Multiple MBMS Issues

RAN WG1, WG2 and WG3 are tasked to study this LS, provide an answer to SA WG4 if necessary and report back to TSG RAN

RNSAP DCH Information Issue (sec. 7.4.3)

RAN WG3 is tasked to study the CR implementation error reported in RP-030700 and the CRs in RP-030670 and agree, if possible, a comprehensive solution.

Interworking solution 3 (RP-030667)

RAN WG3 to solve the technical aspects and to provide the necessary CRs to implement each option under discussion.

WI Iu enhancements for IMS support in RAN (sec. 8.2.1.1)

TSG RAN chairman to inform TSG SA of the required coordination with CN groups and SA WG2 on this issue

Node B testing over Iub (RP-030714)

RAN WG4 is requested to check the technical correctness of the proposal.

Annex E: Meeting schedule

TSG RAN meetings:

Meeting #	Date	Host	Location
23	10 - 12 March 2004	North American Friends of 3GPP	Phoenix, US
24	02 - 04 June 2004		Korea
25	08 - 10 September 2004	North American Friends of 3GPP	Palm Springs, US
26	07 - 10 December 2004	European Friends of 3GPP	Athens, Greece

TSG RAN WG1 meetings:

Meeting #	Date	Host	Location
36	16 - 20 February 2004	European Friends of 3GPP	Málaga, Spain
37	10-14 May 2004	North American Friends of 3GPP	Montreal, Canada (TBC)
38	16 - 20 August 2004	European Friends of 3GPP	Prague, Czech Republic
39	15-19 November 2004	NEC	Shin Yokohama, Japan (TBC)

TSG RAN WG2 & WG3 meetings:

Meeting #	Date	Host	Location
40	12 - 16 January 2004	ETSI	Sophia Antipolis, France
41	16 - 20 February 2004	European Friends of 3GPP	Málaga, Spain
42	10 - 14 May 2004	North American Friends of 3GPP	Montreal, Canada (TBC)
43	16 - 20 August 2004	European Friends of 3GPP	Prague, Czech Republic
44	4 - 8 October 2004	ETSI	Sophia Antipolis, France
45	15 - 19 November 2004	NEC	Shin Yokohama, Japan(TBC)

TSG RAN WG4 meetings:

Meeting #	Date	Host	Location
30	9 - 13 February 2004	Rohde & Schwarz	Munich, Germany
31	10 - 14 May 2004		China
32	16 -20 August 2004	European Friends of 3GPP	Prague, Czech Republic
33	15 - 19 November 2004	NEC	Shin Yokohama, Japan(TBC)

Annex F: Summary of RAN Work Items

This table lists RAN Work Items and its status after meeting #22.

Abbreviations used: %: Level of completion
 BB: Building Block
 Feat: Feature
 FS: Feasibility Study
 SI: Study Item
 WI: Work Item
 WT: Work Task

Type	WI Name	Acronym	Leading WG	%	Finish date	Status Report	Remarks
Feat	Improvements of Radio Interface	RInImp	RP		March 2004		Generic Feature
BB	Improvement of inter-frequency and inter-system measurement	RInImp-lflsM	R1	50	March 2004	RP-030559	
BB	UMTS-850	RInImp-UMTS850	R4	100	December 2003	RP-030560	The WI is completed
BB	DS-CDMA introduction in the 800 MHz band	RInImp-UMTS800	R4	100	December 2003	RP-030561	The WI is completed
BB	UMTS 1.7/2.1 GHz	RInImp-UMTS1721	R4	90	March 2004	RP-030562	Completion date changed from December 2003
BB	Improved Receiver Performance Requirements for HSDPA	RInImp-HSPerf	R4		September 2004		New WI. WIDS in RP-030732
WT	Performance Requirements of Receive Diversity for HSDPA	RInImp-UERxHSPerf-RxDiv	R4		September 2004		New WI. WIDS in RP-030731

Type	WI Name	Acronym	Leading WG	%	Finish date	Status Report	Remarks
Feat	RAN improvements	RANimp	RP		March 2004		Generic Feature
BB	RAB support enhancement	RANimp-RABSE	R2	30	June 2004	RP-030563	Completion date changed from March 2004
WT	Iu enhancements for IMS support in RAN	RANimp-RABSE-IuEnhIMS	R3	20	March 2004	RP-030564	
BB	Beamforming Enhancements	RANimp-BFE	R1	100	December 2003	RP-030565	The WI is completed
BB	Rel6 RRM optimization for Iur and Iub	RANimp-RRMopt	R3		September 2003		Generic BB
WT	Improved access to User Equipment (UE) measurement data for Controlling Radio Network Controller (CRNC) to support Time Division Duplex (TDD) Radio Resource Management (RRM)	RANimp-RRMopt-UEMsD	R3	60	March 2004	RP-030566	
BB	Remote Control of Electrical Tilting Antennas	RANimp-TiltAnt	R3	30	March 2004	RP-030567	
BB	Network Assisted Cell Change (NACC) from UTRAN to GERAN - network-side aspects	RANimp-NACC	R3	35	March 2004	RP-030568	Completion date changed from December 2003
BB	UE positioning	LCS2-UEpos	RP		March 2004		Generic BB
WT	UE positioning enhancements - other methods	LCS2-UEpos-enh	R2		September 2003	RP-030652	
WT	A-GPS minimum performance specification	LCS-UEPos-AGPSPerf	R4	30	June 2004	RP-030569	Completion date changed from March 2004. The WIDS is revised (RP-030719)
BB	Introduction of MBMS in RAN	MBMS-RAN	R2	60	June 2004	RP-030570	Completion date changed from March 2004
Feat	Evolutions of the transport in the UTRAN	ETRAN	RP	0	December 2003		Generic Feature
Feat	Multiple Input Multiple Output antennas (MIMO)	MIMO	R1		December 2004	RP-030571	
BB	Multiple Input Multiple Output antennas - Physical layer	MIMO-Phys	R1	40	September 2004		Completion date changed from March 2004
BB	Multiple Input Multiple Output antennas - Layer 2,3 aspects	MIMO-L23	R2	0	September 2004		
BB	Multiple Input Multiple Output antennas - Iub/Iur Protocol Aspects	MIMO-IurIub	R3	0	September 2004		
BB	Multiple Input Multiple Output antennas - RF Radio Transmission/Reception, System Performance Requirements and Conformance Testing	MIMO-RF	R4	15	December 2004		
WT	Subscriber and equipment trace in UTRAN	OAM-Trace-RAN	R3	35	March 2004	RP-030572	

Type	WI Name	Acronym	Leading WG	%	Finish date	Status Report	Remarks
BB	Enhancement of the support of network sharing in the UTRAN	NTShar-UTRANEnh	R2	5	June 2004	RP-030573	Completion date changed from March 2004

Type	SI Name	Acronym	Leading WG	%	Finish date	Status Report	Remarks
SI	FS on Radio link performance enhancements	RInImp-Rlperf	R1	50	March 2004	RP-030574	
SI	FS on UTRA WideBand Distribution Systems	RInImp-WDS	R4	60	March 2004	RP-030575	
SI	FS for the analysis of OFDM for UTRAN enhancement	RInImp-FSOFDm	R1	55	June 2004	RP-030576	The SIDS is revised (RP-030724)
SI	FS on Uplink Enhancements for Dedicated Transport Channels	RInImp-FSUpDTrCh	R1	65	March 2004	RP-030577	Completion date changed from December 2003
SI	FS on Analysis on Higher Chip Rates for UTRA TDD evolutions	RInImp-FSVHCRTDD	R1	75	June 2004	RP-030578	Completion date changed from December 2003
SI	FS on the evolution of the UTRAN architecture	RANimp-FSEvo	R3	20	March 2004	RP-030579	
SI	FS on Low Output Powers for general purpose FDD BSs	RInImp-FSLoPw	R3	55	March 2004	RP-030580	Completion date changed from December 2003
SI	FS on Uplink enhancements for UTRA TDD	RInImp-FSUpEnhTDD	R1	5	September 2004	RP-030581	Completion date changed from March 2004