
Source: SA1
Title: CR to 22.030 on MMI Service Code for video and telephony (Rel-7)
Document for: Approval
Agenda Item: 7.1.3

Meeting	SA Doc	TS No.	CR No	Rev	Rel	Cat	Subject	Vers. Current	Vers New	SA1 Doc
SP-23	SP-040097	22.030	011	-	Rel-7	B	Add a MMI Service Code of UE	5.0.0	7.0.0	S1-040239

CR-Form-v7

CHANGE REQUEST

⌘ **22.030 CR 011** ⌘ rev **-** ⌘ Current version: **5.0.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ Add a MMI Service Code of UE		
Source:	⌘ SA1 (China mobile)		
Work item code:	⌘ CS_VSS	Date:	⌘ 15/01/2004
Category:	⌘ B	Release:	⌘ Rel-7
	<i>Use one of the following categories:</i> F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		<i>Use one of the following releases:</i> 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	⌘ Subscribers will have a common use of call forwarding service: forward the video call and voice call to same MSISDN number.
Summary of change:	⌘ Add a MMI service code, allowing UE set a supplementary service to both telephony basic service and BS30 basic service at a single operation.
Consequences if not approved:	⌘ Subscribers have to operate 2 times to achieve 1 purpose: forward the video call and voice call to same MSISDN number

Clauses affected:	⌘ Annex C										
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;">⌘</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">⌘</td> <td style="text-align: center;">X</td> </tr> <tr> <td style="text-align: center;">⌘</td> <td style="text-align: center;">X</td> </tr> </table>	Y	N	⌘	X	⌘	X	⌘	X	Other core specifications Test specifications O&M Specifications	⌘
Y	N										
⌘	X										
⌘	X										
⌘	X										
Other comments:	⌘ A Release 6 version of this specification will be created as a result of approving this CR										

Annex C (normative): Codes for Tele- and bearer services

Tele- and Bearer Service Supplementary Information codes (SIb).

Alternate and speech/data services are included with the equivalent data service.

Basic Service

group number (note Note 1)	Telecommunication Service	MMI Service Code
1 to 12	All tele and bearer services	no code required
	Teleservices	
1 to 6, 12	All teleservices	10
1	Telephony	11
2 to 6	All data teleservices	12
6	Facsimile services	13
2	Short Message Services	16
1, 3 to 6, 12	All teleservices except SMS	19
12	Voice group services	
	Voice Group Call Service (VGCS)	17
	Voice Broadcast Service (VBS)	18
	Bearer Service	
7 to 11	All bearer services	20
7	All async services	21
8	All sync services	22
8	All data circuit sync	24
7	All data circuit async	25
13	All GPRS bearer services (Note 2)	99
1,8	Telephony and All sync services	26

NOTE[Note 1](#): See 3GPP TS 22.004 [2] for definition of Basic Service groups.

NOTE[Note 2](#): "All GPRS bearer services" are not included in "All tele and bearer services" and "All bearer services".

The grouping implies that if e.g. code 25 is used, the Supplementary Service procedure concerned applies to all Asynchronous Data Circuit mode Bearer Services subscribed to.