

---

**Source:** SA5 (Telecom Management)  
**Title:** Rel-4/5 CR 32.102 Correction of reference to invalid TS  
**Document for:** Decision  
**Agenda Item:** 7.5.3

---

Doc-1st-Level	Spec	CR	Rev	Phase	Subject	Cat	Version-Current	Doc-2nd-Level	Workitem
SP-040111	32.102	033	-	Rel-4	Correction of reference to invalid TS	F	4.4.0	S5-042199	OAM-AR
SP-040111	32.102	034	-	Rel-5	Correction of reference to invalid TS	A	5.5.1	S5-042119	OAM-AR

## CHANGE REQUEST

⌘ **32.102 CR 033** ⌘ rev - ⌘ Current version: **4.4.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

**Proposed change affects:** UICC apps  ME  Radio Access Network  Core Network

<b>Title:</b>	⌘ Correction of reference to invalid TS		
<b>Source:</b>	⌘ SA5 (MCC)		
<b>Work item code:</b>	⌘ OAM-AR	<b>Date:</b>	⌘ 27/2/2004
<b>Category:</b>	⌘ <b>F</b>	<b>Release:</b>	⌘ Rel-4
	<i>Use one of the following categories:</i> <b>F</b> (correction) <b>A</b> (corresponds to a correction in an earlier release) <b>B</b> (addition of feature), <b>C</b> (functional modification of feature) <b>D</b> (editorial modification) Detailed explanations of the above categories can be found in 3GPP <a href="#">TR 21.900</a> .		<i>Use one of the following releases:</i> <b>2</b> (GSM Phase 2) <b>R96</b> (Release 1996) <b>R97</b> (Release 1997) <b>R98</b> (Release 1998) <b>R99</b> (Release 1999) <b>Rel-4</b> (Release 4) <b>Rel-5</b> (Release 5) <b>Rel-6</b> (Release 6)

<b>Reason for change:</b>	⌘ Subclause X.1 contains an example using a reference to a Rel99 TS (32.106-5) which does not exist in Rel-4 (since it has been superseded by several other TSs). The reference number [10] is also wrong, pointing to another document than 32.106-5.
<b>Summary of change:</b>	⌘ Substitute the reference to 32.106-5 with 32.622 (where the mentioned IOC is defined), and create a new reference for 32.622.
<b>Consequences if not approved:</b>	⌘ Misleading example; leads to confusion for 3GPP TS authors and thus risk for inconsistent specifications.

<b>Clauses affected:</b>	⌘ 2, Annex C (subclause X.1).								
<b>Other specs affected:</b>	<table border="1" style="display: inline-table; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 20px;">Y</td> <td style="width: 20px;">N</td> </tr> <tr> <td style="width: 20px;"> </td> <td style="width: 20px;">X</td> </tr> <tr> <td style="width: 20px;"> </td> <td style="width: 20px;">X</td> </tr> <tr> <td style="width: 20px;">X</td> <td style="width: 20px;"> </td> </tr> </table> Other core specifications      ⌘ Test specifications O&M Specifications      Rel-5 32.102	Y	N		X		X	X	
Y	N								
	X								
	X								
X									
<b>Other comments:</b>	⌘ Rel-5 Mirror CR in S5-042119.  In Rel-6 this change is not needed as Annex C is move via CR in S5-042151 to the new Rel-6 TS 32.151.								

**How to create CRs using this form:**

## Change in Clause 2

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] ITU-T Recommendation M.3010 (2000): "Principles for a Telecommunications management network".
- [2] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [3] ~~Void.~~ [3GPP TS 32.622: "Telecommunication management; Generic Network Resource Model \(NRM\) Integration Reference Point \(IRP\): Information Service \(IS\)".](#)
- [4] ITU-T Recommendation X.200 (1994): "Information technology – Open Systems Interconnection – Basic Reference Model: The basic model".

## End of Change in Clause 2

## Change in Annex C, Subclause X.1

### X.1 Information entities imported and local labels

*This clause identifies a list of information entities (e.g. information object class, information relationship, information attribute) that have been defined in other specifications and that are imported in the present document. This includes information entities from other specifications imported for inheritance purpose. Each element of this list is a pair (label reference, local label). The label reference contains the name of the specification where it is defined, the type of the information entity and its name. The local label of imported information entities can then be used throughout the specification instead of the label reference.*

*This information is provided in a table. An example of such a table is given here below:*

Label reference	Local label
<del>32.106-5 [10]</del> , <a href="#">32.622 [3]</a> , information object class, Top	Top

## End of Change in Annex C, Subclause X.1

## End of Document

## CHANGE REQUEST

⌘ **32.102 CR 034** ⌘ rev - ⌘ Current version: **5.5.1** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

**Proposed change affects:** UICC apps  ME  Radio Access Network  Core Network

<b>Title:</b>	⌘ Correction of reference to invalid TS		
<b>Source:</b>	⌘ SA5 (thomas.tovinger@ericsson.com)		
<b>Work item code:</b>	⌘ OAM-AR	<b>Date:</b>	⌘ 27/2/2004
<b>Category:</b>	⌘ <b>A</b>	<b>Release:</b>	⌘ Rel-5
	<i>Use one of the following categories:</i> <b>F</b> (correction) <b>A</b> (corresponds to a correction in an earlier release) <b>B</b> (addition of feature), <b>C</b> (functional modification of feature) <b>D</b> (editorial modification) Detailed explanations of the above categories can be found in 3GPP <a href="#">TR 21.900</a> .		<i>Use one of the following releases:</i> <b>2</b> (GSM Phase 2) <b>R96</b> (Release 1996) <b>R97</b> (Release 1997) <b>R98</b> (Release 1998) <b>R99</b> (Release 1999) <b>Rel-4</b> (Release 4) <b>Rel-5</b> (Release 5) <b>Rel-6</b> (Release 6)

<b>Reason for change:</b>	⌘ Subclause X.1 contains an example using a reference to a Rel99 TS (32.106-5) which does not exist in Rel-5 (since it has been superseded by several other TSs). The reference number [10] is also wrong, pointing to another document than 32.106-5.
<b>Summary of change:</b>	⌘ Substitute the reference to 32.106-5 with 32.622 (where the mentioned IOC is defined), and create a new reference for 32.622.
<b>Consequences if not approved:</b>	⌘ Misleading example; leads to confusion for 3GPP TS authors and thus risk for inconsistent specifications.

<b>Clauses affected:</b>	⌘ 2, Annex C (subclause X.1).						
<b>Other specs affected:</b>	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> </table> Other core specifications	Y	N	<input type="checkbox"/>	<input checked="" type="checkbox"/>	⌘	
Y	N						
<input type="checkbox"/>	<input checked="" type="checkbox"/>						
	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> </table> Test specifications	Y	N	<input type="checkbox"/>	<input checked="" type="checkbox"/>	⌘	
Y	N						
<input type="checkbox"/>	<input checked="" type="checkbox"/>						
	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> </table> O&M Specifications	Y	N	<input type="checkbox"/>	<input checked="" type="checkbox"/>	⌘	
Y	N						
<input type="checkbox"/>	<input checked="" type="checkbox"/>						
<b>Other comments:</b>	⌘ Rel-5 Mirror CR of S5-042199.						
	In Rel-6 this change is not needed as Annex C is move via CR in S5-042151 to the new Rel-6 TS 32.151.						

**How to create CRs using this form:**

## Change in Clause 2

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] ITU-T Recommendation M.3010 (2000): "Principles for a Telecommunications management network".
- [2] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [3] ~~Void.~~ [3GPP TS 32.622: "Telecommunication management; Generic Network Resource Model \(NRM\) Integration Reference Point \(IRP\): Information Service \(IS\)".](#)
- [4] ITU-T Recommendation X.200 (1994): "Information technology – Open Systems Interconnection – Basic Reference Model: The basic model".

## End of Change in Clause 2

## Change in Annex C, Subclause X.1

### X.1 Information entities imported and local labels

*This clause identifies a list of information entities (e.g. information object class, information relationship, information attribute) that have been defined in other specifications and that are imported in the present document. This includes information entities from other specifications imported for inheritance purpose. Each element of this list is a pair (label reference, local label). The label reference contains the name of the specification where it is defined, the type of the information entity and its name. The local label of imported information entities can then be used throughout the specification instead of the label reference.*

*This information is provided in a table. An example of such a table is given here below:*

Label reference	Local label
<del>32.106-5 [10],</del> <a href="#">32.622 [3]</a> , information object class, Top	Top

## End of Change in Annex C, Subclause X.1

## End of Document