
Source: SA5 (Telecom Management)
Title: TS 32.342-200 File Transfer (FT) Integration Reference Point (IRP):
Information Service - for SA Approval
Document for: Approval
Agenda Item: 7.5.3

3GPP TSG-SA5 (Telecom Management)
Meeting #38, Beijing, China, 10-14 May 2004

S5-046500

Presentation of Technical Specification to TSG SA

Presentation to: TSG SA Meeting #24
Document for presentation: TS 32.342, Version 2.0.0
File Transfer IRP: Information Service
Presented for: Approval

Abstract of document:

This is a Technical Specification defining the Information Service for the File Transfer IRP.

Work done against the WID contained in SP-020754 (Work Item ID: OAM-NIM).

Purpose of These Specifications:

The purpose of this set of specifications is to provide a File Transfer mechanism enabling the network manager to list and exchange files containing management information with a management agent in managed systems for Release 6.

The present document is part of a TS-family as identified below:

- TS 32.341: "File Transfer (FT) Integration Reference Point (IRP): Requirements".
 - TS 32.342: "File Transfer (FT) Integration Reference Point (IRP): Information Service (IS)".**
 - TS 32.343: "File Transfer (FT) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".
 - TS 32.344: "File Transfer (FT) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS)".
-

Changes since last presentation to TSG-SA:

Completed.

Outstanding Issues:

None.

Contentious Issues:

None.

3GPP TS 32.342 V2.0.0 (2004-06)

Technical Specification

**3rd Generation Partnership Project;
Technical Specification Group Services and System Aspects;
Telecommunication management;
File Transfer (FT)
Integration Reference Point (IRP):
Information Service (IS)
(Release 6)**



The present document has been developed within the 3rd Generation Partnership Project (3GPPTM) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPPTM system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords

file transfer, information service

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2004, 3GPP Organizational Partners (ARIB, CCSA, ETSI, ATIS, TTA, TTC).
All rights reserved.

Contents

Foreword.....	5
Introduction.....	5
1 Scope	6
2 References	6
3 Definitions and abbreviations	7
3.1 Definitions.....	7
3.2 Abbreviations	7
4 System Overview.....	7
4.1 System context	7
4.2 Compliance rules.....	8
5 Information Object Classes (IOC).....	8
5.1 Information entities imported and local labels	8
5.2 Class Diagram	9
5.2.1 Attributes and relationships	9
5.2.2 Inheritance	10
5.3 Information Object Class Definitions.....	10
5.3.1 FileTransferIRP	10
5.3.1.1 Definition.....	10
5.3.2 AvailableFileDescriptor.....	10
5.3.2.1 Definition.....	10
5.3.2.2 Attributes	11
5.3.3 AvailableFileList	11
5.3.3.1 Definition.....	11
5.3.4 File.....	11
5.3.4.1 Definition.....	11
5.4 Information relationship definitions.....	11
5.4.1 relation-ftIRP-availableFileList (M).....	11
5.4.1.1 Definition.....	11
5.4.1.2 Role 11	
5.4.2 relation-availableFileList-availableFiles (M)	11
5.4.2.1 Definition.....	11
5.4.2.2 Role 11	
5.4.2.3 Constraint	12
5.4.3 relation-availableFileDescriptor-file (M)	12
5.4.3.1 Definition.....	12
5.4.3.2 Role 12	
5.5 Information attribute definition	12
5.5.1 Definition and legal values	12
6 Interface Definition.....	13
6.1 Class diagram	13
6.2 Generic rules	13
6.3 FileTransferIRPOperations_1 Interface	14
6.3.1 Operation listAvailableFiles (M).....	14
6.3.1.1 Definition.....	14
6.3.1.2 Input parameters	14
6.3.1.3 Output parameters	14
6.3.1.4 Pre-condition	14
6.3.1.5 Post-condition.....	14
6.3.1.6 Exceptions	15
6.4 FileTransferIRPOperations_2 Interface	15
6.4.1 Operation fileDownloadIndication (O).....	15
6.4.1.1 Definition.....	15
6.4.1.2 Input parameters	15

- 6.4.1.3 Output parameters 15
- 6.4.1.4 Pre-condition 15
- 6.4.1.5 Post-condition 15
- 6.4.1.6 Exceptions 15
- 6.5 FileTransferIRPNotifications_1 Interface 16
- 6.5.1 Notification notifyFileReady (M) 16
- 6.5.1.1 Definition 16
- 6.5.1.2 Input Parameters 16
- 6.5.1.3 Triggering Event 16
- 6.5.1.3.1 From-state 16
- 6.5.1.3.2 To-state 16
- 6.5.2 Notification notifyFilePreparationError (M) 17
- 6.5.2.1 Definition 17
- 6.5.2.2 Input Parameters 17
- 6.5.2.3 Triggering Event 17
- 6.5.2.3.1 From-state 17
- 6.5.2.3.2 To-state 18

- Annex A (normative): File Naming Convention 19**

- Annex B (informative): Change history 20**

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part the 32.34x-series covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management, as identified below:

- TS 32.341: "File Transfer (FT) Integration Reference Point (IRP): Requirements".
- TS 32.342: "File Transfer (FT) Integration Reference Point (IRP): Information Service (IS)".**
- TS 32.343: "File Transfer (FT) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".
- TS 32.344: "File Transfer (FT) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS)".

The present document is part of a TS-family which describe the requirements and information model necessary for the Telecommunication Management (TM) of 3G systems. The TM principles and TM architecture are specified in 3GPP TS 32.101 [1] and 3GPP TS 32.102 [2].

Network Elements (NEs) under management, element managers as well as network managers generate various management information stored in file format. This IRP is addressing how these files are exchanged through Itf-N as well as certain aspects of file management and maintenance. It is anticipated that all management functions (e.g. PM, Call Trace, CM) as well as associated IRPs making reuse of capabilities provided by this File Transfer IRP.

1 Scope

The present document specifies the Information Service for the File Transfer Integration Reference Point (FileTransferIRP) as it applies to the Itf-N.

The present document defines the semantics of operations (and their parameters) visible across the Itf-N in a protocol and technology neutral way. It does not define the syntax or encoding of the operations and their parameters.

2 References

The following documents contain provisions, which through reference in this text constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document.

- [1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [2] 3GPP TS 32.102: "Telecommunication management; Architecture".
- [3] 3GPP TS 32.111-2: "Telecommunication management; Fault management; Part 2: Alarm Integration Reference Point (IRP): Information Service (IS)".
- [4] 3GPP TS 32.302: "Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Information Service (IS)".
- [5] 3GPP TS 32.312: "Telecommunication management; Generic Integration Reference Point (IRP): Information Service (IS)".
- [6] 3GPP TS 32.32x-series: "Telecommunication management; Test Management Integration Reference Point (IRP)".
- [7] 3GPP TS 32.341 "Telecommunication management; File Transfer (FT) Integration Reference Point (IRP): Requirements".
- [8] 3GPP TS 32.41x-series: "Telecommunication management; Performance Management (PM) Integration Reference Point (IRP)".
- [9] 3GPP TS 32.421: "Telecommunication Management; Subscriber and Equipment Trace: Trace Concepts and Requirements".
- [10] 3GPP TS 32.61x-series: "Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP)".
- [11] 3GPP TS 32.33x-series: "Telecommunication management; Notification Log Integration Reference Point (IRP)".
- [12] 3GPP TS 32.622: "Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): Network Resource Model (NRM)".
- [13] 3GPP TS 32.200: "Telecommunication management; Charging management; Charging principles".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions defined in 3GPP TS 32.101 [1], TS 32.102 [2] and TS 32.341 [7] apply.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CM	Configuration Management
EM	Element Manager
IOC	Information Object Class
IRP	Integration Reference Point
NE	Network Element
PM	Performance Management
UML	Unified Modelling Language

4 System Overview

4.1 System context

Figures 4.1 and 4.2 identify system contexts of the IRP defined by the present specification in terms of its implementation called IRPAgent and the user of the IRPAgent, called IRPManager. For a definition of IRPManager and IRPAgent, see 3GPP TS 32.102 [2].

The IRPAgent implements and supports this IRP. The IRPAgent can reside in an Element Manager (EM) (see figure 4.1) or a Network Element (NE) (see figure 4.2). In the former case, the interfaces (represented by a thick dotted line) between the EM and the NEs are not the subject of this IRP.

An IRPAgent supports one of the two System Contexts defined here. By observing the interaction across this Itf-N, an IRPManager cannot deduce if EM and NE are integrated in a single system or if they run in separate systems.




Figure 4.1: System Context A




Figure 4.2: System Context B

4.2 Compliance rules

For general definitions of compliance rules related to qualifiers (Mandatory/Optional/Conditional) for *operations, notifications and parameters* (of operations and notifications) please refer to 3GPP TS 32.102 [2].

5 Information Object Classes (IOC)

5.1 Information entities imported and local labels

Label reference	Local label
3GPP TS 32.622 [12], information object class, Top	Top
3GPP TS 32.622 [12], information object class, IRPAgent	IRPAgent
3GPP TS 32.622 [12], information object class, GenericIRP	GenericIRP
3GPP TS 32.312 [5], information object class, ManagedGenericIRP	ManagedGenericIRP
3GPP TS 32.302 [4], information object class, NotificationIRP	NotificationIRP

5.2 Class Diagram

5.2.1 Attributes and relationships

This clause introduces the set of information object classes (IOCs) that encapsulate information within the IRP Agent. The intent is to identify the information required for the FileTransferIRP Agent implementation of its operations and notification emission. This clause provides the overview of all support object classes in UML. Subsequent clauses provide more detailed specification of various aspects of these support object classes.




Figure 5.1: Information Object Class (IOC) UML Diagram

5.2.2 Inheritance




Figure 5.2: Information Object Class (IOC) Inheritance UML Diagram

5.3 Information Object Class Definitions

5.3.1 FileTransferIRP

5.3.1.1 Definition

FileTransferIRP is the representation of the file transfer management capabilities specified by the present document. This IOC inherits from ManagedGenericIRP IOC specified in 3GPP TS 32.312 [5].

5.3.2 AvailableFileDescriptor

5.3.2.1 Definition

AvailableFileDescriptor represents the information about an existing closed file containing management data (performance measurement data, etc.). The file is ready for retrieval by IRPManagers.

5.3.2.2 Attributes

Attribute name	Visibility	Support Qualifier	Read Qualifier	Write Qualifier
managementDataType	+	M	M	-
fileSize	+	M	M	-
fileCompression	+	M	M	-
fileReadyTime	+	M	M	-
fileExpirationTime	+	M	M	-
fileFormat	+	M	M	-
fileLocation	+	M	M	-

5.3.3 AvailableFileList

5.3.3.1 Definition

AvailableFileList is the representation of a list of files represented by individual AvailableFileDescriptor(s).

5.3.4 File

5.3.4.1 Definition

The Proxy Object File represents the file stored in the managed system.

5.4 Information relationship definitions

5.4.1 relation-ftpIRP-availableFileList (M)

5.4.1.1 Definition

This represents the relationship between FileTransferIRP and AvailableFileList.

5.4.1.2 Role

Name	Definition
theAvailableFileList	It represents the AvailableFileList.
theFileTransferIRP	It represents the FileTransferIRP.

5.4.2 relation-availableFileList-availableFiles (M)

5.4.2.1 Definition

This represents the relationship between AvailableFileDescriptor and AvailableFileList.

5.4.2.2 Role

Name	Definition
theAvailableFileDescriptor	It represents the AvailableFileDescriptor.
theAvailableFileList	It represents the AvailableFileList.

5.4.2.3 Constraint

Name	Definition
uniqueFileLocation	The fileLocation, playing the role of the file within the same FileTransferIRP, must be unique among all AvailableFileDescriptors.

5.4.3 relation-availableFileDescriptor-file (M)

5.4.3.1 Definition

This represents the relationship between AvailableFileDescriptor and PhysicalFile.

5.4.3.2 Role

Name	Definition
theAvailableFileDescriptor	It represents the AvailableFileDescriptor.
theAvailableFile	It represents the PhysicalFile.

5.5 Information attribute definition

5.5.1 Definition and legal values

Attribute Name	Definition	Legal Values
fileSize	It identifies the size of the file.	Its value is positive Integer (the unit is byte).
fileCompression	It identifies the name of the compression algorithm used for the file.	An empty fileCompression means that there is no compression on the file. Choice of compression algorithm is vendor-specific but is encouraged to use industrial standard algorithm such as GZIP.
fileReadyTime	It identifies the date and time when the file was last closed and made available for upload and the file content will not be changed	All values that indicate valid time.
fileExpirationTime	It identifies the date and time beyond which the file may be deleted.	All values that indicate valid time. It should be later than fileReadyTime. It shall not be empty.
fileFormat	It identifies the encoding technique used by the file.	Its value should indicate the IRPVersion of the file format specification plus to indicate if "ASN1" or "XML-schema" is used.
fileLocation	It identifies the location of the file described by AvailableFileDescriptor in the IRPAgent. The location may be a directory path or a URL.	<ul style="list-style-type: none"> Any valid file directory path. Any valid URL. E.g.: "\\202.112.101.1\D:\user\performanceFiles\<>xxx>" or " <a href="http://nms.telecom.org.com/datastore/<xxx>">ftp://nms.telecom.org.com/datastore/<xxx> " where <xxx> is the filename and the file naming convention is defined in Annex A File Naming Convention.
managementDataType	It identifies the type of the management data in the file.	"PM" for performance data files (Performance Management IRP [Ref. 8]), "CM" for configuration files (except inventory) (Bulk CM IRP [Ref. 10]), "IM" for inventory files, "TE" for test files (Test Management IRP [Ref. 6]), "CT" for call trace files (Subscriber and Equipment Trace [Ref. 9]), "NL" for notification log files (Notification Log IRP [Ref. 11]), "CG" for charging files ([Ref. 13]), "OT" for other files.

6 Interface Definition

6.1 Class diagram




Figure 6.1: Class Diagram

6.2 Generic rules

- **Rule 1:** each operation with at least one input parameter supports a pre-condition `valid_input_parameter` which indicates that all input parameters shall be valid with regards to their information type. Additionally, each such operation supports an exception `operation_failed_invalid_input_parameter` which is raised when pre-condition `valid_input_parameter` is false. The exception has the same entry and exit state.
- **Rule 2:** each operation with at least one optional input parameter supports a set of pre-conditions `supported_optional_input_parameter_xxx` where "xxx" is the name of the optional input parameter and the pre-condition indicates that the operation supports the named optional input parameter. Additionally, each such operation supports an exception `operation_failed_unsupported_optional_input_parameter_xxx` which is raised when (a) the pre-condition `supported_optional_input_parameter_xxx` is false and (b) the named optional input parameter is carrying information. The exception has the same entry and exit state.
- **Rule 3:** each operation shall support a generic exception `operation_failed_internal_problem` which is raised when an internal problem occurs and that the operation cannot be completed. The exception has the same entry and exit state.

6.3 FileTransferIRPOperations_1 Interface

6.3.1 Operation listAvailableFiles (M)

6.3.1.1 Definition

This operation allows IRPManager to list all or specified available management data files stored in the IRPAgent.

A Solution Set may choose to split this operation in several operations (e.g. operations to get "iterator" which fulfil the criteria and other operations to retrieve the detailed information of the files from the "iterator").

6.3.1.2 Input parameters

Parameter Name	Qualifier	Information type	Comment
managementDataType	M	AvailableFileDescriptor. managementDataType	It specifies the type of the management data stored in the file.
beginTime	M	The IRPManager wants a list of the available file(s) whose ready time(s) are later or equal to this time. This parameter is expressed in UTC time.	This parameter indicates date and time. If this parameter is empty, no beginTime-restriction should be applied on the ready time.
endTime	M	The IRPManager wants to list information about the available file(s) whose ready time(s) are earlier than this time. This parameter is expressed in UTC time.	This parameter indicates date and time. If this parameter is empty, no endTime-restriction should be applied on the ready time.

6.3.1.3 Output parameters

Parameter Name	Qualifier	Matching Information	Comment
fileInfoList	M	LIST of STRUCT < AvailableFileDescriptor.fileLocation, AvailableFileDescriptor.fileSize AvailableFileDescriptor.fileReadyTime AvailableFileDescriptor.fileExpirationTime AvailableFileDescriptor,fileCompression, AvailableFileDescriptor.fileFormat, >	The output parameter specifies the required file information.
status	M	ENUM (Success, Failure)	

6.3.1.4 Pre-condition

validTimes

Assertion Name	Definition
validTimes	The beginTime is before the invocation time of the operation and the endTime is after beginTime.

6.3.1.5 Post-condition

requiredFileInfosReturned

Assertion Name	Definition
requiredFileInfosReturned	The required file information is returned.

6.3.1.6 Exceptions

Exception Name	Definition
invalidTimes	Condition: (validTimes) not verified. Returned information: output parameter status is set to Failure. Exit state: Entry State.

6.4 FileTransferIRPOperations_2 Interface

6.4.1 Operation fileDownloadIndication (O)

6.4.1.1 Definition

This operation allows IRPManager to indicate IRPAgent about completion of the file exchange procedure and related file descriptive information when IRPManager finish downloading one or more files to IRPAgent.

6.4.1.2 Input parameters

Parameter Name	Qualifier	Information type	Comment
fileInfoList	M	LIST of STRUCT < AvailableFileDescriptor.fileLocation, AvailableFileDescriptor.fileSize AvailableFileDescriptor.fileReadyTime AvailableFileDescriptor.fileExpirationTime AvailableFileDescriptor.fileCompression, AvailableFileDescriptor.fileFormat, >	It carries the information of the files downloaded to the IRPAgent.

6.4.1.3 Output parameters

Parameter Name	Qualifier	Matching Information	Comment
status	M	ENUM (Success, Failure)	

6.4.1.4 Pre-condition

validFileInfoList

Assertion Name	Definition
validFileInfoList	The fileInfoList is valid.

6.4.1.5 Post-condition

validFileSize

Assertion Name	Definition
validFileSize	The downloaded file exist and the size of it is greater than zero.

6.4.1.6 Exceptions

Exception Name	Definition
InvalidFileInfoList	Condition: (validfileInfoList) not verified. Returned information: output parameter status is set to Failure. Exit state: Entry State.

6.5 FileTransferIRPNotifications_1 Interface

6.5.1 Notification notifyFileReady (M)

6.5.1.1 Definition

After the management data files have been prepared ready in the IRPAgent, IRPAgent will emit notification to subscribed IRPManager(s) to notify the availability of the file(s).

6.5.1.2 Input Parameters

Parameter Name	Qualifier	Matching Information	Comment
objectClass	M, Y	--	Notification header - see 3GPP TS 32.302 [4]
objectInstance	M, Y	--	Notification header - see 3GPP TS 32.302 [4]. This and objectClass shall carry the DN and the name of the class of the FTIRP instance.
notificationId	M, N	--	Notification header - see 3GPP TS 32.302 [4]
eventTime	M, Y	--	Notification header - see 3GPP TS 32.302 [4]
notificationType	M, Y	"notifyFileReady".	Notification header - see 3GPP TS 32.302 [4]
systemDN	C, Y	IRPAgent.systemDN.	Notification header - see 3GPP TS 32.302 [4]
fileInfoList	M, N	See clause 6.3.1.3 (output parameters of listAvailableFiles operation).	The parameter specifies the information of the available file.
additionalText	O, N	String	It carries vendor-specific semantics not defined in the present document.

6.5.1.3 Triggering Event

6.5.1.3.1 From-state

filesAreReadyAndClosed

Assertion Name	Definition
filesAreReadyAndClosed	IRPAgent has stored the result data into one or more files which corresponds to management operations.

6.5.1.3.2 To-state

newNotificationReported

Assertion Name	Definition
newNotificationReported	The 'notifyFileReady' notification is emitted to the subscribed IRPManager(s). Based on the information contained in the notification, the IRPManager can get the file(s) through file transfer mechanism.

6.5.2 Notification notifyFilePreparationError (M)

6.5.2.1 Definition

The subscribed IRPManagers are notified regarding the occurrence of an error during the preparation of the file. This notification is an event and will not be treated as alarms defined in Alarm IRP IS (3GPP TS 32.111-2 [3]).

6.5.2.2 Input Parameters

Parameter Name	Qualifier	Matching Information	Comment
objectClass	M, Y	--	Notification header - see 3GPP TS 32.302 [4]
objectInstance	M, Y	--	Notification header - see 3GPP TS 32.302 [4]. This and the objectClass shall carry the DN and the class name of the FTIRP instance.
notificationId	M, N	--	Notification header - see 3GPP TS 32.302 [4]
eventTime	M, Y	--	Notification header - see 3GPP TS 32.302 [4]
systemDN	C, Y	IRPAgent.systemDN	Notification header - see 3GPP TS 32.302 [4]
notificationType	M, Y	"notifyFilePreparationError"	
fileInfoList	M, N	See clause 6.3.1.3 (output parameters of listAvailableFiles operation).	If file is kept, this parameter identifies the file whose preparation provoked an error. If file is not generated, this parameter is empty.
reason	M, N	String	The detailed reason is given, including <ul style="list-style-type: none"> - errorInPreparation - hardDiskFull - hardDiskFailure - tooManyFiles - collectionTimeOut - incompleteTruncatedFile - corruptedFile - lowMemory - dataNotAvailable
additionalText	O, N	String	It carries vendor-specific semantics not defined in the present document.

6.5.2.3 Triggering Event

6.5.2.3.1 From-state

errorInPreparation OR hardDiskFull OR hardDiskFailure OR tooManyFiles OR collectionTimeOut OR incompleteTruncatedFile OR corruptedFile OR lowMemory OR dataNotAvailable

Assertion Name	Definition
errorInPreparation	There is unspecified error when IRPAgent prepares the files.
hardDiskFull	The file system is full and no more files can be opened.
hardDiskFailure	The hard disk has failed and normal input/output cannot be performed.
tooManyFiles	The file system lacks resource to open a new file to capture management data.
collectionTimeOut	The collection time of management data into files takes too long.
incompleteTruncatedFile	The file is truncated for unspecified reason. The suspect flag should be set in the files.
corruptedFile	The file is corrupted for unspecified reason. The suspect flag should be set in the files.
lowMemory	The system lacks sufficient memory to open a new file to capture management data.
dataNotAvailable	Management data is not available when the collected management object(s) is being read.

6.5.2.3.2 To-state

fileIsKept OR fileNotGenerated

Assertion Name	Definition
fileIsKept	The file, whose preparation provokes an error, is kept. And the file naming convention, expiration date, available to be listed, etc. should be treated the same as and be consistent with case when file is prepared successful.
fileNotGenerated	No file was generated and fileInfoList indicates "no file".

Annex A (normative): File Naming Convention

The following convention shall be applied for file naming:

<managementData_type><file_ready_date><file_ready_time><file_expiration_delta_time>
[<specificIRP_extension>][<separator><RC>]

- 1) The managementData_type field is the type of the management data contained in the file, the value of managementData_type field including

"PM" for performance data files,

"CM" for configuration files (except inventory),

"IM" for inventory files,

"TE" for test files,

"CT" for call trace files,

"NL" for notification log files,

"CG" for charging files,

"OT" for other files.

- 2) The file_ready_date field is of the form YYYYMMDD, where:

- YYYY is the year in four-digit notation;
- MM is the month in two digit notation (01 - 12);
- DD is the day in two digit notation (01 - 31).

The file_ready_date is the date when the file was last closed and made available for upload and the file content will not be changed.

- 3) The file_ready_time field is of the form HHMMshhmm, where:

- HH is the two digit hour of the day (local time), based on 24 hour clock (00 - 23);
- MM is the two digit minute of the hour (local time, 00 - 59);
- s is the sign of the local time differential from UTC (+ or -), in case the time differential to UTC is 0 then the sign may be arbitrarily set to "+" or "-";
- hh is the two digit number of hours of the local time differential from UTC (00 - 23);
- mm is the two digit number of minutes of the local time differential from UTC (00 - 59).

The file_ready_time is the time when the file was last closed and made available for upload and the file content will not be changed.

- 4) To reduce length of the file name, the file_expiration_delta_time field could be a delta time interval from file ready time. The unit is hour.
- 5) The specificIRP_extension field is used for other IRPs to extend the extra file naming convention which is not covered by the basic file naming convention defined in FileTransferIRP.
- 6) The RC parameter is a running count, starting with the value of "1", and shall be appended only if the filename is not unique, i.e. more than one file is generated and all other parameters of the file name are identical.
- 7) The separator field is "_-_", which is an underscore character (_), followed by a minus character (-), followed by an underscore character (_).

Annex B (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
Dec 2003	S_22	SP-030637	--	--	Submitted to TSG SA#22 for Information	1.0.0	
Jun 2004	S_24	SP-040244	--	--	Submitted to TSG SA#24 for Approval	2.0.0	