
Source: SA5 (Telecom Management)
Title: Rel-5 CR 32.644 (CM UTRAN network resources IRP CMIP SS)
Document for: Decision
Agenda Item: 7.5.3

Doc-1st-	Spec	CR	R	Phas	Subject	Cat	Ver	Doc-2nd-	Workitem
SP-040255	32.644	012	-	Rel-5	Correction of type of the attributes cId, localCellId and rncId	F	5.4.0	S5-048426	OAM-NIM

CHANGE REQUEST

⌘ **32.644 CR 012** ⌘ rev **-** ⌘ Current version: **5.4.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ Correction of type of the attributes cld, localCellId and rncld		
Source:	⌘ SA5 (olaf.pollakowski@siemens.com)		
Work item code:	⌘ OAM-NIM	Date:	⌘ 14/05/2004
Category:	⌘ F	Release:	⌘ Rel-5
	Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	⌘ The attributes cld, localCellId and rncld are currently of the type GeneralObjectId. However, this type should be used only for naming attributes.
Summary of change:	⌘ The type of cld, localCellId and rncld is changed from GeneralObjectId to INTEGER.
Consequences if not approved:	⌘ It is not possible to identify naming attributes with their associated type resulting in interoperability problems.

Clauses affected:	⌘ 4.2, 5, 6										
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> </table> Other core specifications ⌘ Test specifications ⌘ O&M Specifications ⌘	Y	N	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Y	N										
<input type="checkbox"/>	<input checked="" type="checkbox"/>										
<input type="checkbox"/>	<input checked="" type="checkbox"/>										
<input type="checkbox"/>	<input checked="" type="checkbox"/>										
Other comments:	⌘										

Change in Clause 4.2

4.2 Mapping

The semantic of the UTRAN Network Resource Model is defined in 3GPP TS 32.642 [4]. The specification of the information object classes defined there is independent of any implementation technology and protocol. This clause maps these technology and protocol independent definitions onto the equivalencies of the CMIP Solution Set of the UTRAN Network Resource IRP.

4.2.1 Mapping of Information Object Classes

Table 1 maps the information object classes defined in the UTRAN Network Resource Model onto the equivalent MOCs of the CMIP Solution Set.

Table 1: Mapping of IOCs

IS IOC	CMIP SS MOC
RncFunction	rncFunctionR55
NodeBFunction	nodeBFunction
UtranCell	utranCellR54
IubLink	iubLink
UtranRelation	utranRelation
ExternalUtranCell	externalUtranCell

4.2.2 Mapping of Information Object Class Attributes

This clause depicts the mapping of the attributes defined in 3GPP TS 32.642 [4] on the corresponding attributes of the CMIP Solution Set.

4.2.2.1 Attribute Mapping of the IOC *RncFunction*

Table 2: Attribute mapping of the IOC *RncFunction*

IS Attribute	CMIP SS Attribute	Qualifier
rncFunctionId	rncFunctionId	M
userLabel	userLabel (ITU-T Rec. M.3100 [9])	M
mcc	mcc	M
mnc	mnc	M
rnclId	rnclIdR55	M

4.2.2.2 Attribute Mapping of the IOC *NodeBFunction*

Table 3: Attribute mapping of the IOC *NodeBFunction*

IS Attribute	CMIP SS Attribute	Qualifier
nodeBFunctionId	nodeBFunctionId	M
userLabel	userLabel (ITU-T Rec. M.3100 [9])	M
nodeBFunction-IubLink	NodeBFunction2IubLink	M

4.2.2.3 Attribute Mapping of the IOC *UtranCell*

Table 4: Attribute mapping of the IOC *UtranCell*

IS Attribute	CMIP SS Attribute	Qualifier
utranCellId	utranCellId	M
userLabel	userLabel (ITU-T Rec. M.3100 [9])	M
cId	cIdR55	M
localCellId	localCellIdR55	M
uarfcnDI	uarfcnDI	M
uarfcnUI	uarfcnUI	M
primaryScramblingCode	primaryScramblingCode	M
primaryCpichPower	primaryCpichPower	M
maximumTransmissionPower	maximumTransmissionPower	M
primarySchPower	primarySchPower	M
secondarySchPower	secondarySchPower	M
bchPower	bchPower	M
lac	lac	M
rac	rac	M
sac	sac	M
uraList	uraList	M
utranCell-IubLink	utranCell2iubLink	M
operationalState	operationalState	O

4.2.2.4 Attribute Mapping of the IOC *IubLink*

Table 5: Attribute mapping of the IOC *IubLink*

IS Attribute	CMIP SS Attribute	Qualifier
iubLinkId	iubLinkId	M
userLabel	userLabel (ITU-T Rec. M.3100 [9])	M
iubLink-UtranCell	iubLink2utranCell	M
iubLink-NodeBFunction	iubLink2nodeBFunction	M

4.2.2.5 Attribute Mapping of the IOC *UtranRelation*

Table 6: Attribute mapping of the IOC *UtranRelation*

IS Attribute	CMIP SS Attribute	Qualifier
utranRelationId	utranRelationId	M
adjacentCell	adjacentCell	M
uarfcnUI	uarfcnUI	O
uarfcnDI	uarfcnDI	O
primaryScramblingCode	primaryScramblingCode	O
primaryCpichPower	primaryCpichPower	O
lac	lac	O

4.2.2.6 Attribute Mapping of the IOC *ExternalUtranCell*

Table 7: Attribute mapping of the IOC *ExternalUtranCell*

IS Attribute	CMIP SS Attribute	Qualifier
externalUtranCellId	externalUtranCellId	M
userLabel	userLabel	M
cld	cld	M
mcc	mcc	M
mnc	mnc	M
rnclId	rnclId	M
uarfcnUI	uarfcnUI	M
uarfcnDI	uarfcnDI	M
primaryScramblingCode	primaryScramblingCode	M
primaryCpichPower	primaryCpichPower	M
lac	lac	M
rac	rac	M

End of Change in Clause 4.2

Change in Clause 5 & 6

5 GDMO Definitions

5.1 Managed Object Classes

5.1.1 rncFunction

```
rncFunction MANAGED OBJECT CLASS
  DERIVED FROM
    "3GPP TS 32.624 Release 5": managedFunction;
  CHARACTERIZED BY
    rncFunctionBasicPackage,
    rncFunctionHandoverPackage,
    "3GPP TS 32.111-4 Release 5": x721AlarmNotificationsPackage;
  CONDITIONAL PACKAGES
    "Rec. M.3100: 1995": createDeleteNotificationsPackage
  PRESENT IF
    "the objectCreation and the objectDeletion notifications defined in
    ITU-T Rec. X.721 are supported by an instance of this class.",
    "Rec. M.3100: 1995": attributeValueChangeNotificationPackage
  PRESENT IF
    "the attributeValueChange notification defined in ITU-T Rec. X.721
    is supported by an instance of this class.";
REGISTERED AS {ts32-644ObjectClass 1};
```

5.1.2 utranCell

Void.

5.1.3 utranRelation

```
utranRelation MANAGED OBJECT CLASS
  DERIVED FROM
    "Recommendation X.721: 1992": top;
  CHARACTERIZED BY
    utranRelationBasicPackage,
    utranRelationAssociationPackage;
```

CONDITIONAL PACKAGES

```
"Rec. M.3100: 1995": createDeleteNotificationsPackage
PRESENT IF
  "The objectCreation and the objectDeletion notifications defined in
  ITU-T Rec. X.721 are supported by an instance of this class.",
"Rec. M.3100: 1995": attributeValueChangeNotificationPackage
PRESENT IF
  "The attributeValueChange notification defined in ITU-T Rec. X.721
  is supported by an instance of this class.;"
```

```
REGISTERED AS {ts32-644ObjectClass 3};
```

5.1.4 externalUtranCell

```
externalUtranCell MANAGED OBJECT CLASS
```

DERIVED FROM

```
"3GPP TS 32.624 Release 5": managedFunction;
```

CHARACTERIZED BY

```
externalUtranCellPackage;
```

CONDITIONAL PACKAGES

```
"Rec. M.3100: 1995": createDeleteNotificationsPackage
```

PRESENT IF

```
"the objectCreation and the objectDeletion notifications defined in
ITU-T Rec. X.721 are supported by an instance of this class.",
```

```
"Rec. M.3100: 1995": attributeValueChangeNotificationPackage
```

PRESENT IF

```
"the attributeValueChange notification defined in ITU-T Rec. X.721
is supported by an instance of this class.;"
```

```
REGISTERED AS {ts32-644ObjectClass 4};
```

5.1.5 iubLink

```
iubLink MANAGED OBJECT CLASS
```

DERIVED FROM

```
"3GPP TS 32.624 Release 5": managedFunction;
```

CHARACTERIZED BY

```
iubLinkBasicPackage,
```

```
iubLinkAssociationPackage,
```

```
"3GPP TS 32.111-4 Release 5": x721AlarmNotificationsPackage;
```

CONDITIONAL PACKAGES

```
"Rec. M.3100: 1995": createDeleteNotificationsPackage
```

PRESENT IF

```
"the objectCreation and the objectDeletion notifications defined in
ITU-T Rec. X.721 are supported by an instance of this class.",
```

```
"Rec. M.3100: 1995": attributeValueChangeNotificationPackage
```

PRESENT IF

```
"the attributeValueChange notification defined in ITU-T Rec. X.721
is supported by an instance of this class.;"
```

```
REGISTERED AS {ts32-644ObjectClass 5};
```

5.1.6 nodeBFunction

```
nodeBFunction MANAGED OBJECT CLASS
```

DERIVED FROM

```
"3GPP TS 32.624 Release 5": managedFunction;
```

CHARACTERIZED BY

```
nodeBFunctionBasicPackage,
```

```
nodeBFunctionAssociationPackage,
```

```
"3GPP TS 32.111-4 Release 5": x721AlarmNotificationsPackage;
```

CONDITIONAL PACKAGES

```
"Rec. M.3100: 1995": createDeleteNotificationsPackage
```

PRESENT IF

```
"the objectCreation and the objectDeletion notifications defined in
ITU-T Rec. X.721 are supported by an instance of this class.",
```

```
"Rec. M.3100: 1995": attributeValueChangeNotificationPackage
```

PRESENT IF

```
"the attributeValueChange notification defined in ITU-T Rec. X.721
is supported by an instance of this class.;"
```

```
REGISTERED AS {ts32-644ObjectClass 6};
```

5.1.7 utranCellR54

```
utranCellR54 MANAGED OBJECT CLASS
```

DERIVED FROM

```

"3GPP TS 32.624 Release 5": managedFunction;
CHARACTERIZED BY
    utranCellBasicPackage,
    utranCellHandoverPackageR54,
    utranCellAssociationPackage,
    "3GPP TS 32.111-4 Release 5": x721AlarmNotificationsPackage;
CONDITIONAL PACKAGES
    "Rec. M.3100: 1995":createDeleteNotificationsPackage
        PRESENT IF
            "the objectCreation and the objectDeletion notifications defined in
            ITU-T Rec. X.721 are supported by an instance of this class.",
    "Rec. M.3100: 1995":attributeValueChangeNotificationPackage
        PRESENT IF
            "the attributeValueChange notification defined in ITU-T Rec. X.721
            is supported by an instance of this class.",
    "3GPP TS 32.674 Release 5": operationalStateAttributePackage
        PRESENT IF
            "instances of this MOC support the operationalState attribute.";
REGISTERED AS {ts32-644ObjectClass 7};

```

5.1.8 rncFunctionR55

```

rncFunctionR55 MANAGED OBJECT CLASS
DERIVED FROM
    "3GPP TS 32.624 Release 5": managedFunction;
CHARACTERIZED BY
    rncFunctionBasicPackage,
    rncFunctionHandoverPackageR55,
    "3GPP TS 32.111-4 Release 5": x721AlarmNotificationsPackage;
CONDITIONAL PACKAGES
    "Rec. M.3100: 1995":createDeleteNotificationsPackage
        PRESENT IF
            "the objectCreation and the objectDeletion notifications defined in
            ITU-T Rec. X.721 are supported by an instance of this class.",
    "Rec. M.3100: 1995":attributeValueChangeNotificationPackage
        PRESENT IF
            "the attributeValueChange notification defined in ITU-T Rec. X.721
            is supported by an instance of this class.";
REGISTERED AS {ts32-644ObjectClass 8};

```

5.1.9 utranCellR55

```

utranCellR55 MANAGED OBJECT CLASS
DERIVED FROM
    "3GPP TS 32.624 Release 5": managedFunction;
CHARACTERIZED BY
    utranCellBasicPackage,
    utranCellHandoverPackageR55,
    utranCellAssociationPackage,
    "3GPP TS 32.111-4 Release 5": x721AlarmNotificationsPackage;
CONDITIONAL PACKAGES
    "Rec. M.3100: 1995":createDeleteNotificationsPackage
        PRESENT IF
            "the objectCreation and the objectDeletion notifications defined in
            ITU-T Rec. X.721 are supported by an instance of this class.",
    "Rec. M.3100: 1995":attributeValueChangeNotificationPackage
        PRESENT IF
            "the attributeValueChange notification defined in ITU-T Rec. X.721
            is supported by an instance of this class.",
    "3GPP TS 32.674 Release 5": operationalStateAttributePackage
        PRESENT IF
            "instances of this MOC support the operationalState attribute.";
REGISTERED AS {ts32-644ObjectClass 9};

```

5.2 Packages

5.2.1 rncFunctionHandoverPackage

```

rncFunctionHandoverPackage PACKAGE
BEHAVIOUR
    rncFunctionHandoverPackageBehaviour;

```

```

ATTRIBUTES
    mcc          GET-REPLACE,
    mnc          GET-REPLACE,
    rncId        GET-REPLACE;
REGISTERED AS {ts32-644Package 1};

rncFunctionHandoverPackageBehaviour BEHAVIOUR
DEFINED AS
    "This package contains all new attributes defined for UTRAN handover management.
    These attributes are introduced in R4.";

```

5.2.2 utranCellHandoverPackage

Void.

5.2.3 utranRelationBasicPackage

```

utranRelationBasicPackage PACKAGE
BEHAVIOUR
    utranRelationBasicPackageBehaviour;
ATTRIBUTES
    utranRelationId          GET,
    uarfcnUl                  GET,
    uarfcnDl                  GET,
    primaryScramblingCode    GET,
    primaryCpichPower        GET,
    lac                       GET;
REGISTERED AS {ts32-644Package 3};

utranRelationBasicPackageBehaviour BEHAVIOUR
DEFINED AS
    "The 'UtranRelation' managed object contains radio network related parameters for the
    relation to the 'UtranCell' or 'ExternalUtranCell' managed object. Note: In handover
    relation terms, the cell containing the UTRAN Relation object is the source cell for
    the handover. The cell referred to in the UTRAN relation object is the target cell
    for the handover. This defines a one-way handover relation where the direction is from
    source cell to target cell.";

```

5.2.4 utranRelationAssociationPackage

```

utranRelationAssociationPackage PACKAGE
BEHAVIOUR
    utranRelationAssociationPackageBehaviour;
ATTRIBUTES
    adjacentCell          GET-REPLACE;
REGISTERED AS {ts32-644Package 4};

utranRelationAssociationPackageBehaviour BEHAVIOUR
DEFINED AS
    "This package contains all attributes implementing associations related to an utranRelation";

```

5.2.5 externalUtranCellPackage

```

externalUtranCellPackage PACKAGE
BEHAVIOUR
    externalUtranCellPackageBehaviour;
ATTRIBUTES
    externalUtranCellId      GET,
    cId                      GET-REPLACE,
    mcc                      GET-REPLACE,
    mnc                      GET-REPLACE,
    rncId                    GET-REPLACE,
    uarfcnUl                  GET-REPLACE,
    uarfcnDl                  GET-REPLACE,
    primaryScramblingCode    GET-REPLACE,
    primaryCpichPower        GET-REPLACE,
    lac                      GET-REPLACE,
    rac                      GET-REPLACE;
REGISTERED AS {ts32-644Package 5};

externalUtranCellPackageBehaviour BEHAVIOUR
DEFINED AS

```


"This Managed Object Class represents a radio cell controlled by another IRPAgent. It a necessary attribute for inter-system handover. This MOC is a subreplication of a MOC in another NEM.";

5.2.6 rncFunctionBasicPackage

```
rncFunctionBasicPackage PACKAGE
  BEHAVIOUR
    rncFunctionBasicPackageBehaviour;
  ATTRIBUTES
    rncFunctionId GET;
REGISTERED AS {ts32-644Package 6};

rncFunctionBasicPackageBehaviour BEHAVIOUR
DEFINED AS
  "The MOC rncFunction represents UMTS RNC function.";
```

5.2.7 utranCellBasicPackage

```
utranCellBasicPackage PACKAGE
  BEHAVIOUR
    utranCellBasicPackageBehaviour;
  ATTRIBUTES
    utranCellId GET;
REGISTERED AS {ts32-644Package 7};

utranCellBasicPackageBehaviour BEHAVIOUR
DEFINED AS
  "This managed object class represents the radio cell controlled by a RNC.";
```

5.2.8 utranCellAssociationPackage

```
utranCellAssociationPackage PACKAGE
  BEHAVIOUR
    utranCellAssociationPackageBehaviour;
  ATTRIBUTES
    utranCell2iubLink GET;
REGISTERED AS {ts32-644Package 8};

utranCellAssociationPackageBehaviour BEHAVIOUR
DEFINED AS
  "This package contains the pointer attributes that implement associations related to utranCell.";
```

5.2.9 iubLinkBasicPackage

```
iubLinkBasicPackage PACKAGE
  BEHAVIOUR
    iubLinkBasicPackageBehaviour;
  ATTRIBUTES
    iubLinkId GET;
REGISTERED AS {ts32-644Package 9};

iubLinkBasicPackageBehaviour BEHAVIOUR
DEFINED AS
  "This managed object class models the Iub Link between a Node-B and a RNC.";
```

5.2.10 iubLinkAssociation

```
iubLinkAssociationPackage PACKAGE
  BEHAVIOUR
    iubLinkAssociationPackageBehaviour;
  ATTRIBUTES
    iubLink2nodeBFunction GET,
    iubLink2utranCell GET;
REGISTERED AS {ts32-644Package 10};

iubLinkAssociationPackageBehaviour BEHAVIOUR
DEFINED AS
  "The attribute 'iubLink2NodeBFunction' points to the nodeBFunction instance which this
  iubLink instance connects to. The attribute 'iubLink2utranCell' points to a list of
  utranCell instances which attach to the nodeBFunction this iubLink connects to.";
```

5.2.11 nodeBFunctionBasicPackage

```
nodeBFunctionBasicPackage PACKAGE
  BEHAVIOUR
    nodeBFunctionBasicPackageBehaviour;
  ATTRIBUTES
    nodeBFunctionId      GET;
REGISTERED AS {ts32-644Package 11};

nodeBFunctionBasicPackageBehaviour BEHAVIOUR
DEFINED AS
  "This managed object class represents the NodeB functionality.";
```

5.2.12 nodeBFunctionAssociationPackage

```
nodeBFunctionAssociationPackage PACKAGE
  BEHAVIOUR
    nodeBFunctionAssociationPackageBehaviour;
  ATTRIBUTES
    nodeB2iubLink      GET;
REGISTERED AS {ts32-644Package 12};

nodeBFunctionAssociationPackageBehaviour BEHAVIOUR
DEFINED AS
  "The attribute 'nodeB2iubLink' points to the iubLink instance
  which connects to this nodeBFunction instance directly.";
```

5.2.13 utranCellHandoverPackageR54

```
utranCellHandoverPackageR54 PACKAGE
  BEHAVIOUR
    utranCellHandoverPackageR54Behaviour;
  ATTRIBUTES
    cId                GET-REPLACE,
    localCellId        GET-REPLACE,
    uarfcnUl           GET-REPLACE,
    uarfcnDl           GET-REPLACE,
    primaryScramblingCode GET-REPLACE,
    primaryCpichPower  GET-REPLACE,
    maximumTransmissionPower GET-REPLACE,
    primarySchPower    GET-REPLACE,
    secondarySchPower  GET-REPLACE,
    bchPower           GET-REPLACE,
    lac                GET-REPLACE,
    rac                GET-REPLACE,
    sac                GET-REPLACE,
    uraList            GET-REPLACE;
REGISTERED AS {ts32-644Package 13};

utranCellHandoverPackageR54Behaviour BEHAVIOUR
DEFINED AS
  "This package contains all new attributes defined for UTRAN handover management.
  These attributes are introduced in R4.";
```

5.2.14 rncFunctionHandoverPackageR55

```
rncFunctionHandoverPackageR55 PACKAGE
  BEHAVIOUR
    rncFunctionHandoverPackageR55Behaviour;
  ATTRIBUTES
    mcc                GET-REPLACE,
    mnc                GET-REPLACE,
    rncIdR55           GET-REPLACE;
REGISTERED AS {ts32-644Package 14};

rncFunctionHandoverPackageR55Behaviour BEHAVIOUR
DEFINED AS
"This package contains all new attributes defined for UTRAN handover management.
These attributes are introduced in R4.";
```

5.2.15 utranCellHandoverPackageR55

utranCellHandoverPackageR55 PACKAGE

BEHAVIOUR

utranCellHandoverPackageR55Behaviour;

ATTRIBUTES

<u>cIdR55</u>	<u>GET-REPLACE,</u>
<u>localCellIdR55</u>	<u>GET-REPLACE,</u>
<u>uarfcnUl</u>	<u>GET-REPLACE,</u>
<u>uarfcnDl</u>	<u>GET-REPLACE,</u>
<u>primaryScramblingCode</u>	<u>GET-REPLACE,</u>
<u>primaryCpichPower</u>	<u>GET-REPLACE,</u>
<u>maximumTransmissionPower</u>	<u>GET-REPLACE,</u>
<u>primarySchPower</u>	<u>GET-REPLACE,</u>
<u>secondarySchPower</u>	<u>GET-REPLACE,</u>
<u>bchPower</u>	<u>GET-REPLACE,</u>
<u>lac</u>	<u>GET-REPLACE,</u>
<u>rac</u>	<u>GET-REPLACE,</u>
<u>sac</u>	<u>GET-REPLACE,</u>
<u>uraList</u>	<u>GET-REPLACE;</u>

REGISTERED AS {ts32-644Package 15};

utranCellHandoverPackageR55Behaviour BEHAVIOUR

DEFINED AS

"This package contains all new attributes defined for UTRAN handover management.
These attributes are introduced in R4.";

5.3 Attributes

5.3.1 mcc

mcc ATTRIBUTE

WITH ATTRIBUTE SYNTAX

TS32-644TypeModule.MobileCountryCode;

MATCHES FOR

EQUALITY;

BEHAVIOUR

mccBehaviour;

REGISTERED AS {ts32-644Attribute 1};

mccBehaviour BEHAVIOUR

DEFINED AS

"Mobile Country Code, MCC. It is a part of the PLMN Id (Ref. 3 GPP TS 23.003).";

5.3.2 mnc

mnc ATTRIBUTE

WITH ATTRIBUTE SYNTAX

TS32-644TypeModule.MobileNetworkCode;

MATCHES FOR

EQUALITY;

BEHAVIOUR

mncBehaviour;

REGISTERED AS {ts32-644Attribute 2};

mncBehaviour BEHAVIOUR

DEFINED AS

"Mobile Network Code, MNC. It is a part of the PLMN Id (Ref. 3 GPP TS 23.003).";

5.3.3 rncId

rncId ATTRIBUTE

WITH ATTRIBUTE SYNTAX

TS32-644TypeModule.GeneralObjectId;

MATCHES FOR

EQUALITY;

BEHAVIOUR

rncIdBehaviour;

REGISTERED AS {ts32-644Attribute 3};

rncIdBehaviour BEHAVIOUR

DEFINED AS
"Unique RNC ID (Ref. 3 GPP TS 23.003).";

5.3.4 cId

cId ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.GeneralObjectId;
MATCHES FOR
EQUALITY;
BEHAVIOUR
cIdBehaviour;
REGISTERED AS {ts32-644Attribute 4};

cIdBehaviour BEHAVIOUR
DEFINED AS
"cId is the identifier of a cell in one RNC (Ref. 3 GPP TS 25.401).";

5.3.5 localCellId

localCellId ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.GeneralObjectId;
MATCHES FOR
EQUALITY;
BEHAVIOUR
localCellIdBehaviour;
REGISTERED AS {ts32-644Attribute 5};

localCellIdBehaviour BEHAVIOUR
DEFINED AS
"Local Cell id is used to uniquely identify the set of resources defined in a Node B to support a cell (as defined by a Cid Ref. 3 GPP TS 25.401). It must be unique in Node B at a minimum, but may be unique in UTRAN. It can be used to tie the cell in the RNC to a specific set of resources in the Node B.";

5.3.6 uarfcnUl

uarfcnUl ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.UarfcnUl;
MATCHES FOR
EQUALITY;
BEHAVIOUR
uarfcnUlBehaviour;
REGISTERED AS {ts32-644Attribute 6};

uarfcnUlBehaviour BEHAVIOUR
DEFINED AS
"The UL UTRA absolute Radio Frequency Channel number, UARFCN (Ref. 3 GPP TS 25.433).";

5.3.7 uarfcnDl

uarfcnDl ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.UarfcnDl;
MATCHES FOR
EQUALITY;
BEHAVIOUR
uarfcnDlBehaviour;
REGISTERED AS {ts32-644Attribute 7};

uarfcnDlBehaviour BEHAVIOUR
DEFINED AS
"The DL UTRA absolute Radio Frequency Channel number, UARFCN (Ref. 3 GPP TS 25.433).";

5.3.8 primaryScramblingCode

primaryScramblingCode ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.PrimaryScramblingCode;

```

MATCHES FOR
    EQUALITY;
BEHAVIOUR
    primaryScramblingCodeBehaviour;
REGISTERED AS {ts32-644Attribute 8};

primaryScramblingCodeBehaviour BEHAVIOUR
DEFINED AS
    "The primary DL scrambling code used by the cell (Ref. 3 GPP TS 25.433).";

```

5.3.9 primaryCpichPower

```

primaryCpichPower ATTRIBUTE
WITH ATTRIBUTE SYNTAX
    TS32-644TypeModule.PrimaryCpichPower;
MATCHES FOR
    EQUALITY;
BEHAVIOUR
    primaryCpichPowerBehaviour;
REGISTERED AS {ts32-644Attribute 9};

primaryCpichPowerBehaviour BEHAVIOUR
DEFINED AS
    "The power of the primary CPICH channel in the cell (Ref. 3 GPP TS 25.433).";

```

5.3.10 maximumTransmissionPower

```

maximumTransmissionPower ATTRIBUTE
WITH ATTRIBUTE SYNTAX
    TS32-644TypeModule.MaximumTransmissionPower;
MATCHES FOR
    EQUALITY;
BEHAVIOUR
    maximumTransmissionPowerBehaviour;
REGISTERED AS {ts32-644Attribute 10};

maximumTransmissionPowerBehaviour BEHAVIOUR
DEFINED AS
    "The maximum transmission power of a cell, DL Power (Ref. 3 GPP TS 25.433).";

```

5.3.11 primarySchPower

```

primarySchPower ATTRIBUTE
WITH ATTRIBUTE SYNTAX
    TS32-644TypeModule.PrimarySchPower;
MATCHES FOR
    EQUALITY;
BEHAVIOUR
    primarySchPowerBehaviour;
REGISTERED AS {ts32-644Attribute 11};

primarySchPowerBehaviour BEHAVIOUR
DEFINED AS
    "The power of the primary synchronisation channel in the cell, DL Power (Ref. 3 GPP TS 25.433).";

```

5.3.12 secondarySchPower

```

secondarySchPower ATTRIBUTE
WITH ATTRIBUTE SYNTAX
    TS32-644TypeModule.SecondarySchPower;
MATCHES FOR
    EQUALITY;
BEHAVIOUR
    secondarySchPowerBehaviour;
REGISTERED AS {ts32-644Attribute 12};

secondarySchPowerBehaviour BEHAVIOUR
DEFINED AS
    "The power of the secondary synchronisation channel in the cell,
    DL Power (Ref. 3 GPP TS 25.433).";

```

5.3.13 bchPower

bchPower **ATTRIBUTE**
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.BchPower;
MATCHES FOR
EQUALITY;
BEHAVIOUR
bchPowerBehaviour;
REGISTERED AS {ts32-644Attribute 13};

bchPowerBehaviour **BEHAVIOUR**
DEFINED AS
"The power of the broadcast channel in the cell (Ref. 3 GPP TS 25.433).";

5.3.14 lac

lac **ATTRIBUTE**
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.LocationAreaCode;
MATCHES FOR
EQUALITY;
BEHAVIOUR
lacBehaviour;
REGISTERED AS {ts32-644Attribute 14};

lacBehaviour **BEHAVIOUR**
DEFINED AS
"Location Area Code, LAC (Ref. 3 GPP TS 23.003)";

5.3.15 rac

rac **ATTRIBUTE**
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.Rac;
MATCHES FOR
EQUALITY;
BEHAVIOUR
racBehaviour;
REGISTERED AS {ts32-644Attribute 15};

racBehaviour **BEHAVIOUR**
DEFINED AS
"Routing Area Code, RAC (Ref. 3 GPP TS 23.003)";

5.3.16 sac

sac **ATTRIBUTE**
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.Sac;
MATCHES FOR
EQUALITY;
BEHAVIOUR
sacBehaviour;
REGISTERED AS {ts32-644Attribute 16};

sacBehaviour **BEHAVIOUR**
DEFINED AS
"Service Area Code, RAC (Ref. 3 GPP TS 23.003)";

5.3.17 ura

Void.

5.3.18 utranRelationId

utranRelationId **ATTRIBUTE**
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.GeneralObjectId;
MATCHES FOR

```
    EQUALITY;
    BEHAVIOUR
        utranRelationIdBehaviour;
REGISTERED AS {ts32-644Attribute 18};

utranRelationIdBehaviour BEHAVIOUR
DEFINED AS
    "This attribute identifies an utranRelation object.";
```

5.3.19 relationType

Void.

5.3.20 adjacentCell

```
adjacentCell ATTRIBUTE
    WITH ATTRIBUTE SYNTAX
        TS32-644TypeModule.GeneralObjectPointer;
    MATCHES FOR
        EQUALITY;
    BEHAVIOUR
        adjacentCellBehaviour;
REGISTERED AS {ts32-644Attribute 20};

adjacentCellBehaviour BEHAVIOUR
DEFINED AS
    "Pointer to UTRAN cell or external UTRAN cell. Distinguished name of the corresponding object.";
```

5.3.21 externalUtranCellId

```
externalUtranCellId ATTRIBUTE
    WITH ATTRIBUTE SYNTAX
        TS32-644TypeModule.GeneralObjectId;
    MATCHES FOR
        EQUALITY;
    BEHAVIOUR
        adjacentCellBehaviour;
REGISTERED AS {ts32-644Attribute 21};

externalUtranCellIdBehaviour BEHAVIOUR
DEFINED AS
    "This attribute identifies an externalUtranCell object.";
```

5.3.22 rncFunctionId

```
rncFunctionId ATTRIBUTE
    WITH ATTRIBUTE SYNTAX
        TS32-644TypeModule.GeneralObjectId;
    MATCHES FOR
        EQUALITY;
    BEHAVIOUR
        rncFunctionIdBehaviour;
REGISTERED AS {ts32-644Attribute 22};

rncFunctionIdBehaviour BEHAVIOUR
DEFINED AS
    "This attribute names an instance of the 'rncFunction' object class.";
```

5.3.23 utranCellId

```
utranCellId ATTRIBUTE
    WITH ATTRIBUTE SYNTAX
        TS32-644TypeModule.GeneralObjectId;
    MATCHES FOR
        EQUALITY;
    BEHAVIOUR
        utranCellIdBehaviour;
REGISTERED AS {ts32-644Attribute 23};

utranCellIdBehaviour BEHAVIOUR
DEFINED AS
```

"This attribute names an instance of the 'utranCell' object class.";

5.3.24 utranCell2iubLink

utranCell2iubLink ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.GeneralObjectPointer;
MATCHES FOR
EQUALITY;
BEHAVIOUR
utranCell2iubLinkBehaviour;
REGISTERED AS {ts32-644Attribute 24};

utranCell2iubLinkBehaviour BEHAVIOUR
DEFINED AS
"This attribute points to the iubLink instance connecting to this utranCell.";

5.3.25 iubLinkId

iubLinkId ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.GeneralObjectId;
MATCHES FOR
EQUALITY;
BEHAVIOUR
iubLinkIdBehaviour;
REGISTERED AS {ts32-644Attribute 25};

iubLinkIdBehaviour BEHAVIOUR
DEFINED AS
"This attribute names an instance of the 'iubLink' object class.";

5.3.26 iubLink2nodeBFunction

iubLink2nodeBFunction ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.GeneralObjectPointer;
MATCHES FOR
EQUALITY;
BEHAVIOUR
iubLink2nodeBFunctionBehaviour;
REGISTERED AS {ts32-644Attribute 26};

iubLink2nodeBFunctionBehaviour BEHAVIOUR
DEFINED AS
"This attribute points to the nodeBFunction instance which this iubLink instance connects directly to.";

5.3.27 iubLink2utranCell

iubLink2utranCell ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.GeneralObjectPointerList;
MATCHES FOR
EQUALITY;
BEHAVIOUR
iubLink2utranCellBehaviour;
REGISTERED AS {ts32-644Attribute 27};

iubLink2utranCellBehaviour BEHAVIOUR
DEFINED AS
"This attribute points from an iubLink instance to a list of utranCell instance";

5.3.28 nodeBFunctionId

nodeBFunctionId ATTRIBUTE
WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.GeneralObjectId;
MATCHES FOR
EQUALITY;
BEHAVIOUR


```
nodeBFunctionIdBehaviour;  
REGISTERED AS {ts32-644Attribute 28};  
  
nodeBFunctionIdBehaviour BEHAVIOUR  
DEFINED AS  
"This attribute names an instance of the 'nodeBFunction' object class.";
```

5.3.29 nodeB2iubLink

```
nodeB2iubLink ATTRIBUTE  
WITH ATTRIBUTE SYNTAX  
TS32-644TypeModule.GeneralObjectPointer;  
MATCHES FOR  
EQUALITY;  
BEHAVIOUR  
nodeB2iubLinkBehaviour;  
REGISTERED AS {ts32-644Attribute 29};  
  
nodeB2iubLinkBehaviour BEHAVIOUR  
DEFINED AS  
"This attribute points to the IubLink instance which connects to the  
related nodeBFunction instance directly.";
```

5.3.30 uraList

```
uraList ATTRIBUTE  
WITH ATTRIBUTE SYNTAX  
TS32-644TypeModule.UraList;  
MATCHES FOR  
EQUALITY;  
BEHAVIOUR  
uraListBehaviour;  
REGISTERED AS {ts32-644Attribute 30};  
  
uraListBehaviour BEHAVIOUR  
DEFINED AS  
"List of UTRAN Registration Area, URA (Ref. 3 GPP TS 25.331)";
```

5.3.31 rncIdR55

```
rncIdR55 ATTRIBUTE  
WITH ATTRIBUTE SYNTAX  
TS32-644TypeModule.RncId;  
MATCHES FOR  
EQUALITY;  
BEHAVIOUR  
rncIdR55Behaviour;  
REGISTERED AS {ts32-644Attribute 31};  
  
rncIdR55Behaviour BEHAVIOUR  
DEFINED AS  
"Unique RNC ID (Ref. 3 GPP TS 23.003).";
```

5.3.32 cIdR55

```
cIdR55 ATTRIBUTE  
WITH ATTRIBUTE SYNTAX  
TS32-644TypeModule.CId;  
MATCHES FOR  
EQUALITY;  
BEHAVIOUR  
cIdR55Behaviour;  
REGISTERED AS {ts32-644Attribute 32};  
  
cIdR55Behaviour BEHAVIOUR  
DEFINED AS  
"cId is the identifier of a cell in one RNC (Ref. 3 GPP TS 25.401).";
```

5.3.33 localCellIdR55

```
localCellIdR55 ATTRIBUTE
```

WITH ATTRIBUTE SYNTAX
TS32-644TypeModule.LocalCellId;
MATCHES FOR
EQUALITY;
BEHAVIOUR
localCellIdR55Behaviour;
REGISTERED AS {ts32-644Attribute 33};

localCellIdR55Behaviour BEHAVIOUR
DEFINED AS
"Local Cell id is used to uniquely identify the set of resources defined in a Node B
to support a cell (as defined by a Cid Ref. 3 GPP TS 25.401). It must be unique in
Node B at a minimum, but may be unique in UTRAN. It can be used to tie the cell in the
RNC to a specific set of resources in the Node B.";

5.4 Name Binding

5.4.1 rncFunction - managedElement

```
rncFunction-managedElement NAME BINDING
  SUBORDINATE OBJECT CLASS
    rncFunction;
  NAMED BY SUPERIOR OBJECT CLASS
    "3GPP TS 32.624 Release 5": managedElement;
  WITH ATTRIBUTE
    rncFunctionId;
  BEHAVIOUR
    rncFunction-managedElementBehaviour;
  CREATE
    WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;
  DELETE
    ONLY-IF-NO-CONTAINED-OBJECTS;
REGISTERED AS {ts32-644NameBinding 1};
```

```
rncFunction-managedElementBehaviour BEHAVIOUR
DEFINED AS
  "The name binding represents a relationship in which a managedElement contains
  and controls a rncFunction. When automatic instance naming is used, the choice
  of name bindings is left as a local matter.";
```

5.4.2 nodeBFunction - managedElement

```
nodeBFunction-managedElement NAME BINDING
  SUBORDINATE OBJECT CLASS
    nodeBFunction;
  NAMED BY SUPERIOR OBJECT CLASS
    "3GPP TS 32.624 Release 5": managedElement;
  WITH ATTRIBUTE
    nodeBFunctionId;
  BEHAVIOUR
    nodeBFunction-managedElementBehaviour;
  CREATE
    WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;
  DELETE
    ONLY-IF-NO-CONTAINED-OBJECTS;
REGISTERED AS {ts32-644NameBinding 2};
```

```
nodeBFunction-managedElementBehaviour BEHAVIOUR
DEFINED AS
  "The name binding represents a relationship in which a managedElement contains
  and controls a nodeBFunction. When automatic instance naming is used, the choice
  of name bindings is left as a local matter.";
```

5.4.3 utranCell - rncFunction

Void.

5.4.4 utranRelation - utranCell

Void.

5.4.5 externalUtranCell - subNetwork

```
externalUtranCell-subNetwork NAME BINDING
  SUBORDINATE OBJECT CLASS
    externalUtranCell;
  NAMED BY SUPERIOR OBJECT CLASS
    "3GPP TS 32.624 Release 5": subNetwork;
  WITH ATTRIBUTE
    externalUtranCellId;
  BEHAVIOUR
    externalUtranCell-subNetworkBehaviour;
  CREATE
    WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;
  DELETE
    ONLY-IF-NO-CONTAINED-OBJECTS;
REGISTERED AS {ts32-644NameBinding 5};
```

```
externalUtranCell-subNetworkBehaviour BEHAVIOUR
DEFINED AS
  "The name binding represents a relationship in which a subNetwork contains
  and controls an externalUtranCell. When automatic instance naming is used, the choice
  of name bindings is left as a local matter.";
```

5.4.6 vsDataContainer - rncFunction

Void.

5.4.7 vsDataContainer - nodeBFunction

Void.

5.4.8 vsDataContainer - utranCell

Void.

5.4.9 vsDataContainer - utranRelation

Void.

5.4.10 iubLink - rncFunction

```
iubLink-rncFunction NAME BINDING
  SUBORDINATE OBJECT CLASS
    iubLink;
  NAMED BY SUPERIOR OBJECT CLASS
    rncFunction;
  WITH ATTRIBUTE
    iubLinkId;
  BEHAVIOUR
    iubLink-rncFunctionBehaviour;
  CREATE
    WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;
  DELETE
    ONLY-IF-NO-CONTAINED-OBJECTS;
REGISTERED AS {ts32-644NameBinding 10};
```

```
iubLink-rncFunctionBehaviour BEHAVIOUR
DEFINED AS
  "The name binding represents a relationship in which a rncFunction contains
  and controls a iubLink. When automatic instance naming is used, the choice
  of name bindings left as a local matter.";
```

5.4.11 gsmRelation - utranCell

Void.

5.4.12 utranCellR54 - rncFunction

```
utranCellR54-rncFunction NAME BINDING  
  SUBORDINATE OBJECT CLASS  
    utranCellR54;  
  NAMED BY SUPERIOR OBJECT CLASS  
    rncFunction;  
  WITH ATTRIBUTE  
    utranCellId;  
  BEHAVIOUR  
    utranCellR54-rncFunctionBehaviour;  
  CREATE  
    WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;  
  DELETE  
    ONLY-IF-NO-CONTAINED-OBJECTS;  
REGISTERED AS {ts32-644NameBinding 12};
```

```
utranCellR54-rncFunctionBehaviour BEHAVIOUR  
DEFINED AS  
  "The name binding represents a relationship in which a rncFunction contains  
  and controls an utranCell. When automatic instance naming is used, the choice  
  of name bindings is left as a local matter.";
```

5.4.13 utranRelation - utranCellR54

```
utranRelation-utranCellR54 NAME BINDING  
  SUBORDINATE OBJECT CLASS  
    utranRelation;  
  NAMED BY SUPERIOR OBJECT CLASS  
    utranCellR54;  
  WITH ATTRIBUTE  
    utranRelationId;  
  BEHAVIOUR  
    utranRelation-utranCellR54Behaviour;  
  CREATE  
    WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;  
  DELETE  
    ONLY-IF-NO-CONTAINED-OBJECTS;  
REGISTERED AS {ts32-644NameBinding 13};
```

```
utranRelation-utranCellR54Behaviour BEHAVIOUR  
DEFINED AS  
  "The name binding represents a relationship in which an utranCellR54 contains  
  and controls an utranRelation. When automatic instance naming is used, the choice  
  of name bindings is left as a local matter.";
```

5.4.14 gsmRelation - utranCellR54

```
gsmRelation-utranCellR54 NAME BINDING  
  SUBORDINATE OBJECT CLASS  
    "3GPP TS 32.654 Release 5": gsmRelation;  
  NAMED BY SUPERIOR OBJECT CLASS  
    utranCellR54;  
  WITH ATTRIBUTE  
    "3GPP TS 32.654 Release 5": gsmRelationId;  
  BEHAVIOUR  
    gsmRelation-utranCellR54Behaviour;  
  CREATE  
    WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;  
  DELETE  
    ONLY-IF-NO-CONTAINED-OBJECTS;  
REGISTERED AS {ts32-644NameBinding 14};
```

```
gsmRelation-utranCellR54Behaviour BEHAVIOUR  
DEFINED AS  
  "The name binding represents a relationship in which an utranCellR54 contains  
  and controls a gsmRelation. When automatic instance naming is used, the choice  
  of name bindings left as a local matter.";
```

[5.4.15 rncFunctionR55 - managedElement](#)

```
rncFunctionR55-managedElement NAME BINDING  
SUBORDINATE OBJECT CLASS
```

rncFunctionR55;
NAMED BY SUPERIOR OBJECT CLASS
"3GPP TS 32.624 Release 5": managedElement;
WITH ATTRIBUTE
rncFunctionId;
BEHAVIOUR
rncFunctionR55-managedElementBehaviour;
CREATE
WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;
DELETE
ONLY-IF-NO-CONTAINED-OBJECTS;
REGISTERED AS {ts32-644NameBinding 15};

rncFunctionR55-managedElementBehaviour BEHAVIOUR
DEFINED AS
"The name binding represents a relationship in which a managedElement contains
and controls a rncFunctionR55. When automatic instance naming is used, the choice
of name bindings is left as a local matter.";

5.4.16 iubLink - rncFunctionR55

iubLink-rncFunctionR55 NAME BINDING
SUBORDINATE OBJECT CLASS
iubLink;
NAMED BY SUPERIOR OBJECT CLASS
rncFunctionR55;
WITH ATTRIBUTE
iubLinkId;
BEHAVIOUR
iubLink-rncFunctionR55Behaviour;
CREATE
WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;
DELETE
ONLY-IF-NO-CONTAINED-OBJECTS;
REGISTERED AS {ts32-644NameBinding 16};

iubLink-rncFunctionR55Behaviour BEHAVIOUR
DEFINED AS
"The name binding represents a relationship in which a rncFunctionR55 contains
and controls a iubLink. When automatic instance naming is used, the choice
of name bindings left as a local matter.";

5.4.17 utranCellR55 - rncFunctionR55

utranCellR55-rncFunctionR55 NAME BINDING
SUBORDINATE OBJECT CLASS
utranCellR55;
NAMED BY SUPERIOR OBJECT CLASS
rncFunctionR55;
WITH ATTRIBUTE
utranCellId;
BEHAVIOUR
utranCellR55-rncFunctionR55Behaviour;
CREATE
WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;
DELETE
ONLY-IF-NO-CONTAINED-OBJECTS;
REGISTERED AS {ts32-644NameBinding 17};

utranCellR55-rncFunctionR55Behaviour BEHAVIOUR
DEFINED AS
"The name binding represents a relationship in which a rncFunctionR55 contains
and controls an utranCellR55. When automatic instance naming is used, the choice
of name bindings is left as a local matter.";

5.4.18 utranRelation - utranCellR55

utranRelation-utranCellR55 NAME BINDING
SUBORDINATE OBJECT CLASS
utranRelation;
NAMED BY SUPERIOR OBJECT CLASS
utranCellR55;
WITH ATTRIBUTE
utranRelationId;

BEHAVIOUR

utranRelation-utranCellR55Behaviour;

CREATE

WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;

DELETE

ONLY-IF-NO-CONTAINED-OBJECTS;

REGISTERED AS {ts32-644NameBinding 18};

utranRelation-utranCellR55Behaviour **BEHAVIOUR**

DEFINED AS

"The name binding represents a relationship in which an utranCellR55 contains
and controls an utranRelation. When automatic instance naming is used, the choice
of name bindings is left as a local matter.";

5.4.19 gsmRelation - utranCellR55

gsmRelation-utranCellR55 **NAME BINDING**

SUBORDINATE OBJECT CLASS

"3GPP TS 32.654 Release 5": gsmRelation;

NAMED BY SUPERIOR OBJECT CLASS

utranCellR54;

WITH ATTRIBUTE

"3GPP TS 32.654 Release 5": gsmRelationId;

BEHAVIOUR

gsmRelation-utranCellR55Behaviour;

CREATE

WITH-REFERENCE-OBJECT, WITH-AUTOMATIC-INSTANCE-NAMING;

DELETE

ONLY-IF-NO-CONTAINED-OBJECTS;

REGISTERED AS {ts32-644NameBinding 19};

gsmRelation-utranCellR55Behaviour **BEHAVIOUR**

DEFINED AS

"The name binding represents a relationship in which an utranCellR55 contains
and controls a gsmRelation. When automatic instance naming is used, the choice
of name bindings left as a local matter.";

6 ASN.1 Definitions

```
TS32-644TypeModule {ccitt(0) identified-organization(4) etsi(0) mobileDomain(0) umts-Operation-
Maintenance(3) ts32-644(644) informationModel(0) asn1Module(2) version1(1)}
```

```
DEFINITIONS IMPLICIT TAGS ::=
BEGIN
```

```
--EXPORTS everything
```

```
IMPORTS
```

```
GeneralObjectId, GeneralObjectPointer, GeneralObjectPointerList
FROM TS32-624TypeModule {ccitt(0) identified-organization(4) etsi(0) mobileDomain(0)
umts-Operation-Maintenance(3) ts32-624(624) informationModel(0) asn1Module(2) version1(1)}
```

```
MobileCountryCode, MobileNetworkCode, LocationAreaCode
FROM GSM1220TypeModule {ccitt(0) identified-organization(4) etsi(0) mobileDomain(0)
gsm-Operation-Maintenance(3) gsm-12-20(20) informationModel(0) asn1Module(2)
asn1TypeModule(0)};
```

```
-- 3GPP TS 32.644 related Object Identifiers
```

```
baseNodeUMTS          OBJECT IDENTIFIER ::= {itu-t(0) identified-organization(4) etsi(0)
mobileDomain(0) umts-Operation-Maintenance(3)}
```

```
ts32-644              OBJECT IDENTIFIER ::= {baseNodeUMTS ts32-644(644)}
ts32-644InfoModel     OBJECT IDENTIFIER ::= {ts32-644 informationModel(0)}
```

```
ts32-644ObjectClass  OBJECT IDENTIFIER ::= {ts32-644InfoModel managedObjectClass(3)}
ts32-644Package       OBJECT IDENTIFIER ::= {ts32-644InfoModel package(4)}
ts32-644Parameter    OBJECT IDENTIFIER ::= {ts32-644InfoModel parameter(5)}
ts32-644NameBinding  OBJECT IDENTIFIER ::= {ts32-644InfoModel nameBinding(6)}
ts32-644Attribute    OBJECT IDENTIFIER ::= {ts32-644InfoModel attribute(7)}
ts32-644Action        OBJECT IDENTIFIER ::= {ts32-644InfoModel action(9)}
ts32-644Notification OBJECT IDENTIFIER ::= {ts32-644InfoModel notification(10)}
```

```
-- Start of 3GPP SA5 own definitions
```

```
UarfenU1 ::= INTEGER
```

```
UarfenD1 ::= INTEGER
```

```
PrimaryScramblingCode ::= INTEGER
```

```
PrimaryCpichPower ::= INTEGER
```

```
MaximumTransmissionPower ::= INTEGER
```

```
PrimarySchPower ::= INTEGER
```

```
SecondarySchPower ::= INTEGER
```

```
BchPower ::= INTEGER
```

```
Lac ::= INTEGER
```

```
Rac ::= INTEGER
```

```
Sac ::= INTEGER
```

```
UraList ::= SET OF INTEGER
```

```
BchPower ::= INTEGER
```

```
CId ::= INTEGER
```

```
Lac ::= INTEGER
```

```
LocalCellId ::= INTEGER
```

```
MaximumTransmissionPower ::= INTEGER
```

PrimaryCpichPower ::= INTEGER
PrimarySchPower ::= INTEGER
PrimaryScramblingCode ::= INTEGER
Rac ::= INTEGER
RncId ::= INTEGER
Sac ::= INTEGER
SecondarySchPower ::= INTEGER
UarfcnDl ::= INTEGER
UarfcnUl ::= INTEGER
UraList ::= SET OF INTEGER
 END -- of TS32-644TypeModule

End of Change in Clause 5 & 6
--

Annex A (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
Jun 2001	S_12	SP-010283	--	--	Approved at TSG SA #12 and placed under Change Control	2.0.0	4.0.0
Sep 2001	S_13	SP-010478	001	--	Correction due to TS renumbering	4.0.0	4.1.0
Sep 2002	--	--	--	--	Cosmetics/Styles	4.1.0	4.1.1
Dec 2002	S_18	SP-020749	007	--	Alignment of the CMIP SS with the Rel-5 version of the IS in 32.642	4.1.1	5.0.0
Jun 2003	S_20	SP-030283	003	--	Removal of relationType	5.0.0	5.1.0
Sep 2003	S_21	SP-030420	004	--	Correction of wrong attribute name	5.1.0	5.2.0
Dec 2003	S_22	SP-030646	009	--	Correction of the number of possible URAs from 1 to 8	5.2.0	5.3.0
Dec 2003	S_22	SP-030642	010	--	Add notifications to functional objects - Align with 32.642 (IS)	5.2.0	5.3.0
Mar 2004	S_23	SP-040132	011	--	Correction of OIDs of the MOCs, packages and attributes affected by the change from ura to uraList	5.3.0	5.4.0