

---

**Source:** SA5 (Telecom Management)  
**Title:** Rel-6 TR 32.803-200 "Telecommunication management; Process Guide; Use Cases in Unified Modelling Language (UML)" - for Approval  
**Document for:** Approval  
**Agenda Item:** 7.5.3

---

**3GPP TSG-SA5 (Telecom Management)**  
**Meeting #39, Montreal, Canada, 16 ñ 20 August 2004**

**S5-040522**

## **Presentation of Technical Specification to TSG SA**

---

**Presentation to:** TSG SA Meeting #25  
**Document for presentation:** TR 32.803, Version 20.0  
**Presented for:** Approval

---

**Abstract of document:**

This TR is used to document method information for the development of use cases for TS 32.140 "Telecommunication management; Subscription Management (SuM) Requirements".

Work done is against the WID contained in SP-020448 (Feature SuM).

---

**Changes since last presentation to TSG-SA#23:** Completed.

---

**Outstanding Issues:** None.

---

**Contentious Issues:** None.

---

# 3GPP TR 32.803 V2.0.0 (2004-09)

---

*Technical Report*

**3rd Generation Partnership Project;  
Technical Specification Group Services and System Aspects;  
Telecommunication management;  
Process Guide;  
Use Cases in Unified Modelling Language (UML)  
(Release 6)**

---



The present document has been developed within the 3<sup>rd</sup> Generation Partnership Project (3GPP<sup>TM</sup>) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP<sup>TM</sup> system should be obtained via the 3GPP Organizational Partners' Publications Offices.

---

Keywords

---

**3GPP**

Postal address

---

3GPP support office address

---

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE  
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

---

<http://www.3gpp.org>

---

**Copyright Notification**

---

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© 2004, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).  
All rights reserved.

---

# Contents

|  |           |
|--|-----------|
| Foreword.....                                      | 4         |
| 1 Scope .....                                      | 5         |
| 2 References .....                                 | 5         |
| 3 Definitions, symbols and abbreviations .....     | 5         |
| 3.1 Definitions .....                              | 5         |
| 3.2 Symbols.....                                   | 6         |
| 3.3 Abbreviations .....                            | 6         |
| 4 Diagramming tools .....                          | 6         |
| 4.1 Representing a system boundary .....           | 7         |
| 4.2 Use Case documentation template.....           | 7         |
| 4.3 Starting point suggestions .....               | 8         |
| 4.4 Template for documenting use cases.....        | 9         |
| <b>Annex A (informative): Change history .....</b> | <b>10</b> |

---

# Foreword

This Technical Report has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# 1 Scope

The present document is a guide for developing subscription management requirements in the form of use cases.

The present document is used to allow use case process information to be removed from 3GPP TS 32.140 on "Telecommunication management; Subscription Management (SuM) Requirements". It is intended that this applies only to the Subscription Management (SuM) work item in Release 6.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1] "The unified Modelling language user guide" by Grady Booch, James Rumbaugh, and Ivar Jacobson published by Addison Wesley ISBN 0-201-57168-4.

[2] OMG Unified Modelling Language Specification version 1.5.

[3] The Unified Modeling Language Reference Manual.

---

# 3 Definitions, symbols and abbreviations

## 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply.

**actor:** an abstraction for entities outside a system, subsystem or class that interact directly with the system  
An actor participates in a use case or coherent set of use cases to accomplish an overall purpose.

**real time:** time, typically in number of seconds, to perform the on-line mechanism used for fraud control and cost control.

**relation:** shows the use cases an actor may interact with.

It is represented by a line drawn between a role played by an actor and a use cases the role needs to interact with.

**short time:** time, typically in number of minutes, to perform the off-line mechanism used for accounting

**system boundary:** is represented by a square box.

Every system has a boundary. The system contains the processes and data necessary for the system's enterprise. The system is influenced by the interactions roles have with the system.

**use case:** construct is used to define the behaviour of a system or other semantic entity without revealing the entity's internal structure.

Each use case specifies a sequence of actions, including variants, that an entity can perform. The use case will not necessarily document a complete analysis and embrace all permutations of behaviour, only those which are important for agreement or of special analytical focus.

**use case diagram:** diagram that shows the relation among users and actors within a system.

## 3.2 Symbols

For the purposes of the present document, the following symbols apply:

|             |   |
|-------------|---|
| <BOX>       | System Boundary   |
| <ELIPSE>    | Use case representing a particular use which may be made of the system by a role. This may be considered as something the system can offer by way of a service to a role. |
| <LINE>      | A line drawn between an actor, playing a role, and a use case shows the uses the actor may make of the system   |
| <Stick Man> | Represents an actor; the role is depicted in text underneath the stick man (actor)  |

## 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

|     |                            |
|-----|----------------------------|
| NRT | Non-Real Time              |
| RT  | Real Time                  |
| UML | Unified Modelling Language |

---

# 4 Diagramming tools

UML use case modelling supports a number of diagramming techniques and terms to represent the systems concepts of:

- system boundary;
- actors;
- roles;
- use cases.

A number of analysis and drawing tools provide diagramming aids to support UML in the development of use cases.

A rectangular box shows the system boundary. Interactions with the system environment are shown by drawing relations (represented by lines) from actors to use cases within the systems boundary.

The actor is a modelling concept, which models someone or something that is making a use of the system.

A "stick man" represents an actor.

When developing a system, a number of roles are identified covering the aspects of the system being developed (e.g. users, administrators, maintenance persons and systems, etc.).

The actor plays a particular role. A role can be that of a person, or a function which is external to the system.

A use case shows a particular usage of the system, and is represented by an elliptical shape.

The use cases represent the capabilities that are within the system. One view could be the services a system offers to someone or something external to the system.

The usage that each role needs to make of the system may be shown by drawing relations (lines) from the actor playing a particular role to the use case(s) the role needs to use.

This is illustrated in figure 1.

The use cases show at a high level the interactions between the roles and capabilities the system is designed to provide.

Rather than defining the method of doing this it is considered best to refer to texts that are readily available such as the reference book including the work of Ivar Jacobson [1], the OMG Unified Modeling Language Specification version 1.5 [2] and Unified Modeling Language Reference Manual [3].

## 4.1 Representing a system boundary

The requirements of a system from an external perspective can be shown by documenting the interaction across the system boundary.

The system can be shown having a system boundary which in UML is shown by a rectangular box.

This allows distinction between the things external to the system (and which interact with (make use) of the system).

Within the system boundary the significant capabilities of the system may be documented using use cases. Further details of the use cases are shown in figure 1.

The actor playing role 1 may use either use case 1 or use case 2.

The actor playing role 2 may only use case 2.




Figure 1: Depicting a system context

## 4.2 Use Case documentation template

Table 1 provides a template with some notes to aid the documentation of use cases in more detail.

The set of uses cases within the system boundary illustrates a set of capabilities agreed for study within a system. This set may be a subset, in that an exhaustive list covering all behaviours and variants is not considered as being necessary. The use case should not be concerned with architectural issues or divisions of functionality.

A set of use case tables, using the documentation table (see table 2), may be used to represent the significant capabilities within the system at a level of abstraction appropriate to the problem being analysed.



The level of detail, and extent of coverage provided in the use cases is dependant upon the authoring team's familiarity with the subject matter and is therefore subjective.

It is permitted to develop successively more detailed analysis of each step of a higher abstraction level use case by referring to the more detailed use case in the table cell reserved for this purpose.

It is emphasized this does not have to be done, and is subjective depending upon the need of the author/group.

## 4.3 Starting point suggestions

These are intended aids to overcome the getting started/blank sheet of paper syndrome.

- Consider what the main purpose of the system is.
- What types of people /system need to interact with the system.
- Can these people/systems be grouped or abstracted to roles.
- Consider the start up, normal running, failure analysis and recovery aspects of the system.
- Consider what types of reports or data may be needed from the system.
- Consider if times of day / network loads may require special activities.

To help organize the documentation of use cases table 1 is provided which includes guidance notes for completion.

Table 2 is provided (which has not supporting text included) and may be helpful to copy/paste into new specifications.

**A section title that represents the goal statement of the use case.**

**Table 1**

| Use Case Stage         | Evolution / Specification  | <<Uses>><br>Related use       |
|------------------------|--|-------------------------------|
| <b>Goal</b>            | This is the objective/end result the use case strives to is to achieve and should be a concise statement of what the use case should achieve in a 'sunny day' scenario.<br><br>There may be a statement about priority relative to other use cases and required performance of the use case e.g. <ul style="list-style-type: none"> <li>• Real Time.</li> <li>• Near real time.</li> <li>• Not real time.</li> </ul> |                               |
| <b>Actor and Roles</b> | The names of actors/roles involved in the use case including role characteristic for each actor.   |                               |
| <b>Assumptions</b>     | A description of the environment providing a context for the use case. Assumptions are mutually exclusive to pre conditions.   |                               |
| <b>Pre conditions</b>  | A list of all system and environment conditions that must be true before the use case can be triggered. Pre conditions are mutually exclusive to assumptions.  |                               |
| <b>Begins when</b>     | The name of the single event that triggers the start of the use case   |                               |
| <b>Step n</b>          | Steps may invoke other use cases   | Reference to a used use case. |
| <b>Step (n+1)</b>      | Steps added as necessary and in a logical sequence.  |                               |
| <b>Ends when</b>       | The event(s) that signals that the use case has terminated.  |                               |
| <b>Exceptions</b>      | A summary list of all exception conditions and faults detected by the use case during its operation  |                               |
| <b>Post Conditions</b> | A list of all system and environmental; conditions that must be true if the use case has terminated without internal error.  |                               |
| <b>Traceability</b>    | Requirements exposed by the use case   |                               |

## 4.4 Template for documenting use cases

To help document navigation it may be useful to provide a heading reflecting the use case goal that will appear in the document's table of contents.

**Table 2**

| <b>Use Case Stage</b>  | <b>Evolution / Specification</b> | <b>&lt;&lt;Uses&gt;&gt;<br/>Related use</b> |
|------------------------|----------------------------------|---|
| <b>Goal</b>            |                                  |   |
| <b>Actor and Roles</b> |                                  |   |
| <b>Assumptions</b>     |                                  |   |
| <b>Pre conditions</b>  |                                  |   |
| <b>Begins when</b>     |                                  |   |
| <b>Step n</b>          |                                  |   |
| <b>Step (n+1)</b>      |                                  |   |
| <b>Ends when</b>       |                                  |   |
| <b>Exceptions</b>      |                                  |   |
| <b>Post Conditions</b> |                                  |   |
| <b>Traceability</b>    |                                  |   |

---

## Annex A (informative): Change history

| SA5-internal Change history |       |           |    |     |  |       |     |
|-----------------------------|-------|-----------|----|-----|--|-------|-----|
| Date                        | SA5 # | SA5 Doc.  | CR | Rev | Subject/Comment                        | Old   | New |
| Mar 2004                    | S_23  | SP-040109 | -- | --  | Submitted to TSG SA#23 for Information | 1.0.0 |     |
| Sep 2004                    | S_25  | SP-040547 | -- | --  | Submitted to TSG SA#25 for Approval    | 2.0.0 |     |
|                             |       |           |    |     |  |       |     |
|                             |       |           |    |     |  |       |     |
|                             |       |           |    |     |  |       |     |