

**3GPP TSG-SA Meeting #26.
Athens, Greece, 13th ñ 16th December 2004.**

Tdoc SP-040913

Source: Ericsson
**Title: WID for Combining CS and IMS services & Capability Detection
and Exchange mechanism**
Agenda item: 7.2.3
Document for: APPROVAL

Work Item Description

Title

Specification of Combining CS and IMS services & Capability Detection and Exchange mechanism.

1 3GPP Work Area

	Radio Access
X	Core Network
X	Services

2 Linked work items

Feasibility Study on IMS services using CS bearers (SP-040479)

3 Justification

The current TR 23.899 has been progressed substantially so that the specification of combining CS and IMS services can be initiated. The TR 23.899 concludes a recommended architecture solution to be specified to address the combinational requirements including the identified need for radio/terminal capability exchange.

The specification of CSI Phase 1 is needed to address the urgent market needs to make IMS services available to the end-users. This specification will enable fast deployment scenarios for IMS services that are build on existing service such as CS calls and IMS sessions.

4 Objective

The objective is to elaborate on the stage 1 and stage 2 (i.e. new TR 23.9de) and appropriate CRs to current specifications addressing the details of those CSI phase 1 capabilities as identified in TR 23.899 that are already supported by the current set of specifications or require limited standardization needs. These CSI phase 1 capabilities are:

- Radio capability exchange;
- SIP based terminal capability exchange;
- E.164 number exchange in SIP (if it can be accomplished in time)
- Adding IMS session to an ongoing CS call;
- Adding CS speech call to an ongoing IMS session.

The capabilities shall support interoperability between different operator networks and roaming.

It is assumed that a Building Block Work Item will exist for the stage-3 specification work.

5 Service Aspects

Impacts of Supplementary Services during a multimedia session should be investigated.

6 MMI-Aspects

None presently identified

7 Charging Aspects

Inter-operator accounting and roaming charging aspects will be considered for combined CS calls and IMS sessions.

8 Security Aspects

The restriction and disclosure of terminal capabilities should be investigated.

9 Impacts

Affects:	UICC apps	ME	AN	CN	Others
Yes		X		X	
No			X		
Don't know	X				X

10 Expected Output and Time scale (to be updated at each plenary)

New specifications						
Spec No.	Title	Prime resp. WG	2 nd ary resp. WG(s)	Presented for information at plenary#	Approved at plenary#	Comments
TS 23.xxx		SA2		SA#27	SA#28	Detailed description of combining CS and IMS services and Radio/Terminal capability detection and exchange mechanisms. Note: SA2 to consider if this deliverable should be a TS or TR.
Affected existing specifications						
Spec No.	CR	Subject		Approved at plenary#	Comments	
22.228				TS SA#28	Exchange of service capabilities between the UEs	
22.115				TS SA#28	Inter-operator accounting and roaming charging aspects will be considered for combined CS calls and IMS sessions	
23.228				TS SA#28	Terminal Capability Detection and Exchange	
23.221				TS SA#28	Radio Capability Exchange	
		Others t.b.d.				

11 Work item rapporteur(s)

Robert Frank, TeliaSonera

12 Work item leadership

SA1

13 Supporting Companies

Ericsson, Huawei, Nortel Networks, Orange, TeliaSonera, TIM, Vodafone, Siemens, Nokia, NEC

14 Classification of the WI (if known)

X	Feature (go to 14a)
	Building Block (go to 14b)
	Work Task (go to 14c)

14a The WI is a Feature: List of building blocks under this feature

Stage 3 Specification of Combining CS and IMS services & Capability Detection and Exchange mechanism.

14b The WI is a Building Block: parent Feature

14c The WI is a Work Task: parent Building Block

form change history:
v1.11.0: includes those changes from v1.8.0 agreed at SP-25.
v1.10.0: full circle
v1.9.0: a clean sheet
v1.8.0: includes comments from SA#24
v1.7.0: includes comments from RAN, CN and T #24; also includes i early implementationf data
v1.6.0: includes comments made during review period prior to TSGs#24
v1.5.0: includes comments made at TSGs#23 (Phoenix)
v1.4.0: offered to SA#23 for approval
v1.3.0: offered to CN#23, RAN#23 and T#23 for comments
DRAFT4 v1.3.0: 2004-03-09: Incorporation of comments from Leaders list
DRAFT3 v1.3.0: 2004-02-19: Incorporation of comments from MCC members
DRAFT2 v1.3.0: 2004-01-29: Complete redraft:
v1.2.0: 2002-07-04: "USIM" box changed to "UICC apps"
2003-05-28: spelling of i rapporteurí corrected
2002-07-04: "USIM" box changed to "UICC apps"

|

3GPP TSG-SA Meeting #26.

Tdoc SP-

040913884

Athens, Greece, 13th ñ 16th December 2004.

Source: Ericsson

Title: WID for Combining CS and IMS services & Capability Detection
and Exchange mechanism

Agenda item: 7.2.3

Document for: APPROVAL

Work Item Description

Title

Specification of Combining CS and IMS services & Capability Detection and Exchange mechanism.

1 3GPP Work Area

	Radio Access
X	Core Network
X	Services

2 Linked work items

Feasibility Study on IMS services using CS bearers (SP-040479)

3 Justification

The current TR 23.899 has been progressed substantially so that the specification of combining CS and IMS services can be initiated. The TR 23.899 concludes a recommended architecture solution to be specified to address the combinational requirements including the identified need for radio/terminal capability exchange.

The specification of CSI Phase 1 is needed to address the urgent market needs to make IMS services available to the end-users. This specification will enable fast deployment scenarios for IMS services that are build on existing service such as CS calls and IMS sessions.

4 Objective

The objective is to elaborate on the stage 1 and stage 2 (i.e. new TR 23.9de) and appropriate CRs to current specifications addressing the details of those CSI phase 1 capabilities as identified in TR 23.899 that are already supported by the current set of specifications or require limited standardization needs. These CSI phase 1 capabilities are:

- Radio capability exchange;
- SIP based terminal capability exchange;
- E.164 number exchange in SIP (if it can be accomplished in time)
- Adding IMS session to an ongoing CS call;
- Adding CS speech call to an ongoing IMS session.

The capabilities shall support interoperability between different operator networks and roaming.

It is assumed that a Building Block Work Item will exist for the stage-3 specification work.

5 Service Aspects

Impacts of Supplementary Services during a multimedia session should be investigated.

6 MMI-Aspects

None presently identified

7 Charging Aspects

Inter-operator accounting and roaming charging aspects will be considered for combined CS calls and IMS sessions.

8 Security Aspects

The restriction and disclosure of terminal capabilities should be investigated.

9 Impacts

Affects:	UICC apps	ME	AN	CN	Others
Yes		X		X	
No			X		
Don't know	X				X

10 Expected Output and Time scale (to be updated at each plenary)

New specifications						
Spec No.	Title	Prime resp. WG	2 nd ary resp. WG(s)	Presented for information at plenary#	Approved at plenary#	Comments
TSR 23.xxx9de		SA2		SA#27	SA#28	Detailed description of combining CS and IMS services and Radio/Terminal capability detection and exchange mechanisms. <u>Note: SA2 to consider if this deliverable should be a TS or TR.</u>
Affected existing specifications						
Spec No.	CR	Subject		Approved at plenary#	Comments	
22.228				TS SA#28	Exchange of service capabilities between the UEs	
22.115				TS SA#28	Inter-operator accounting and roaming charging aspects will be considered for combined CS calls and IMS sessions	
23.228				TS SA#28	Terminal Capability Detection and Exchange	
23.221				TS SA#28	Radio Capability Exchange	
		Others t.b.d.				

11 Work item rapporteur(s)

| [Robert Frank, TeliaSonera](#)TBD

12 Work item leadership

| TBD (SA1 or SA2)

13 Supporting Companies

Ericsson, Huawei, Nortel Networks, Orange, TeliaSonera, TIM, Vodafone, Siemens,
Nokia, [NEC](#)

14 Classification of the WI (if known)

X	Feature (go to 14a)
	Building Block (go to 14b)
	Work Task (go to 14c)

14a The WI is a Feature: List of building blocks under this feature

Stage 3 Specification of Combining CS and IMS services & Capability Detection and Exchange mechanism.

14b The WI is a Building Block: parent Feature

14c The WI is a Work Task: parent Building Block

form change history:
v1.11.0: includes those changes from v1.8.0 agreed at SP-25.
v1.10.0: full circle
v1.9.0: a clean sheet
v1.8.0: includes comments from SA#24
v1.7.0: includes comments from RAN, CN and T #24; also includes i early implementationf data
v1.6.0: includes comments made during review period prior to TSGs#24
v1.5.0: includes comments made at TSGs#23 (Phoenix)
v1.4.0: offered to SA#23 for approval
v1.3.0: offered to CN#23, RAN#23 and T#23 for comments
DRAFT4 v1.3.0: 2004-03-09: Incorporation of comments from Leaders list
DRAFT3 v1.3.0: 2004-02-19: Incorporation of comments from MCC members
DRAFT2 v1.3.0: 2004-01-29: Complete redraft:
v1.2.0: 2002-07-04: "USIM" box changed to "UICC apps"
2003-05-28: spelling of i rapporteurí corrected
2002-07-04: "USIM" box changed to "UICC apps"