

**19-21 January, 2000****Antwerpen, Belgium**

---

**Source: Secretary****Title: List of 3GPP Specifications and titles****Document for: Information****Agenda Item:**

---

spec	title
21.111	USIM and IC card requirements
21.133	Security Threats and Requirements
21.900	3GPP Working methods
21.904	Terminal Capability Requirements
21.906	O&M requirements
21.910	Multi-mode issues?
22.002	Bearer Services Supported by a GSM PLMN
22.004	General on Supplementary Services
22.011	Service accessibility
22.016	International Mobile Equipment Identities (IMEI)
22.022	Personalisation of GSM ME Mobile functionality specification - Stage 1
22.024	Description of Charge Advice Information (CAI)
22.030	Man-Machine Interface (MMI) of the Mobile Station (MS)
22.034	High Speed Circuit Switched Data (HSCSD) - Stage 1
22.038	SIM application toolkit (SAT); Stage 1
22.041	Operator Determined Call Barring
22.042	Network Identity and Time Zone (NITZ), stage 1
22.043	Support of Localised Service Area (SoLSA) - Stage 1
22.053	Tandem Free Operation of speech codecs; Stage 1 service description
22.057	Mobile Station Application Execution Environment (MExE); Stage 1
22.060	General Packet Radio Service (GPRS); Stage 1
22.066	Support of Mobile Number Portability (MNP); Stage 1
22.067	Priority Set-up Service(PSUS); Stage 1(ASCI spec)
22.068	Voice Group Call Service (VGCS); Stage 1(ASCI spec)
22.069	Voice Broadcast Service (VBS); Stage 1(ASCI spec)
22.071	Location Services (LCS); Stage 1 (T1P1)
22.072	Call Deflection (CD); Stage 1
22.078	CAMEL phase 3; Stage 1
22.079	Support of Optimal Routing; Stage 1
22.081	Line Identification Supplementary Services; Stage 1
22.082	Call Forwarding (CF) Supplementary Services; Stage 1
22.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 1
22.084	MultiParty (MPTY) Supplementary Service; Stage 1
22.085	Closed User Group (CUG) Supplementary Services; Stage 1
22.086	Advice of Charge (AoC) Supplementary Services; Stage 1
22.087	User-to-user signalling (UUS); Stage 1
22.088	Call Barring (CB) Supplementary Services; Stage 1
22.090	Unstructured Supplementary Service Data (USSD); Stage 1
22.091	Explicit Call Transfer (ECT) Supplementary Service; Stage 1
22.093	Call Completion to Busy Subscriber (CCBS); Stage 1
22.094	Follow Me Stage 1
22.096	Calling Name Presentation (CNAP); Stage 1 (T1P1)
22.097	Multiple Subscriber Profile (MSP); Stage 1
22.100	UMTS Phase 1
22.101	UMTS Service principles
22.105	Services & Service capabilities

22.115	Service Aspects Charging and billing
22.121	Provision of Services in UMTS - The Virtual Home Environment
22.129	Handover Requirements between UMTS and GSM or other Radio Systems
22.135	Multicall Stage1
22.140	Multimedia Messaging Service Stage 1
22.907	Terminal concepts
22.924	Charging and accounting mechanisms
22.925	Quality of service and network performance
22.945	Study of provision of fax service in GSM and UMTS
22.960	Mobile multimedia services
22.970	Virtual Home Environment Report
22.971	Automatic establishment of roaming relationships
22.972	Multimedia
22.975	Advanced addressing
23.003	Numbering, Addressing and Identification
23.007	Restoration procedures
23.008	Organisation of subscriber data
23.009	Handover procedures
23.010	Public Land Mobile Network (PLMN) Connection Types
23.011	Technical Realization of Supplementary Services - General Aspects
23.012	Location registration procedures
23.014	Support of Dual Tone Multi Frequency (DTMF) signalling
23.015	Technical realisation of Operator Determined Barring (ODB)
23.016	Subscriber data management - Stage 2
23.018	Basic Call Handling - Technical realisation
23.022	Functions related to Mobile Station (MS) in idle mode
23.032	Universal Geographical Area Description (GAD)
23.034	High Speed Circuit Switched Data (HSCSD) - Stage 2
23.038	Alphabets & Language
23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)
23.040	Technical realisation of SMS Point to Point
23.042	Compression algorithm for SMS
23.043	Support of Videotext
23.044	Support of Teletext in a Public Land Mobile Network (PLMN)
23.045	Technical realisation of facsimile Group 3 service- transparent
23.046	Technical realisation of facsimile Group 3 service- non-transparent
23.054	Shared Interworking Functions - Stage 2
23.057	Mobile Station Application Execution Environment (MExE); Functional description; Stage 2
23.060	General Packet Radio Service (GPRS) Service description; Stage 2
23.066	Support of GSM Mobile Number Portability (MNP) stage 2
23.067	Enhanced Multi-Level Precedence and Preemption Service (EMLPP) - Stage 2
23.068	Voice Group Call Service (VGCS) - Stage 2
23.069	Voice Broadcast service (VBS) - Stage 2
23.070	Routing of calls to/from Public Data Networks
23.071	Location Services (LCS) Stage 2
23.072	Call Deflection Supplementary Service - Stage 2
23.073	Support of Localised Service Area (SoLSA) - Stage 2
23.078	CAMEL Stage 2
23.079	Support of optical routing - Phase 1 - Stage 2
23.081	Line Identification Supplementary Services - Stage 2
23.082	Call Forwarding (CF) Supplementary Services - Stage 2
23.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service - Stage 2
23.084	MultiParty (MPTY) Supplementary Service - Stage 2
23.085	Closed User Group (CUG) Supplementary Service - Stage 2
23.086	Advice of Charge (AoC) Supplementary Service - Stage 2
23.087	User-to-User Signalling (UUS) - Stage 2
23.088	Call Barring (CB) Supplementary Service - Stage 2
23.090	Unstructured Supplementary Service Data (USSD) - Stage 2
23.091	Explicit Call Transfer (ECT) Supplementary Service - Stage 2
23.093	Call Completion to Busy Subscriber (CCBS) - Stage 2
23.094	Follow Me Stage 2
23.096	Name Identification Supplementary Service - Stage 2
23.097	Multiple Subscriber Profile (MSP); Stage 2

23.101	General UMTS Architecture
23.108	Mobile Radio Interface Layer 3 specification Core Network Protocols stage 2 (structured procedures)
23.110	UMTS Access Stratum; Services and Functions
23.121	Architecture Requirements for release 99
23.140	Multimedia Messaging Service Stage 2
23.907	Quality of Service
23.908	Technical report on Pre-Paging
23.909	Technical report on the Gateway Location Register
23.920	Evolution of the GSM platform towards UMTS
23.923	Combined GSM and Mobile IP mobility handling in UMTS IP CN
23.925	UMTS Core network based ATM transport
23.927	VHE, Open Service Architecture
23.930	Iu Principles
23.960	Framework of Network functions to support multimedia services in UMTS
24.007	Mobile Radio Interface Signalling Layer 3 - General Aspects
24.008	Mobile Radio Interface Layer 3 specification; Core Network Protocols-Stage 3
24.010	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects
24.022	Radio Link Protocol (RLP) for Data and Telematic Services on the (MS-BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-MSC) Interface
24.065	Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork Dependent Convergence Protocol (SNDP)
24.067	Enhanced Multi-Level Precedence and Pre-emption service (eMLPP) - Stage 3
24.068	Group Call Control (GCC) Protocol
24.069	Broadcast Call Control (BCC) Protocol - Stage 3
24.071	Location Services (LCS) Stage 3
24.072	Call Deflection Supplementary Service - Stage 3
24.080	Mobile radio Layer 3 Supplementary Service specification - Formats and coding
24.081	Line Identification Supplementary Service - Stage 3
24.082	Call Forwarding Supplementary Service - Stage 3
24.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service - Stage 3
24.084	MultiParty (MPTY) Supplementary Service - Stage 3
24.085	Closed User Group (CUG) Supplementary Service - Stage 3
24.086	Advice of Charge (AoC) Supplementary Service - Stage 3
24.087	User-to-User Signalling (UUS) - Stage 3
24.088	Call Barring (CB) Supplementary Service - Stage 3
24.090	Unstructured Supplementary Service Data (USSD) - Stage 3
24.091	Explicit Call Transfer (ECT) Supplementary Service - Stage 3
24.093	Call Completion to Busy Subscriber (CCBS) - Stage 3
24.096	Name Identification Supplementary Service - Stage 3
25.101	UE Radio transmission and reception (FDD)
25.102	UE Radio transmission and reception (TDD)
25.103	RF parameters in support of RRM
25.104	BTS Radio transmission and reception (FDD)
25.105	BTS Radio transmission and reception (TDD)
25.113	BTS EMC
25.141	Base station conformance testing (FDD)
25.142	Base station conformance testing (TDD)
25.201	Physical layer -General Description
25.211	Physical channels and mapping of transport channels onto physical channels (FDD)
25.212	Multiplexing and channel coding (FDD)
25.213	Spreading and modulation (FDD)
25.214	FDD; physical layer procedures
25.221	Physical channels and mapping of transport channels onto physical channels (TDD)
25.222	Multiplexing and channel coding (TDD)
25.223	Spreading and modulation (TDD)
25.224	TDD; physical layer procedures
25.231	Physical layer; measurements
25.301	Radio Interface Protocol Architecture
25.302	Services provided by the physical layer
25.303	UE functions and inter-layer procedures in connected mode
25.304	UE procedures in Idle Mode
25.321	Medium Access Control (MAC) Protocol Specification
25.322	Radio Link Control (RLC) Protocol Specification
25.331	Radio Resource Control (RRC) Protocol Specification

25.401	UTRAN Overall Description
25.410	UTRAN Iu Interface: General Aspects and Principles
25.411	UTRAN Iu interface Layer 1
25.412	UTRAN Iu interface signalling transport
25.413	UTRAN Iu interface RANAP signalling
25.414	UTRAN Iu interface data transport & transport signalling
25.415	UTRAN Iu interface user plane protocols
25.420	UTRAN Iur Interface: General Aspects and Principles
25.421	UTRAN Iur interface Layer 1
25.422	UTRAN Iur interface signalling transport
25.423	UTRAN Iur interface RNSAP signalling
25.424	UTRAN Iur interface data transport & transport signalling for CCH data streams
25.425	UTRAN Iur interface user plane protocols for CCH data streams
25.426	UTRAN Iur and Iub interface data transport & transport signalling for DCH data streams
25.427	UTRAN Iur and Iub interface user plane protocols for DCH data streams
25.430	UTRAN Iub Interface: General Aspects and Principles
25.431	UTRAN Iub interface Layer 1
25.432	UTRAN Iub interface signalling transport
25.433	UTRAN Iub interface NBAP signalling
25.434	UTRAN Iub interface data transport & transport signalling for CCH data streams
25.435	UTRAN Iub interface user plane protocols for CCH data streams
25.442	UTRAN Implementation Specific O&M Transport
25.831	Study Items for future release
25.832	Manifestations of Handover and SRNS relocation
25.921	Guidelines and principles for protocol description and error handling
25.922	Radio Resource Management Strategies
25.923	Location Services (LCS) features
25.924	ODMA
25.925	Broadcast/Multicast services
25.931	UTRAN Functions, examples on signalling procedures
25.941	RF Introduction
25.942	RF system scenarios
25.990	Vocabulary for UTRAN
26.071	AMR speech Codec; General description
26.073	AMR speech Codec; C-source code
26.074	AMR speech Codec; Test sequences
26.090	AMR speech Codec; Transcoding Functions
26.091	AMR speech Codec; Error concealment of lost frames
26.092	AMR speech Codec; comfort noise
26.093	AMR speech Codec; Source Controlled Rate operation
26.094	AMR Speech Codec Voice Activity Detector
26.101	AMR speech Codec; Frame Structure
26.102	AMR speech Codec; Interface to Iu and Uu
26.110	Codec for Circuit switched Multimedia Telephony Service; General Description
26.111	Codec for Circuit switched Multimedia Telephony Service; Modifications to H.324
26.112	Codec for Circuit switched Multimedia Telephony Service; Call Set-Up Requirements
26.121	Technical Specification for Tandem Free Operation within 3G networks
26.122	Technical Specification for Tandem Free Operation between 3G and 2G networks
26.901	AMR speech Codec; performance characteristics
26.911	Codec for Circuit switched Multimedia Telephony Service; Terminal Implementor's Guide
26.912	Codec for Circuit switched Multimedia Telephony Service; Quantitative performance evaluation of H.324 Annex C over 3G
26.913	Quantitative performance evaluation of real-time packet switched multimedia services over 3G
26.915	Transmission planning aspects of the services in 3G PLMN System
26.920	Architectural Model for the 3G Transcoders
26.xx1	Narrow Band (3.1kHz) Speech & Video Telephony Terminal Acoustic Characteristics
26.xx2	Narrow Band (3.1kHz) Speech & Video Telephony Terminal Acoustic Test Specification.
26.xx3	Wide Band Speech Telephony Terminal Acoustic Characteristics
26.xx4	Wide Band Speech Telephony Terminal Acoustic Test Specification
26.xx5	Terminal Display and Camera Characteristics For H.324 Narrow-band Video Telephony Service
26.xx6	Terminal Display and Camera Test Specifications For H.324 Narrow-band Video Telephony Service
26.xx7	Terminal Display and Camera Characteristics For H.323 Narrow-band Video Telephony Service
26.xx8	Terminal Display and Camera Test Specifications For H.324 Narrow-band Video Telephony Service
27.001	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)
27.002	Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities

27.003	Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities
27.005	Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE - DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS)
27.007	AT command set for 3G User Equipment (UE)
27.010	Terminal Equipment to User Equipment (TE-UE) multiplexer protocol User Equipment (UE)
27.060	GPRS Mobile Stations supporting GPRS
28.020	Rate Adaptation on the BSS-MSC Interface
29.002	Mobile Application Part (MAP)
29.004	Interworking between the PLMN and the CSPDN
29.005	Interworking between the PLMN and the PSPDN
29.006	Interworking between a PLMN and the ISDN or PSTN for support of Packet Switched data transmission services
29.007	General requirements on Interworking between the PLMN and the ISDN or PSTN
29.011	Signalling Interworking for Supplementary Services
29.013	Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols
29.016	Serving GPRS Support Mode SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification
29.018	Serving GPRS Support Mode SGSN - Visitors Location Register (VLR); Gs Interface Layer 3 Specification
29.060	GPRS Tunnelling protocol (GPT) across the Gn and Gp interface
29.061	General Packet Radio Service (GPRS); Interworking between the Public Land Mobile Network (PLMN) supporting GPRS and Packet
29.078	CAMEL phase 3; Stage 3
30.504	Work Plan and Study Items - RAN WG4
30.531	Work Plan and Study Items - RAN WG3
31.101	UICC physical and logical characteristics
31.102	USIM characteristics
32.005	Event & call data
32.015	GPRS charging
32.101	3G Telecom Management principles and high level requirements
32.102	3G Telecom Management architecture
33.102	Security Architecture
33.103	Security Integration Guidelines
33.105	Cryptographic Algorithm requirements
33.106	Lawful interception requirements
33.120	Security Objectives and Principles
33.901	Criteria for cyptographic Algorithm design process
34.109	Logical Test Interface (TDD and FDD)
34.110	Conformance Test specifications – Relevant for Regulatory use
34.121	Terminal Conformance Specification, Radio Transmission and Reception (FDD)
34.122	Terminal Conformance Specification, Radio Transmission and Reception (TDD)
34.123-1	Mobile Station (MS) Conformance Specification, Part 1 – Conformance specification
34.123-2	Mobile Station (MS) Conformance Specification, Part 2 – ICS
34.123-3	Mobile Station (MS) Conformance Specification, Part 3 – Abstract Test suites
34.124	Electro-Magnetic Compatibility (EMC) for Terminal equipment - stage 1
34.907	Report on electrical safety requirements and regulations
34.925	Specific Absorbtion Rate (SAR) requirements and regulations in different regions