SP-99328

Revised TSG-S2 Status Report at TSG-S Meeting 22.06.1999

3GPP TSG S2 Report



SP-99328 TSG-S2 Status Report at TSG-S Meeting 21.06.1999

- **▼** Events since last TSG-SA plenary
 - ☐ TSG-S2 has had one meeting
 - **□**Sophia Antipolis May 25-28 (hosted by ETSI)
 - ☐ Approximately 60-70 participants at the meeting
 - **□** 136 documents handled
 - ☐ Tdoc SP-99307 contains a list of received (20) and outgoing (14) <u>Liaison Statements</u>





SP-99328 TSG-S2 Status Report at TSG-S Meeting 21.06.1999

▼ Main Technical Decisions

- ☐ Decision to select one single multimedia protocol for UMTS CS (on top of GSM CC) and one single multimedia protocol for UMTS PS (on top of GSM SM)
- ☐ No re-use of the GPRS LLC layer for UMTS PS (joint meeting proposed on this with N1, R2 and R3 on Aug 23rd)
- Review of the GSM Stage 2 descriptions (which documents should be modified for 3rd generation and by which WGs/TSGs), Tdoc SP-99306
 - ☐ This task was allocated to TSG S2 at the previous TSG-S Plenary
 - ☐ Reflects the current status of the review, results will be reviewed by S2 in July (comments from other TSGs/WGs are welcome)



NOKIA

NOKIA

rganizational Decisions
Tereation of Technical Project Co-ordination ad-hoc groups:
Security - Richard Crouch, Vodafone
➡Packet architecture - Ulrich Droppman, Siemens
Services and Service platforms - Rob Schmelser, Ericsson
⇒QoS - Oscar Lopez-Torres, T-Mobil
➡Location based services - Jan Kåll, Nokia
⇒UMTS/GSM interoperation - François Courau?, Alcatel

SP-99328 TSG-S2 Status Report at TSG-S Meeting 21.06.1999

☐ Creation of Technical Project Co-ordination ad-hoc groups (cont):
→ Transport concept - open
∽ Mobility- open
□Bearer Services - open
Circuit architecture - open
☐ Main task is to create a 3GPP project plan for each feature (agreed with all relevant TSGs/WGs), follow the progress of the work and modify the plan if needed
participation from each relevant TSGs/WGs required
one nominated person from each relevant WG or the WG chairman

1	Λ	-	1	Λ	\cap	\cap
21.	U.	O.	. 1	9	9	9

-	ิด										
\		~	ヘレ	In		П	m	ei	\mathbf{n}	Q	
	v	4	2.0	AU	V.		••			LO.	

- □ 23.20 (Evolution of the GSM platform towards UMTS) v.1.8.0 is split and becomes 23.121 v.2.0.0 (ex-chapter 7) (Tdoc SP-99290) and 23.920 (rest of 23.20) v.2.0.0 (Tdoc SP-99291)
- □ 23.01 (Architecture Overview) becomes 23.101 v.3.0.1, (Tdoc SP-99299)
- □ 23.10 (Access Stratum: Services and Functions) becomes 23.110 v.3.1.0, (Tdoc SP-99300)
- □ 23.30 (Iu requirements) becomes 23.930 v.2.0.0, (Tdoc SP-99262)
- **23.923** MIP report v.0.6.0, (Tdoc SP-99302)
- **23.07** (QoS report) is numbered as 23.907 v.1.1.0, (Tdoc SP-99301)
- □ 23.27 (Open Service Architecture) is numbered as 23.927 v.0.1.0, (Tdoc SP-99304)
- **23.25** (ATM Report) is numbered as 23.925, v.0.2.0, (Tdoc SP-99303)



SP-99328 TSG-S2 Status Report at TSG-S Meeting 21.06.1999

Documents for approval	by TSG SA#4	(2.0.0 > 3.0.0)
V Documents for approval	Uy 100 DAIIT	(2.0.0 / 3.0.0)

- □ 23.121 v.2.0.0 (Tdoc SP-99290)
- □ 23.920 v.2.0.0 (Tdoc SP-99291)
- □ 23.930 v.2.0.0 (Tdoc SP-99262)

