

**Technical Specification Terminals
Meeting #5, Kyongju, Korea, 06-08 October 1999**

TSGT#5(99)188

Source: Ian Doig, MCC

Title: 3GPP Specification TS 21.101 version 0.3.0

Document for: Information

Agenda Item:

Following the approval of TD SP-99267 on 2G and 3G specification handling by TSG#4 and further endorsement by SMG#29, PCG#2, both 3GPP and ETSI SMG have requested that the Specification sets for 3G R99 and GSM R99 be clearly identified. To this end the support team have produced a draft specification 3G TS 21.101 identifying the basic content and the specifications of 3G R99

Note that an equivalent specification for GSM R99, GSM 01.01 is available for information (TD TP-99189).

TD SP-99267 stated that "The provisional list [of specifications] given in annex A should be further elaborated and reviewed by SMG STCs and TSG WGs in detail".

The specifications listed in 3G TS 21.101 have been based on the original list given in TD SP-99267 and information from the TSG WGs and WG Chairmen.

To meet the time scale of producing an approved version 3.0.0 by TSG#6, the support group has undertaken to draft the Draft Specification to enable it to be presented to TSG SA#5 for information (version 1.0.0). therefore, 3G TS 21.101 will be presented to TSG SA#5 for information as version 1.0.0 following any revisions agreed by TSGT#5, TSGCN#5 and TSGRAN#5.

Notes for 3G TS 21.101 version 0.3.0:

Clause 1: Scope should be clarified.

Clause 3: Abbreviations to be added.

Clause 4: Included for completeness, this is the PCG agreed numbering Scheme used for guidance.

Clause 5: The content of this clause is also included for completeness, however, the present text is far from stable and accurate and should be viewed as an example placeholder. The content of this clause should be elaborated by TSG SA and/or TSG SA2 producing the 3G R99 "Roadmap".



Clause 6: This contains the list of Specifications and reports which make up the content of 3G Release 1999 as identified by 3GPP. The present content of this list has been compiled from the TSG status lists and information supplied by the TSG WGs and WG Chairmen etc.

TSG T, CN and RAN are invited to review and revise this list for the Specifications and Reports under their responsibility.

TSG#5 should confirm the transfer of common specifications listed, and the applicability of the Specifications and Reports for 3G release 99.

The decisions of TSG T, CN and RAN #5 will be implemented in the version 1.0.0 for TSG SA#5.

R99 Specification sets documents overview



3G TS 21.101 V0.3.0 (1999-10)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Release 1999 Specifications (3G TS 21.101 version 0.3.0)



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP. The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP™ system should be obtained via the 3GPP Organisational Partners' Publications Offices.

Reference

DTS/TSGSA-0021101U

Keywords

R99 Specification Report 3G

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Contents

Foreword.....	6
1 Scope	7
2 References	7
3 Abbreviations.....	7
4 General.....	7
4.1 Specification and report numbering	7
4.2 Specification series	8
4.2.1 21-series	8
4.2.2 22-series	8
4.2.3 23-series	8
4.2.4 24-series	8
4.2.5 25-series	8
4.2.5.1 25.100-series.....	8
4.2.5.2 25.200-series.....	8
4.2.5.3 25.300-series.....	8
4.2.5.4 25.400-series.....	9
4.2.6 26-series	9
4.2.7 27-series	9
4.2.8 28-series	9
4.2.9 29-series	9
4.2.10 30-series	9
4.2.11 31-series	9
4.2.12 32-series	9
4.2.13 33-series	9
4.2.14 34-series	10
5 Content of 3GM Release 1999	10
5.1 GSM only Work Areas	10
5.2 Common GSM/3G Work Areas.....	11
6 Specifications and Reports	12
Annex A (informative): Document change history	22
History	23

Foreword

This Technical Specification has been produced by the 3GPP.

This TS identifies the 3G system specifications for Release 1999.

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of this TS, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version 3.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 Indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the specification;

Ed Note: This draft Specification has been produced following the TSGSA#4 , ETSI Board#20 and PCG #2 approval of the content of TD SP-99267 (SMG#29 TD P-99-546 made some clarifications modifications to TD SP-99267).

TD SP-99267 states "The provisional list given in annex A should be further elaborated and reviewed by SMG STCs and TSG WGs". This is an ongoing process, which it is hoped will be completed by TSGSA#6. It is anticipated that this Specification will then be presented to TSGSA#5 as V1.0.0 (to meet the approval time scale of V3.0.0 at TSGSA#6).

The content of Clause 5 should be considered unstable and is included only for completeness at this time. The R99 "Roadmap" style content requires further work (S2 in conjunction with MCC?).

The recommendations from CN3 are not yet implemented.

The equivalent SMG Specification (GSM 01.01) is being developed in a similar manner For GSM R99 and is aligned with this document.

1 Scope

The present document identifies the 3G system specifications for Release 1999.

2 References

This TS contains no references.

3 Abbreviations

For the purposes of the present document, the terms and definitions apply.

TBC

4 General

Release 1999 consist of 3G only specifications and the GSM Core Network specifications developed for both GSM Release 1999 and Release 1999 of the 3rd Generation mobile system.

GSM Release 1999 also consist of many enhanced features developed within the 3rd Generation Partnership Project.

The present document identifies the 3G system set of specifications required to implement Release 1999.

4.1 Specification and report numbering

The numbering scheme described is similar to the GSM numbering scheme. The numbering scheme is designed on the experience of GSM in document structure and to create a structure that is easy to understand and remember.

To allow for more flexibility in the 3GPP numbering scheme and to allow for expansion, it has been decided to increase the numbering scheme by one digit to a 2+3 digit system (ab.cde). This permits a maximum number of 999 specifications in one series. It should be noted that the GSM system numbering has almost been completely used up.

The numbering scheme applies to specifications and reports for the 3GPP 3rd Generation Mobile System.

Where existing GSM Specifications are enhanced/modified by the TSGs for the 3rd Generation Mobile System the specification title and version should change (title reflecting 3rd Generation Mobile System). The GSM number (ab) should be increased by 20 and a "c" digit equal to zero added (e.g. GSM 07.07 becomes 3GTS 27.007) indicating the GSM heritage of the Specification.

For newly created 3GPP Specifications the "c" digit should not be equal to zero.

Existing 3rd Generation specifications transferred from ETSI SMG should have a "c" digit equal to one e.g. SMG UMTS TS 22.00 becomes 3G TS 22.100.

For newly created 3GPP Technical reports the "c" digit should normally be equal to nine e.g. A report in the 23 series will have a number 23.9de. The "c" digit equal to eight may be used for over-spill of the ab.9de range, or allocated to reports not intended for external circulation.

Specification numbers will be allocated on request by a centralised point within the 3GPP support group (see section 4.1 of the 3GPP Working Methods). A particular Series will not necessarily remain within, or be the sole responsibility of a particular TSG or WG.

The following Series titles and descriptions should be used for guidance only and may be further developed with experience.

Specifications for Release 1999 of the 3rd Generation mobile system are identified by the "ab.cde" numbering scheme.

4.2 Specification series

In general the Specification series is identified as follows:

4.2.1 21-series

Requirements specifications

These specifications are often transient and contain requirements towards other specifications. They may become obsolete when technical solutions have been fully specified; they could then, e.g., be replaced by reports describing the performance of the system, they could be deleted without replacement or be kept for historical reasons but turned into background material. When found necessary and appropriate, the transient or permanent nature of a requirement specification may be expressed in its scope.

4.2.2 22-series

Service aspects

Specifications in this series specify services, service features, building blocks or platforms for services (a service feature or service building block may provide certain generic functionality's for the composition of a service, including the control by the user; a platform may comprise a single or more network elements, e.g. UIM, mobile terminal, auxiliary system to the core network etc.); stage 1 specifications that are felt appropriate belong into this series; reports defining services which can be realised by generic building blocks etc. also belong into this series.

4.2.3 23-series

Technical realisation

This series mainly contains stage 2 specifications (or specifications of a similar nature describing interworking over several interfaces, the behaviour in non-exceptional cases, etc.).

4.2.4 24-series

Signalling protocols (UE - CN network)

This series contains the detailed and bit exact stage 3 specifications of protocols between MS/UE and the Core network.

4.2.5 25-series

UTRA aspects

4.2.5.1 25.100-series

UTRA radio performance aspects

This series defines the radio performance of UTRAN.

4.2.5.2 25.200-series

UTRA radio aspects

This series defines the (Physical) layer 1 of UTRA.

4.2.5.3 25.300-series

UTRA radio interface architecture, layer 2 and layer 3 aspects.

This series defines the layer 2/3 of the UMTS radio.

4.2.5.4 25.400-series

UTRA Network aspects

This series defines the Iub, Iur and Iu interfaces within UTRAN

4.2.6 26-series

Codecs (speech, video, etc.)

This series defines speech codecs and other codecs (video etc., to be identified) for the 3GPP 3rd Generation Mobile System.

4.2.7 27-series

Data

This series defines the functions necessary to support data applications.

4.2.8 28-series

Signalling protocols (RSS - network part)

This series contains the detailed and bit exact stage 3 specifications of protocols between RSS and Core Network.

4.2.9 29-series

Signalling protocols (NSS)

This series contains the detailed and bit exact stage 3 specifications of protocols within the Core Network.

4.2.10 30-series

Program management

This series contains the 3GPP 3rd Generation Mobile System, Project plans/project work programme and stand alone documents for major work items.

4.2.11 31-series

UIM

This series specifies the User Identity Module (UIM) and the interfaces between UIM and other entities.

4.2.12 32-series

Operation and maintenance

This series defines the application of TMN for the 3GPP 3rd Generation Mobile System and other functions for operation, administration and maintenance of a 3rd Generation Mobile System network.

4.2.13 33-series

Security aspects

This series contains specifications of security functions for the 3GPP 3rd Generation Mobile System.

4.2.14 34-series

Test specifications

This series contains the test specifications for the 3GPP 3rd Generation Mobile System.

5 Content of 3G Release 1999

5.1 GSM only Work Areas

NOTE: 3rd Generation specifications may contain GSM R99 Specific parts.

Title
Enhanced Data rates for GSM Evolution (EDGE) - BSS Part
Enhanced Data rates for GSM Evolution (EDGE) - NSS Part ¹
General Packet Radio Service Phase 2 (GPRS) – radio part ²
GSM on 450 MHz Frequency Band
BSS co-ordination of Radio Resource allocation for class A GPRS services - GSM Radio Access (R99)
BSS co-ordination of Core Network Resource allocation for class A GPRS services -GSM-3G Core Network (R99) ³

¹ As EDGE will not be used by 3G network, this WI has been classified as a GSM only WI, even if it impacts the common R99 GSM/3G CN.
However, this WI should study that the proposed changes are not incompatible with the use of the UTRAN by the R99 GSM/3G CN.

² Comprises some related sub-work items.

³ Same remark as for note 1.

5.2 Common GSM/3G Work Areas

Title
Access to ISPs and Intranets in GPRS Phase 2 – Wireless/Remote Access to LANs (R99)
Access to ISPs and Intranets in GPRS Phase 2; Separation of General Packet Radio Service (GPRS) bearer establishment and ISP service environment setup (R99)
Advanced Addressing
Architecture of the GSM-UMTS Platform
Architecture overview of the GSM-UMTS System
Automatic Establishment of Roaming Relations
Call Forwarding Enhancements (CFE)
Calling Name Presentation – Euro (CNAP-EU)
CAMEL Phase 3
Charging and Billing for GPRS – Advice of Charge
Charging and Billing for GPRS – Hot Billing
Charging and Billing for GPRS – Pre-Paid
Enhanced QoS Support in GPRS
Follow Me
Fraud Information Gathering System applied to GPRS
General Packet Radio Service Phase 2 (GPRS) – network part ²
Generic signalling mechanism for service support
GPRS - Point-To-Multipoint Services
GPRS Mobile IP Interworking
Idle mode classmark ⁴
Immediate Service Termination (IST) : CAMEL free solution
Impact of Telecommunications Data Protection Directive on GSM Standards ⁵
Interworking with Mobile Satellite Systems
LAPDm performance enhancement
MexE Release 99
MS and Network-Resident Execution Environments (MS/N-RExE)
MS Antenna Test Method ⁶
Multiple Subscriber Profile (MSP) based on CAMEL ph. 3
Noise Suppression for AMR speech codec
Provision of text telephony service in GSM and UMTS
Service Continuity and Provision of VHE via GSM/UMTS
Service to GSM Handportables in trains ⁷
Specification of a bearer independent protocol for SAT applications to exchange data over the GSM network
SS7 Security
Study on Combined GSM and Mobile IP Mobility Handling in UMTS IP CN
Study on provision of facsimile services in GSM and UMTS
Support for real time services in the Packet domain for GSM/GPRS/UMTS R99
Tandem Free Operation of speech codecs in Mobile-to-Mobile Calls (MMCs) : out-band
Tandem free aspects for UMTS and between UMTS and 2G systems
USSD Enhancements
Virtual Home Environment
Codec for Low Bitrate Multimedia Telephony Service
Support of non-realtime Multimedia Messaging Service
Mandatory Speech Codec for Narrowband Telephony Service
WAP WAE User Agent / SIM toolkit interworking
Generic Logical and Physical specification for IC card and terminal interface
Specification of administrative commands and functions for IC cards
Codec(s) for Wide band Telephony Services ⁸
AMR – Wideband ⁹
Gateway Location Register (GLR)
Turbo-Charger: Feasibility Study

⁴ According to a working assumption made by N1, two MS Classmarks should be maintained both for UMTS and GSM, selectively used depending on the indication given by the CN. The WIs on MS classmark should be re-organised as to reflect such working assumption.

⁵ This WI should be renamed as “Impact of Telecommunications Data Protection Directive on GSM/3G Standards”

⁶ This WI might be split into “MS antenna test methods for GSM BSS” and “MS antenna test methods for UTRAN”.

⁷ The applicability of this WI to 3G should be checked. If relevant to 3G, the WI should be renamed.

⁸ This WI was previously classified in SP-99331 as “3G only WI”. However, it should be applicable also to GSM using e.g. EDGE BSS, as stated in some comments received in the meantime: this is the reason why it has now been moved to this category.

⁹ The merging of this WI with the WI entitled “Codec(s) for Wide band Telephony Services” should be studied.

The following WIs state in their title that they apply only for 3G system. However, it is proposed that these WIs also apply to GSM, as they impact the core network, which is common to GSM and UMTS. In case such proposal is accepted, they should be renamed and classified as common GSM/3G WIs.

UMTS Charging & Billing ¹⁰
UMTS Numbering, Addressing and Identities ¹¹
UMTS Open Service Architecture
UMTS Core based on ATM Transport
IP-in-IP tunnelling in GPRS backbone for UMTS, phase 1
End to End UMTS QoS Management ¹²
QoS for Speech and Multimedia Codec ¹³
Multimedia in UMTS ¹⁴
3G Audio-Visual Terminal Characteristics
3G charging management ¹⁵
3G system fault management
3G system configuration management
3G system performance management

6 Specifications and Reports

Specification/Report Number and Specification/Report Title

Number Title

21.900	3GPP Working methods
21.904	Terminal Capability Requirements
21.905	3G Vocabulary
21.906	O&M requirements
21.910	Multi-system issues
22.002	Bearer Services Supported by a GSM PLMN
22.004	General on Supplementary Services
22.011	Service accessibility
22.016	International Mobile Equipment Identities (IMEI)
22.022	Personalisation of GSM ME Mobile functionality specification - Stage 1
22.024	Description of Charge Advice Information (CAI)
22.030	Man-Machine Interface (MMI) of the Mobile Station (MS)

¹⁰ If applicable to GSM, either the differences with the WI “Charging and billing for GPRS” should be stressed or these two WIs should be merged.

¹¹ If applicable to GSM, then the WI “Advanced Addressing” should be merged to it.

¹² If applicable to GSM, either the differences with the WI “Enhanced QoS Support in GPRS” should be stressed or these two WIs should be merged.

¹³ The differences with previous WI should be stressed.

¹⁴ Even if it can be surprising to move this WI to the ‘common 3G/GSM WI’ category, it should be stressed why the mechanisms developed for 3G are not applicable to e.g. GPRS CN and EGDE BSS.

¹⁵ The difference with the WI entitled “UMTS Charging & Billing” is that the latter specifies the requirements whereas “3G charging management” intends to specify the actual mechanisms. This should be clarified in the WI titles.

22.034	High Speed Circuit Switched Data (HSCSD) - Stage 1
22.038	SIM application toolkit (SAT); Stage 1
22.041	Operator Determined Call Barring
22.042	Network Identity and Time Zone (NITZ), stage 1
22.043	Support of Localised Service Area (SoLSA) - Stage 1
22.053	Tandem Free Operation of speech codecs; Stage 1 service description
22.057	Mobile Station Application Execution Environment (MExE); Stage 1
22.060	General Packet Radio Service (GPRS); Stage 1
22.066	Support of Mobile Number Portability (MNP); Stage 1
22.067	enhanced Multi-Level Precedence and Pre-emption service (eMLPP) - Stage 1 (ASCI spec)
22.068	Voice Group Call Service (VGCS); Stage 1(ASCI spec)
22.069	Voice Broadcast Service (VBS); Stage 1(ASCI spec)
22.071	Location Services (LCS); Stage 1 (T1P1)
22.072	Call Deflection (CD); Stage 1
22.078	CAMEL phase 3; Stage 1
22.079	Support of Optimal Routing; Stage 1
22.081	Line Identification Supplementary Services; Stage 1
22.082	Call Forwarding (CF) Supplementary Services; Stage 1
22.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 1
22.084	MultiParty (MPTY) Supplementary Service; Stage 1
22.085	Closed User Group (CUG) Supplementary Services; Stage 1
22.086	Advice of Charge (AoC) Supplementary Services; Stage 1
22.087	User-to-user signalling (UUS); Stage 1
22.088	Call Barring (CB) Supplementary Services; Stage 1
22.090	Unstructured Supplementary Service Data (USSD); Stage 1
22.091	Explicit Call Transfer (ECT) Supplementary Service; Stage 1
22.093	Call Completion to Busy Subscriber (CCBS); Stage 1
22.094	Follow Me Stage 1
22.096	Calling Name Presentation (CNAP); Stage 1 (T1P1)
22.097	Multiple Subscriber Profile (MSP); Stage 1
22.100	UMTS Phase 1
22.101	UMTS Service principles
22.105	Services & Service capabilities
22.115	Service Aspects Charging and billing
22.121	Provision of Services in UMTS - The Virtual Home Environment

22.129	Handover Requirements between UMTS and GSM or other Radio Systems
22.135	Multicall Stage1
22.140	Multimedia Messaging Service Stage 1
22.907	Terminal concepts
22.924	Charging and accounting mechanisms
22.925	Quality of service and network performance
22.945	Study of provision of fax service in GSM and UMTS
22.960	Mobile multimedia services
22.970	Virtual Home Environment Report
22.971	Automatic establishment of roaming relationships
22.972	Multimedia
22.975	Advanced addressing
23.002	Network Architecture
23.003	Numbering, Addressing and Identification
23.007	Restoration procedures
23.008	Organisation of subscriber data
23.009	Handover procedures
23.010	Public Land Mobile Network (PLMN) Connection Types
23.011	Technical Realization of Supplementary Services - General Aspects
23.012	Location registration procedures
23.014	Support of Dual Tone Multi Frequency (DTMF) signalling
23.015	Technical realisation of Operator Determined Barring (ODB)
23.016	Subscriber data management - Stage 2
23.018	Basic Call Handling - Technical realisation
23.022	Functions related to Mobile Station (MS) in idle mode
23.032	Universal Geographical Area Description (GAD)
23.034	High Speed Circuit Switched Data (HSCSD) - Stage 2
23.038	Alphabets & Language
23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)
23.040	Technical realisation of SMS Point to Point
23.041	Technical Realization of Short Message Service Cell Broadcast (SMSCB)
23.042	Compression algorithm for SMS
23.043	Support of Videotext

23.044	Support of Teletext in a Public Land Mobile Network (PLMN)
23.045	Technical realisation of facsimile Group 3 service- transparent
23.046	Technical realisation of facsimile Group 3 service- non-transparent
23.053	Tandem Free Operation (TFO); Service description; Stage 2
23.054	Shared Interworking Functions - Stage 2
23.057	Mobile Station Application Execution Environment (MExE)
23.060	General Packet Radio Service (GPRS) Service description; Stage 2
23.066	Support of GSM Mobile Number Portability (MNP) stage 2
23.067	Enhanced Multi-Level Precedence and Preemption Service (EMLPP) - Stage 2
23.068	Voice Group Call Service (VGCS) - Stage 2
23.069	Voice Broadcast service (VBS) - Stage 2
23.070	Routing of calls to/from Public Data Networks
23.071	Location Services (LCS) Stage 2
23.072	Call Deflection Supplementary Service - Stage 2
23.073	Support of Localised Service Area (SoLSA) - Stage 2
23.078	CAMEL Stage 2
23.079	Support of optical routeing - Phase 1 - Stage 2
23.081	Line Identification Supplementary Services - Stage 2
23.082	Call Forwarding (CF) Supplementary Services - Stage 2
23.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service - Stage 2
23.084	MultiParty (MPTY) Supplementary Service - Stage 2
23.085	Closed User Group (CUG) Supplementary Service - Stage 2
23.086	Advice of Charge (AoC) Supplementary Service - Stage 2
23.087	User-to-User Signalling (UUS) - Stage 2
23.088	Call Barring (CB) Supplementary Service - Stage 2
23.090	Unstructured Supplementary Service Data (USSD) - Stage 2
23.091	Explicit Call Transfer (ECT) Supplementary Service - Stage 2
23.093	Call Completion to Busy Subscriber (CCBS) - Stage 2
23.094	Follow Me Stage 2
23.096	Name Identification Supplementary Service - Stage 2
23.097	Multiple Subscriber Profile (MSP); Stage 2
23.101	General UMTS Architecture
23.108	Mobile Radio Interface Layer 3 specification Core Network Protocols stage 2 (structured procedures)
23.110	UMTS Access Stratum;

Services and Functions

- 23.121 Architecture Requirements for release 99
- 23.127 Virtual Home Environment / Open Service Architecture
- 23.171 Functional stage 2 description of location services in UMTS
- 23.907 Quality of Service
- 23.908 Technical report on Pre-Paging
- 23.909 Technical report on the Gateway Location Register
- 23.920 Evolution of the GSM platform towards UMTS
- 23.922 Architecture for an All IP network
- 23.923 Combined GSM and Mobile IP mobility handling in UMTS IP CN
- 23.925 UMTS Core network based ATM transport
- 23.927 VHE, Open Service Architecture
- 23.930 Iu Principles
- 23.960 Framework of Network functions to support multimedia services in UMTS
- 24.007 Mobile Radio Interface Signalling Layer 3 - General Aspects
- 24.008 Mobile Radio Interface Layer 3 specification; Core Network Protocols-Stage 3
- 24.010 Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects
- 24.011 Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface
- 24.012 Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface
- 24.022 Radio Link Protocol (RLP) for Data and Telematic Services on the (MS-BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-MSC) Interface
- 24.030 Location Services (LCS); Mobile radio interface layer 3 supplementary services specification; Mobile Originating Location Request (MO-LR).
- 24.031 Location Services (LCS); Mobile Station (MS) - Serving Mobile Location Centre (SMLC); Radio Resource LCS Protocol (RRLP)
- 24.035 Location Services (LCS); Broadcast Network Assistance for Enhanced Observed Time Difference (E-OTD) and Global Positioning System (GPS) Positioning Methods
- 24.065 Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork Dependent Convergence Protocol (SNDP)
- 24.067 Enhanced Multi-Level Precedence and Pre-emption service (eMLPP) - Stage 3
- 24.068 Group Call Control (GCC) Protocol
- 24.069 Broadcast Call Control (BCC) Protocol - Stage 3
- 24.071 Location Services (LCS) Stage 3
- 24.072 Call Deflection Supplementary Service - Stage 3
- 24.080 Mobile radio Layer 3 Supplementary Service specification - Formats and coding
- 24.081 Line Identification Supplementary Service - Stage 3
- 24.082 Call Forwarding Supplementary Service - Stage 3

24.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service - Stage 3
24.084	MultiParty (MPTY) Supplementary Service - Stage 3
24.085	Closed User Group (CUG) Supplementary Service - Stage 3
24.086	Advice of Charge (AoC) Supplementary Service - Stage 3
24.087	User-to-User Signalling (UUS) - Stage 3
24.088	Call Barring (CB) Supplementary Service - Stage 3
24.090	Unstructured Supplementary Service Data (USSD) - Stage 3
24.091	Explicit Call Transfer (ECT) Supplementary Service - Stage 3
24.093	Call Completion to Busy Subscriber (CCBS) - Stage 3
24.096	Name Identification Supplementary Service - Stage 3
25.101	UE Radio transmission and reception (FDD)
25.102	UE Radio transmission and reception (TDD)
25.103	RF parameters in support of RRM
25.104	BTS Radio transmission and reception (FDD)
25.105	BTS Radio transmission and reception (TDD)
25.113	BTS EMC
25.141	Base station conformance testing (FDD)
25.142	Base station conformance testing (TDD)
25.201	Physical layer -General Description
25.211	Physical channels and mapping of transport channels onto physical channels (FDD)
25.212	Multiplexing and channel coding (FDD)
25.213	Spreading and modulation (FDD)
25.214	FDD; physical layer procedures
25.221	Physical channels and mapping of transport channels onto physical channels (TDD)
25.222	Multiplexing and channel coding (TDD)
25.223	Spreading and modulation (TDD)
25.224	TDD; physical layer procedures
25.231	Physical layer; measurements
25.301	Radio Interface Protocol Architecture
25.302	Services provided by the physical layer
25.303	UE functions and inter-layer procedures in connected mode
25.304	UE procedures in Idle Mode
25.321	Medium Access Control (MAC) Protocol Specification
25.322	Radio Link Control (RLC) Protocol Specification
25.323	Description of the Packet Data Convergence Protocol (PDCP) protocol

25.324	Description of the Broadcast/Multicast Control BMC protocol
25.331	Radio Resource Control (RRC) Protocol Specification
25.401	UTRAN Overall Description
25.410	UTRAN Iu Interface: General Aspects and Principles
25.411	UTRAN Iu interface Layer 1
25.412	UTRAN Iu interface signalling transport
25.413	UTRAN Iu interface RANAP signalling
25.414	UTRAN Iu interface data transport & transport signalling
25.415	UTRAN Iu interface user plane protocols
25.420	UTRAN Iur Interface: General Aspects and Principles
25.421	UTRAN Iur interface Layer 1
25.422	UTRAN Iur interface signalling transport
25.423	UTRAN Iur interface RNSAP signalling
25.424	UTRAN Iur interface data transport & transport signalling for CCH data streams
25.425	UTRAN Iur interface user plane protocols for CCH data streams
25.426	UTRAN Iur and Iub interface data transport & transport signalling for DCH data streams
25.427	UTRAN Iur and Iub interface user plane protocols for DCH data streams
25.430	UTRAN Iub Interface: General Aspects and Principles
25.431	UTRAN Iub interface Layer 1
25.432	UTRAN Iub interface signalling transport
25.433	UTRAN Iub interface NBAP signalling
25.434	UTRAN Iub interface data transport & transport signalling for CCH data streams
25.435	UTRAN Iub interface user plane protocols for CCH data streams
25.442	UTRAN Implementation Specific O&M Transport
25.921	Guidelines and principles for protocol description and error handling
25.922	Radio Resource Management Strategies
25.923	Location Services (LCS) features
25.924	ODMA
25.925	Broadcast/Multicast services
25.931	UTRAN Functions, examples on signalling procedures
25.941	Document structure
25.942	RF system scenarios
25.990	Vocabulary for UTRAN
26.071	AMR speech Codec; General description
26.073	AMR speech Codec; C-source code

26.074	AMR speech Codec; Test sequences
26.075	AMR speech Codec; Performance Characterization of the GSM AMR Speech Codec
26.090	AMR speech Codec; Transcoding Functions
26.091	AMR speech Codec; Error concealment of lost frames
26.092	AMR speech Codec; comfort noise for AMR Speech Traffic Channels
26.093	AMR speech Codec; Source Controlled Rate operation
26.094	AMR Speech Codec Voice Activity Detector for AMR Speech Traffic Channels
26.101	AMR speech Codec; Frame Structure
26.102	AMR speech Codec; Interface to Iu and Uu
26.110	Codec for Circuit switched Multimedia Telephony Service; General Description
26.111	Codec for Circuit switched Multimedia Telephony Service; Modifications to H.324
26.112	Codec for Circuit switched Multimedia Telephony Service; Call Set-Up Requirements
26.121	Technical Specification for Tandem Free Operation within 3G networks
26.122	Technical Specification for Tandem Free Operation between 3G and 2G networks
26.901	AMR speech Codec; performance characteristics
26.911	Codec for Circuit switched Multimedia Telephony Service; Terminal Implementor's Guide
26.912	Codec for Circuit switched Multimedia Telephony Service; Quantitative performance evaluation of H.324 Annex C over 3G
26.913	Quantitative performance evaluation of real-time packet switched multimedia services over 3G
26.915	Transmission planning aspects of the services in 3G PLMN System
26.920	Architectural Model for the 3G Transcoders
26.xx1	Narrow Band (3.1kHz) Speech & Video Telephony Terminal Acoustic Characteristics
26.xx2	Narrow Band (3.1kHz) Speech & Video Telephony Terminal Acoustic Test Specification.
26.xx5	Terminal Display and Camera Characteristics For H.324 Narrow-band Video Telephony Service
26.xx6	Terminal Display and Camera Test Specifications For H.324 Narrow-band Video Telephony Service
26.xx7	Terminal Display and Camera Characteristics For H.323 Narrow-band Video Telephony Service
26.xx8	Terminal Display and Camera Test Specifications For H.324 Narrow-band Video Telephony Service
27.001	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)
27.002	Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities
27.003	Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities
27.005	Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE - DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS)
27.007	AT command set for 3G User Equipment (UE)
27.010	Terminal Equipment to User Equipment (TE-UE) multiplexer protocol User Equipment (UE)
27.060	GPRS Mobile Stations supporting GPRS

27.901	Report on Terminal Interfaces - An Overview
27.903	Discussion of Synchronisation Standards
28.020	Rate Adaptation on the BSS-MSC Interface
28.031	Location Services (LCS); Serving Mobile Location Centre (SMLC) - Serving Mobile Location Center (SMLC); SMLC Peer Protocol (SMLCPP) Location Centre (SMLC); Radio Resource LCS Protocol (RRLP)
28.062	Inband Tandem Free Operation (TFO) of Speech Codecs; Service Description; Stage 3
29.002	Mobile Application Part (MAP)
29.004	Interworking between the PLMN and the CSPDN
29.005	Interworking between the PLMN and the PSPDN
29.006	Interworking between a PLMN and the ISDN or PSTN for support of Packet Switched data transmission services
29.007	General requirements on Interworking between the PLMN and the ISDN or PSTN
29.010	Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP)
29.011	Signalling Interworking for Supplementary Services
29.013	Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols
29.016	Serving GPRS Support Mode SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification
29.018	Serving GPRS Support Mode SGSN - Visitors Location Register (VLR); Gs Interface Layer 3 Specification
29.031	Location Services (LCS); Base Station System Application Part LCS Extension (BSSAP-LE)
29.060	GPRS Tunnelling protocol (GPT) across the Gn and Gp interface
29.061	General Packet Radio Service (GPRS); Interworking between the Public Land Mobile Network (PLMN) supporting GPRS and Packet
29.078	CAMEL phase 3; Stage 3
30.504	Work Plan and Study Items - RAN WG4
30.531	Work Plan and Study Items - RAN WG3
31.101	UICC physical and logical characteristics
31.102	USIM characteristics
32.101	3G Telecom Management principles and high level requirements
32.102	3G Telecom Management architecture
32.104	3G Performance Management
32.106	3G Configuration Management
32.111	3G Fault Management
33.102	Security Architecture
33.103	Security Integration Guidelines

33.105	Cryptographic Algorithm requirements
33.106	Lawful interception requirements
33.120	Security Objectives and Principles
33.901	Criteria for cryptographic Algorithm design process
34.109	Logical Test Interface (TDD and FDD)
34.110	Conformance Test specifications – Relevant for Regulatory use
34.121	Terminal Conformance Specification, Radio Transmission and Reception (FDD)
34.122	Terminal Conformance Specification, Radio Transmission and Reception (TDD)
34.123-1	Mobile Station (MS) Conformance Specification, Part 1 – Conformance specification
34.123-2	Mobile Station (MS) Conformance Specification, Part 2 – ICS
34.123-3	Mobile Station (MS) Conformance Specification, Part 3 – Abstract Test suites
34.124	Electro-Magnetic Compatibility (EMC) for Terminal equipment - stage 1
34.907	Report on electrical safety requirements and regulations
34.925	Specific Absorption Rate (SAR) requirements and regulations in different regions

Annex A (informative): Document change history

Status of GSM 21.101		
Date	Version	Information about changes
August 1999	version 0.0.0	1 st draft created by MCC
August 1999	version 0.0.1	Comment from SMG6/S5 and N1 included. New LCS specs
September 1999	version 0.0.2	Transfer of 04.12 to 24.012 included
September 1999	version 0.0.3	Joint SMG11/S4 Meeting decisions on AMR and TFO
September 1999	version 0.1.0	Joint SMG11/S4, S2 (incomplete) and comments included
September 1999	version 0.2.0	03.41 transferred T2/SMG4 and S2 new specs and reports
October 1999	version 0.3.0	Editorial changes and addition of new specifications and reports identified in WGs

History

Document history		