

Source: T3

Title: CRs to TS 23.048: SIM toolkit secure messaging (stage 2)

Document for: Approval

This document contains the following change request:

Spec	CR	Re v	Phas e	Subject	Cat	new ver.	Doc-2nd- Level
23.048	036	-	Rel-5	Cell Broadcast Data Download secure messages in UMTS	F	5.8.0	T3-031003

CHANGE REQUEST

⌘ **23.048 CR 036** ⌘ rev **-** ⌘ Current version: **5.7.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ Cell Broadcast Data Download secure messages in UMTS		
Source:	⌘ T3		
Work item code:	⌘ TEI	Date:	⌘ 20/11/2003
Category:	⌘ F	Release:	⌘ Rel-5
	Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	⌘ In coordination with removing the restriction of the Cell Broadcast Data Download bearer to work only in GSM access network, the purpose of this CR is to remove the restriction for secure Cell Broadcast Data Download messages.
Summary of change:	⌘ Remove restriction of the Cell Broadcast Data Download to work only when connected to a GSM access network.
Consequences if not approved:	⌘ Secure Cell Broadcast data Download messages will be unnecessarily restricted from working when the UE is connected to UTRAN.

Clauses affected:	⌘ 7										
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> </table>	Y	N	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other core specifications Test specifications O&M Specifications	⌘
Y	N										
<input type="checkbox"/>	<input checked="" type="checkbox"/>										
<input type="checkbox"/>	<input checked="" type="checkbox"/>										
<input type="checkbox"/>	<input checked="" type="checkbox"/>										
Other comments:	⌘										

7 Implementation for SMS-CB

~~This chapter is applicable to a SMS-CB message in a GSM network only.~~