

Status Report on SMG #28

Dr. Klaus Vedder
Chairman SMG9

TSG-T3 #2

Munich, 17-19 February 1999

Changes to GSM 11.11 R98

- 2 Corrections
 - change of contents of GPRS data-field
 - editorial alignment with ISO/IEC 7816-3 2nd ed.
- New Release 98 features
 - addition of SOLSA data-fields
 - addition of CTS data-field
 - new file containing title of main Toolkit menu
 - USSD and Call control (USSD format indication in SIM Service Table); *joint with CR to 11.14*
 - annex containing advice on changes to data-fields caused by SIM Toolkit applications (e.g., change of ICC ID)

Changes to GSM 11.14 (R98)

- 6 corrections
- Changes to classes and release markers
 - all release markers and notion of Class 1 and Class 2 deleted
 - timer incorporated into Class 3
 - two Letter Classes remain (AT command; 2nd card reader)
- New Release '98 features
 - 2nd alpha identifier to SET UP CALL
 - preference for order of menu items on ME display
 - USSD string coding (support of different data formats);
joint with CR 11.11
 - USSD control strings containing alpha-characters for the SIM
 - coding of call control: MO call with two bearer capabilities
 - sustained display text command
 - new proactive command SEND DTMF

Giesecke & Devrient



Other Issues

- Revised SMG9 ToR approved (see T3-99041)
 - change of responsibility wrt UMTS, new WP structure
- Revised UMTS position paper approved (see T3-99041)
 - additional sentence regarding plastic roaming inserted
- New WI *Bearer independent data transfer* approved
 - to enhance the SIM Application Toolkit
- GSM 11.17 *SIM Conformance Test Specif.* approved
- GSM 11.18 *1.8V SIM-ME interface* approved
- GSM 11.19 *CTS SIM for FP and MS* approved
- GSM 03.19 *SIM API (Stage 2) - JAVA™ API* presented
- UMTS 21.11 *USIM and IC card requirements* presented

Giesecke & Devrient



Status of Release 98 GSM Specifications

- GSM 11.11 *SIM/ME Interface* version 7.2.0
- GSM 11.14 *SIM Application Toolkit* 7.2.0
- GSM 02.19 *SIM Application Progr. I/f (stage 1)* 7.0.0
- GSM 03.19 *SIM API (stage 2) - JAVATM API* 1.0.0
 - expected completion date: June 1999
- GSM 11.12 *3V SIM/ME interface* 7.0.0
- GSM 11.18 *1.8V SIM/ME interface* 7.0.0
- GSM 11.17 *SIM Conformance Test Specif. (CTS)* 7.0.0

Giesecke & Devrient



SMG9 "IC Card Aspects"

Personnel and Working Parties

- Chairman
 - Dr Klaus Vedder (Giesecke & Devrient)
- Vice-Chairmen
 - Mr Nigel Barnes (Motorola)
 - Mr Colin Hamling (Cellnet)
- Working Parties
 - GSM, SIM-ME interface and toolkit (N. Barnes, Motorola)
 - SIM API and secure messaging (M. Green, Orange)
 - SIM test specifications (G. Pfaffenholz, ORGA)
 - Generic IC card issues (R. Lindholm, Nokia)

Giesecke & Devrient



Meeting Calendar SMG9 Plenary

- **SMG9 #18**

- 31 May - 04 June 1999, Aaland
hosted by Finnet, Nokia, Telecom Finland, Telehallintokeskus

- **SMG9 #19**

- 27 Sept. - 01 October 1999, Munich
hosted by Giesecke & Devrient and Siemens

- **SMG9 #20**

- January 2000, *host required*

- **SMG9 #21**

- May 2000, *host required*

- **SMG9 #22**

- September 2000, *host required*