

Source: CN5 (OSA)
Title: Rel-6 CR 29.198-04-1 OSA API Part 4: Call control; Sub-part 1: Call Control Common Definitions (Add missing Supervise Report value to support QoS parameter change reports)
Agenda item: 9.7 (OSA Enhancements [\[OSA3\]](#))
Document for: APPROVAL

Doc-1st-	Spec	CR	Rev	Phase	Subject	Cat	Version	Doc-2nd-	Workite
NP-040266	29.198-04-1	010	-	Rel-6	Add missing Supervise Report value to support QoS parameter change reports	F	6.1.0	N5-040080	OSA3

CHANGE REQUEST

⌘ **29.198-04-1 CR 010** ⌘ rev - ⌘ Current version: **6.1.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ Add missing Supervise Report value to support QoS parameter change reports		
Source:	⌘ CN5 Lucent Technologies		
Work item code:	⌘ OSA3	Date:	⌘ 20/02/2004
Category:	⌘ F	Release:	⌘ REL-6
	Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	⌘ Supervise Report value to support QoS parameter change reports is missing.		
Summary of change:	⌘ Add missing Supervise Report value to support QoS parameter change reports.		
Consequences if not approved:	⌘ IpAppMultiMediaCall.superviseVolumeRes() method is invoked when a QoS level changes. However, TpCallSuperviseReport, in the Common Call Control Datatypes (part 4-1), doesn't have a value which corresponds to this type of report, and no other currently available value of this type is suitable. So, despite what is written in the description of this method, the behaviour will never occur, because it cannot be implemented coherently.		

Clauses affected:	⌘ 6.22										
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 20px;">Y</td> <td style="width: 20px;">N</td> </tr> <tr> <td style="width: 20px;"> </td> <td style="width: 20px;">X</td> </tr> <tr> <td style="width: 20px;"> </td> <td style="width: 20px;">X</td> </tr> <tr> <td style="width: 20px;"> </td> <td style="width: 20px;">X</td> </tr> </table>	Y	N		X		X		X	Other core specifications Test specifications O&M Specifications	⌘
Y	N										
	X										
	X										
	X										
Other comments:	⌘										

How to create CRs using this form:

Change in Clause 6.22

6.22 TpCallSuperviseReport

Defines the responses from the call control service for calls that are supervised. The values may be combined by a logical 'OR' function.

Name	Value	Description
P_CALL_SUPERVISE_TIMEOUT	01h	The call supervision timer has expired
P_CALL_SUPERVISE_CALL_ENDED	02h	The call has ended, either due to timer expiry or call party release. In case the called party disconnects but a follow-on call can still be made also this indication is used.
P_CALL_SUPERVISE_TONE_APPLIED	04h	A warning tone warning tone has been applied. This is only sent in combination with P_CALL_SUPERVISE_TIMEOUT
P_CALL_SUPERVISE_UI_FINISHED	08h	The user interaction has finished.
P_CALL_SUPERVISE_OOS_PARAM_CHANGE	10h	The Quality of Service parameters were renegotiated during the active call.

End of Change in Clause 6.22
End of Document