

---

**Source:** SA5  
**Title:** R99 CR to Fault Management; Part 3: Alarm Integration Reference Point: CORBA Solution Set Version 1:1 (32.111-3)  
**Document for:** Approval  
**Agenda Item:** 7.5.3

---

Doc-1st-Level	Doc-2nd-Level	Spec	CR	Rev	Phase	Subject	Cat	Version-Current	Version-New	Workitem
SP-010039	S5-010391	32.111-3	008		R99	<b>Probable Cause "Intrusion Detection" is missing</b>	F	3.4.0	3.5.0	OAM-FM

CR-Form-v3

## CHANGE REQUEST

⌘ **32.111-3 CR 008** ⌘ rev **-** ⌘ Current version: **3.4.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

**Proposed change affects:** ⌘ (U)SIM  ME/UE  Radio Access Network  Core Network

<b>Title:</b>	⌘ Probable Cause "Intrusion Detection" is missing		
<b>Source:</b>	⌘ SA5		
<b>Work item code:</b>	⌘ OAM-FM	<b>Date:</b>	⌘ 01/06/2001
<b>Category:</b>	⌘ <b>F</b>	<b>Release:</b>	⌘ R99
	Use <u>one</u> of the following categories: <b>F</b> (essential correction) <b>A</b> (corresponds to a correction in an earlier release) <b>B</b> (Addition of feature), <b>C</b> (Functional modification of feature) <b>D</b> (Editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900.		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) REL-4 (Release 4) REL-5 (Release 5)

<b>Reason for change:</b>	⌘ Probable Cause "Intrusion Detection" defined in the alarm IRP IS (32.111-2) is not mapped in the corresponding CORBA Solution Set (32.111-3).
<b>Summary of change:</b>	⌘ To add the probable cause "Intrusion Detection" with the value 126
<b>Consequences if not approved:</b>	⌘ Probable Cause "Intrusion Detection" is missing in the CORBA Solution Set

<b>Clauses affected:</b>	⌘ Annex A		
<b>Other specs affected:</b>	⌘ <input type="checkbox"/> Other core specifications <input type="checkbox"/> Test specifications <input type="checkbox"/> O&M Specifications	⌘	
<b>Other comments:</b>	⌘		

---

## Annex A (normative): IDL specification

```
const short PC_ICE_BUILD_UP = 125;  
const short PC_INTRUSION_DETECTION = 126;  
const short PC_LOW_FUEL = 127;
```