Technical Specification Group Core Network

Meeting #12, Stockholm, 13 - 15 June 2001

Technical Specification Group Radio Access Network

Meeting #12, Stockholm, 12 - 15 June 2001

Technical Specification Group Terminals

Meeting #12, Stockholm, 13 - 15 June2001

TSGN#12(01)0337

TSGR#12(01)0443

TSGT#12(01)0137

Technical Specification Group Services and System Aspects TSGS#12(01)0274 Meeting #12, Stockholm, 18 - 21 June 2001

Source: MCC

mailto:john.meredith@etsi.fr

Title: CR 001 to 21.102 Release 4: Correction to list of specifications

Document for: CN: information

RAN: information T: information SA: approval

Agenda Item: CN: 11

RAN: 12 T: 6 SA: 8.6

The attached CR updates the specifications list according to the current (2001-06-10) status.

CHANGE REQUEST # 21.102 CR 001 # ev _ # Current version: 4.0.0

For <u>HELP</u> on using this form, see bottom of this page or look at the pop-up text over the **%** symbols.

| Proposed chang | ge a | affects: | \mathfrak{H} | (U)SIM Y | ME/UE | Y | Radio Ac | cess N | letworl | Y | Core I | Network | Υ |
|-----------------|----------------|----------------|----------------|---------------------|----------------|-------|---------------|------------|---------|----------|-----------|----------------|---|
| | | | | | | | | | | | | | |
| Title: | \mathfrak{R} | Correc | ction | to list of spec | cs | | | | | | | | |
| | | | | | | | | | | | | | |
| Source: | \mathfrak{R} | MCC | | | | | | | | | | | |
| | | | | | | | | _ | | | | _ | |
| Work item code | :₩ | TEI | | | | | | Di | ate: ૠ | 200 | 1-06-10 |) | |
| | | _ | | | | | | . . | 00 | | | | |
| Category: | \mathfrak{R} | F | | | | | | Relea | ase: # | Rel | -4 | | |
| | | Use <u>one</u> | of th | e following ca | tegories: | | | Use | one of | the fo | llowing r | eleases: | |
| | | F (| corre | ction) | | | | 2 | | (GSN | 1 Phase | 2) | |
| | | A (| (corre | esponds to a c | orrection in a | an ea | rlier release | e) R | R96 | Rele | ase 199 | 6) | |
| | | В | (addit | ion of feature) | , | | | Ŕ | R97 | (Rele | ase 199 | 7) | |
| | | | | ional modifica | | e) | | R | R98 | | ase 199 | | |
| | | D | (edito | rial modification | on) | - | | R | R99 | (Rele | ase 199 | 9) | |
| | | Detailed | expla | anations of the | above cate | gorie | s can | R | REL-4 | (Rele | ase 4) | | |
| | | be found | 30 ni t | GPP <u>TR 21.90</u> | <u>00</u> . | | | R | REL-5 | (Rele | ase 5) | | |
| | | | | | | | | | | | | | |
| Reason for char | nge | e: # U | pdat | e list of spec | s required f | or in | nplementin | g UMT | ΓS Rel | ease | 4 | | |
| | • | | | | | | | | | | | | |

| Reason for change: # | Update list of specs required for implementing UMTS Release 4 |
|---------------------------------|--|
| Summary of change: # | Adds newly identified specs, deletes abandoned ones, corrects titles |
| Consequences if # not approved: | FUD |
| | |
| Clauses affected: # | 5 |
| Other specs # affected: | Other core specifications Test specifications O&M Specifications |
| Other comments: # | |

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at: http://www.3gpp.org/3G Specs/CRs.htm. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked **%** contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be downloaded from the 3GPP server under ftp://ftp.3gpp.org/specs/ For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.
- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

5 Specifications and Reports of 3G Release 4

NOTE 1: The final column of the table below indicates whether or not the documents are intended for adoption by the partner Standards Development Organizations as their own publications. Those marked "no" are internal working documents of the 3GPP TSGs.

NOTE 2: The algorithm specifications in the 35.-series are available only under licence.

NOTE 3: "Type" indicates Technical Specification (TS) or Technical Report (TR).

| Туре | Number | Title | WG prime | For pub- lication |
|-----------|--------|---|-------------|----------------------|
| TS | 21.102 | 3rd Generation mobile system Release 4 Specifications | SP | Yes |
| TS | 21.111 | USIM and IC card requirements | T3 | Yes |
| TS | 21.133 | Security Threats and Requirements | S3 | Yes |
| TR | 21.801 | 3GPP drafting rules | SP | Yes |
| TR | 21.900 | Technical Specification Group working methods3GPP working methods | SP | Yes |
| TR | 21.905 | 3G Vocabulary | S1 | Yes |
| TS | 22.001 | Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN) | S1 | Yes |
| TS | 22.002 | Circuit Bearer Services Supported by a PLMN | S1 | Yes |
| TS | 22.003 | Circuit Teleservices supported by a Public Land Mobile Network (PLMN) | S1 | Yes |
| TS | 22.004 | General on Supplementary Services | S1 | Yes |
| TS | 22.011 | Service accessibility | S1 | Yes |
| <u>TS</u> | 22.016 | International Mobile Equipment Identities (IMEI) | <u>S1</u> | Yes |
| TS | 22.022 | Personalisation of GSM ME Mobile functionality specification; Stage 1 | S3 | Yes |
| TS | 22.024 | Description of Charge Advice Information (CAI) | S1 | Yes |
| TS | 22.030 | Man-Machine Interface (MMI) of the Mobile Station (MS) | S1 | Yes |
| TS | 22.034 | High Speed Circuit Switched Data (HSCSD); Stage 1 | S1 | Yes |
| TS | 22.038 | SIM application toolkit (SAT); Stage 1 | S1 | Yes |
| TS | 22.041 | Operator Determined Call Barring | S1 | Yes |
| TS | 22.042 | Network Identity and Time Zone (NITZ), stage 1 | S1 | Yes |
| TS | 22.053 | Tandem Free Operation (TFO); Service Description - Stage 1 | <u>S4</u> | Yes |
| TS | 22.057 | Mobile Station Application Execution Environment (MExE); Stage 1 | S1 | Yes |
| TS | 22.060 | General Packet Radio Service (GPRS); Stage 1 | S1 | Yes |
| TS | 22.066 | Support of Mobile Number Portability (MNP); Stage 1 | S1 | Yes |
| TS | 22.067 | enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 1 | S1 | Yes |
| TS | 22.071 | Location Services (LCS); Stage 1 | S1 | Yes |
| TS | 22.072 | Call Deflection (CD); Stage 1 | S1 | Yes |
| TS | 22.076 | Noise Suppression for the AMR Codec; Service Description - Stage 1 | <u>S4</u> | Yes |
| TS | 22.078 | CAMEL; Stage 1 | S1 | Yes |
| TS | 22.079 | Support of Optimal Routing; Stage 1 | S1 | Yes |
| TS | 22.081 | Line Identification Supplementary Services; Stage 1 | S1 | Yes |
| TS | 22.082 | Call Forwarding (CF) Supplementary Services; Stage 1 | S1 | Yes |
| TS | 22.083 | Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage 1 | S1 | Yes |
| TS | 22.084 | MultiParty (MPTY) Supplementary Service; Stage 1 | S1 | Yes |
| TS | 22.085 | Closed User Group (CUG) Supplementary Services; Stage 1 | S1 | Yes |
| TS | 22.086 | Advice of Charge (AoC) Supplementary Services; Stage 1 | S1 | Yes |
| TS | 22.087 | User-to-user signalling (UUS); Stage 1 | S1 | Yes |
| TS | 22.088 | Call Barring (CB) Supplementary Services; Stage 1 | S1 | Yes |
| TS | 22.090 | Unstructured Supplementary Service Data (USSD); Stage 1 | S1 | Yes |
| TS | 22.091 | Explicit Call Transfer (ECT) Supplementary Service; Stage 1 | S1 | Yes |
| TS | 22.093 | Call Completion to Busy Subscriber (CCBS); Stage 1 | S1 | Yes |
| TS | 22.094 | Follow Me Stage 1 | S1 | Yes |
| TS | 22.094 | Calling Name Presentation (CNAP); Stage 1 (T1P1) | S1 | Yes |
| TS | 22.097 | Multiple Subscriber Profile (MSP); Stage 1 | S1 | Yes |
| TS | 22.101 | UMTS Service principles | S1 | Yes |
| TS | 22.101 | Services & Service capabilities | S1 | Yes |
| TS | 22.105 | USIM toolkit interpreter; Stage 1 | T3 | Yes |
| TS | 22.112 | Service Aspects Charging and billing | S1 | Yes |
| | | Provision of Services in UMTS - The Virtual Home Environment ; Stage 1 | | |
| TS | 22.121 | | S1 | Yes |
| TS | 22.127 | Service Requirement for the Open Services Access (OSA); Stage 1 | S1 | Yes |

| Туре | Number | Title | WG prime | For pub- |
|-----------|-------------------|--|----------------|------------|
| TS | 22.129 | Handover Requirements between UMTS and GSM or other Radio Systems | S1 | Yes |
| TS | 22.135 | Multicall Stage 1 | S1 | Yes |
| TS | 22.140 | Multimedia Messaging Service; Stage 1 | S1 | Yes |
| TS | 22.226 | Global text telephony; Stage 1: Service description | S 1 | Yes |
| TS | 22.227 | Service requirements for the Open Service Access (OSA) | S1 | Yes |
| TR | 22.976 | Study on PS domain services and capabilities | S1 | Yes |
| TS | 23.002 | Network Architecture | S2 | Yes |
| TS | 23.003 | Numbering, Addressing and Identification | N4 | Yes |
| TS | 23.007 | Restoration procedures | N4 | Yes |
| TS | 23.008 | Organisation of subscriber data | N4 | Yes |
| TS | 23.009 | Handover procedures | N1 | Yes |
| TS | 23.011 | Technical Realization of Supplementary Services - General Aspects | N4 | Yes |
| TS | 23.012 | Location management procedures | N4 | Yes |
| TS | 23.014 | Support of Dual Tone Multi Frequency (DTMF) signalling | N1 | Yes |
| TS | 23.015 | Technical realisation of Operator Determined Barring (ODB) | N4 | Yes |
| TS | 23.016 | Subscriber data management ; Stage 2 | N4 | Yes |
| TS | 23.018 | Basic Call Handling - Technical realisation | N4 | Yes |
| TS | 23.032 | Universal Geographical Area Description (GAD) | S2 | Yes |
| TS | 23.034 | High Speed Circuit Switched Data (HSCSD); Stage 2 | N1 | Yes |
| TS | 23.038 | Alphabets & Language | T2 | Yes |
| TR | 23.039 | Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs) | T2 | Yes |
| TS | 23.040 | Technical realisation of Short Message Service | T2 | Yes |
| TS | 23.041 | Technical Realization of Cell Broadcast Service | T2 | Yes |
| TS | 23.042 | Compression algorithm for SMS | T2 | Yes |
| <u>TS</u> | <u>23.053</u> | Tandem Free Operation (TFO); Service description; Stage 2 | <u>S4</u> | <u>Yes</u> |
| TS | 23.057 | Mobile Station Application Execution Environment (MExE) | T2 | Yes |
| TS | 23.060 | General Packet Radio Service (GPRS) Service description; Stage 2 | S2 | Yes |
| TS | 23.066 | Support of GSM Mobile Number Portability (MNP) stage 2 | N4 | Yes |
| TS | 23.067 | Enhanced Multi-Level Precedence and Preemption Service (EMLPP); Stage 2 | N4 | Yes |
| TS | 23.072 | Call Deflection Supplementary Service ; Stage 2 | N4 | Yes |
| TS | 23.073 | Support of Localised Service Area (SoLSA); Stage 2 | N4 | Yes |
| TS | 23.078 | Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 3 - Stage 2 | N2 | Yes |
| TS | 23.079 | Support of Optimal Routeing - Phase 1; Stage 2 | N4 | Yes |
| TS | 23.081 | Line Identification Supplementary Services; Stage 2 | N4 | Yes |
| TS | 23.082 | Call Forwarding (CF) Supplementary Services ; Stage 2 | N4 | Yes |
| TS | 23.083 | Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 2 | N4 | Yes |
| TS | 23.084 | MultiParty (MPTY) Supplementary Service ; Stage 2 | N4 | Yes |
| TS | 23.085 | Closed User Group (CUG) Supplementary Service; Stage 2 | N4 | Yes |
| TS | 23.086 | Advice of Charge (AoC) Supplementary Service; Stage 2 | N4 | Yes |
| TS | 23.087 | User-to-User Signalling (UUS) ; Stage 2 | N4 | Yes |
| TS | 23.088 | Call Barring (CB) Supplementary Service ; Stage 2 | N4 | Yes |
| TS | 23.090 | Unstructured Supplementary Service Data (USSD); Stage 2 | N4 | Yes |
| TS | 23.091 | Explicit Call Transfer (ECT) Supplementary Service ; Stage 2 | N4 | Yes |
| TS | 23.093 | Call Completion to Busy Subscriber (CCBS) ; Stage 2 | N4 | Yes |
| TS | 23.094 | Follow Me Stage 2 | N4 | Yes |
| TS | 23.096 | Name Identification Supplementary Service ; Stage 2 | N4 | Yes |
| TS | 23.097 | Multiple Subscriber Profile (MSP); Stage 2 | N4 | Yes |
| TS | 23.101 | General UMTS Architecture | S2 | Yes |
| TS | 23.107 | Quality of Service, Concept and Architecture | S2 | Yes |
| TS | 23.108 | Mobile Radio Interface Layer 3 specification Core Network Protocols stage 2 (structured procedures) | N1 | Yes |
| TS | 23.110 | UMTS Access Stratum Services and Functions | S2 | Yes |
| TS | 23.116 | Super-Charger technical realization; Super Charger ; Stage 2 | N4 | Yes |
| TS | 23.119 | Gateway Location Register (GLR) ; Stage2 | N4 | Yes |
| TS | 23.122 | Non-Access-Stratum functions related to Mobile Station (MS) in idle mode | N1 | Yes |
| TS | 23.127 | Virtual Home Environment; Stage 2 | S2 | Yes |
| TS | 23.135 | Multicall; Stage 2 | N4 | Yes |
| TS | 23.140 | Multimedia Messaging Service (MMS) | T2 | Yes |
| TS | 23.146 | Technical realisation of facsimile Group 3 service - non-transparent | | Yes |

| Туре | Number | Title | WG prime | For pub- |
|---------------|-----------------------------|--|----------------|----------------------------------|
| TS | 23.153 | Out of Band Transcoder Control ; Stage 2 | N4 | Yes |
| TS | 23.171 | Functional stage 2 description of location services in UMTS | \$2 | Yes |
| TS | 23.205 | Bearer-independent circuit-switched core network; Stage 2 | N4 | Yes |
| TS | 23.207 | End to end quality of service concept and architecture | S2 | Yes |
| TS | 23.221 | Architectural requirements | S2 | Yes |
| ŦS | 23.226 | Global text telephony; Stage 2: Architecture | N4 | Yes |
| TS | 23.227 | Application and user interaction in the UE; Principles and specific requirements Terminal local model | T2 | Yes |
| TS | 23.271 | Functional stage 2 description of location services | S2 | Yes |
| TR | 23.814 | Separating RR and MM specific parts of the MS Classmark | N1 | No |
| TR | 23.821 | Architecture Principles for Relase 2000 | S2 | No |
| TR | 23.873 | Feasibility study fro transport and control separation in the PS CN domain | S2 | No |
| TR | 23.874 | Feasibility study of architecture for network requested PDP context activation with User-ID | S2 | No |
| TR | 23.907 | Quality of Service concept | S1 | Yes |
| TR | 23.908 | Technical report on Pre-Paging | N4 | Yes |
| TR | 23.909 | Technical report on the Gateway Location Register | N4 | Yes |
| TR | 23.910 | Circuit switched data bearer services | N3 | Yes |
| TR | 23.911 | Technical report on Out-of-band transcoder control | N4 | Yes |
| TR | 23.912 | Technical report on Super-Charger | N4 | Yes |
| TR | 23.922 | Architecture for an All IP network | \$2 | Yes |
| TR | 23.923 | Combined GSM and Mobile IP mobility handling in UMTS IP CN | \$2 | Yes |
| TR | 23.925 | UMTS Core network based ATM transport | S2 | Yes |
| TR | 23.930 | lu Principles | S2 | Yes |
| TR. | 23.972 23.974 | Circuit Switched Multimedia Telephony | N1 | Yes Yes |
| TR TS | 24.002 | Support of push-service GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration | S2 N1 | Yes |
| TS | 24.007 | Mobile Radio Interface Signalling Layer 3 - General Aspects | N1 | Yes |
| TS | 24.007 | Mobile Radio Interface Signaling Layer 3 - General Aspects Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3 | N1 | Yes |
| TS | 24.010 | Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects | N4 | Yes |
| TS | 24.011 | Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface | N1 | Yes |
| TS | 44.012 | Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio- Interface | G2 | Yes |
| TS | 24.022 | Radio Link Protocol (RLP) for Data and Telematic Services on the (MS-BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-MSC) Interface | N3 | Yes |
| TS | 24.030 | Location Services LCS Stage 3 SS (MO-LR) | N4 | Yes |
| TS | 24.067 | Enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 3 | N4 | Yes |
| TS | 24.072 | Call Deflection Supplementary Service ; Stage 3 | N4 | Yes |
| TS | 24.080 | Mobile radio Layer 3 Supplementary Service specification - Formats and coding | N4 | Yes |
| TS | 24.081 | Line Identification Supplementary Service ; Stage 3 | N4 | Yes |
| TS | 24.082 | Call Forwarding Supplementary Service ; Stage 3 | N4 | Yes |
| TS | 24.083 | Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 3 | N4 | Yes |
| TS | 24.084 | MultiParty (MPTY) Supplementary Service ; Stage 3 | N4 | Yes |
| TS | 24.085 | Closed User Group (CUG) Supplementary Service ; Stage 3 | N4 | Yes |
| TS | 24.086 | Advice of Charge (AoC) Supplementary Service ; Stage 3 | N4 | Yes |
| TS | 24.087 | User-to-User Signalling (UUS) ; Stage 3 | N4 | Yes |
| TS | 24.088 | Call Barring (CB) Supplementary Service ; Stage 3 | N4 | Yes |
| TS | 24.090 | Unstructured Supplementary Service Data (USSD); Stage 3 | N4 | Yes |
| TS | 24.091 | Explicit Call Transfer (ECT) Supplementary Service; Stage 3 | N4 | Yes |
| TS | 24.093 | Call Completion to Busy Subscriber (CCBS); Stage 3 | N4 | Yes |
| TS | 24.096 | Name Identification Supplementary Service ; Stage 3 | N4 | Yes Yes |
| TS TR | 24.135 | Multicall Stage 3 | N4 | |
| | 24.946 25.101 | reserved UE Radio transmission and reception (FDD) | R4 | Yes Yes |
| | ZJ.101 | טב המטוס וומווסווטוו מווט ופנפטווטוו (ו־טט) | | 169 |
| TS TS | 25.102 | UE Radio transmission and reception (TDD) | R4 | Yes |

| Туре | Number | Title | WG prime | For pub- |
|------|--------|--|-------------|----------|
| TS | 25.105 | UTRA (BS) TDD: Radio transmission and reception | R4 | Yes |
| TS | 25.106 | UTRA Repeater; Radio transmission and reception | R4 | Yes |
| TS | 25.113 | Base station EMC | R4 | Yes |
| TS | 25.123 | Requirements for support of radio resource management (TDD) | R4 | Yes |
| TS | 25.133 | Requirements for support of radio resource management (FDD) | R4 | Yes |
| TS | 25.141 | Base station conformance testing (FDD) | R4 | Yes |
| TS | 25.142 | Base station conformance testing (TDD) | R4 | Yes |
| TS | 25.143 | UTRA Repeater; Conformance testing | R4 | Yes |
| TS | 25.201 | Physical layer -General Description | R1 | Yes |
| TS | 25.211 | Physical channels and mapping of transport channels onto physical channels (FDD) | R1 | Yes |
| TS | 25.212 | Multiplexing and channel coding (FDD) | R1 | Yes |
| TS | 25.213 | Spreading and modulation (FDD) | R1 | Yes |
| TS | 25.214 | Physical layer procedures (FDD) | R1 | Yes |
| TS | 25.215 | Physical layer; Measurements (FDD) | R1 | Yes |
| TS | 25.221 | Physical channels and mapping of transport channels onto physical channels (TDD) | R1 | Yes |
| TS | 25.222 | Multiplexing and channel coding (TDD) | R1 | Yes |
| TS | 25.223 | Spreading and modulation (TDD) | R1 | Yes |
| TS | 25.224 | Pphysical layer procedures (TDD) | R1 | Yes |
| TS | 25.225 | Physical layer; Measurements (TDD) | R1 | Yes |
| TS | 25.301 | Radio Interface Protocol Architecture | R2 | Yes |
| TS | 25.302 | Services provided by the physical layer | R2 | Yes |
| TS | 25.303 | UE functions and inter-layer procedures in connected mode | R2 | Yes |
| TS | 25.304 | UE Procedures in Idle Mode and Procedures for Cell Reselection in Connected Mode | | Yes |
| TS | 25.305 | Stage 2 functional specification of UE positioning in UTRAN | R2 | Yes |
| TS | 25.306 | UE Radio Access capabilities definition | R2 | Yes |
| TS | 25.321 | Medium Access Control (MAC) Protocol Specification | R2 | Yes |
| TS | 25.322 | Radio Link Control (RLC) Protocol Specification | R2 | Yes |
| TS | 25.323 | Packet Data Convergence Protocol (PDCP) protocol | R2 | Yes |
| TS | 25.324 | Broadcast/Multicast Control (BMC) | R2 | Yes |
| TS | 25.331 | Radio Resource Control (RRC) Protocol Specification | R2 | Yes |
| TS | 25.401 | UTRAN Overall Description | R3 | Yes |
| TS | 25.402 | Synchronisation in UTRAN Stage 2 | R3 | Yes |
| TS | 25.410 | UTRAN lu Interface: General Aspects and Principles | R3 | Yes |
| TS | 25.411 | UTRAN lu interface Layer 1 | R3 | Yes |
| TS | 25.412 | UTRAN lu interface signalling transport | R3 | Yes |
| TS | 25.413 | UTRAN lu interface RANAP signalling | R3 | Yes |
| TS | 25.414 | UTRAN lu interface data transport & transport signalling | R3 | Yes |
| TS | 25.415 | UTRAN lu interface user plane protocols | R3 | Yes |
| TS | 25.419 | UTRAN lu interface: Cell broadcast protocols between SMS-CBC and RNC | R3 | Yes |
| TS | 25.420 | UTRAN lur Interface: General Aspects and Principles | R3 | Yes |
| TS | 25.421 | UTRAN lur interface Layer 1 | R3 | Yes |
| TS | 25.422 | UTRAN lur interface signalling transport | R3 | Yes |
| TS | 25.423 | UTRAN lur interface RNSAP signalling | R3 | Yes |
| TS | 25.424 | UTRAN lur interface data transport & transport signalling for CCH data streams | R3 | Yes |
| TS | 25.425 | UTRAN lur interface user plane protocols for CCH data streams | R3 | Yes |
| TS | 25.426 | | R3 | Yes |
| TS | 25.427 | UTRAN lur and lub interface user plane protocols for DCH data streams | R3 | Yes |
| TS | 25.430 | UTRAN lub Interface: General Aspects and Principles | R3 | Yes |
| TS | 25.431 | UTRAN lub interface Layer 1 | R3 | Yes |
| TS | 25.432 | UTRAN lub interface signalling transport | R3 | Yes |
| TS | 25.432 | UTRAN lub interface signalling transport | R3 | Yes |
| TS | 25.434 | UTRAN lub interface data transport & transport signalling for CCH data | R3 | Yes |
| | | streams | | |
| TS | 25.435 | UTRAN lub interface user plane protocols for CCH data streams | R3 | Yes |
| TS | 25.442 | UTRAN Implementation Specific O&M Transport | R3 | Yes |
| TR | 25.832 | Manifestations of Handover and SRNS relocation | R3 | No |

| TR 25.834 UTRA TDD low chip rate option TR 25.835 Report on hybrid ARQ type II/III TR 25.836 Node B synchronization for TDI TR 25.837 Hybrid ARQ Type II/III (lub/lur a TR 25.838 Node B Synchronisation for TD TR 25.839 Uplink Synchronous Transmiss TR 25.840 Terminal power saving features TR 25.841 DSCH power control improvem TR 25.842 Smart antenna TR 25.843 1,28 Mops TDD UE Radio Acces | R2 R1 Spects R3 R3 R3 R3 R3 R3 R3 R | No No No No |
|--|--|----------------------|
| TR 25.836 Node B synchronization for TDI TR 25.837 Hybrid ARQ Type II/III (lub/lur a TR 25.838 Node B Synchronisation for TD TR 25.839 Uplink Synchronous Transmiss TR 25.840 Terminal power saving features TR 25.841 DSCH power control improvem TR 25.842 Smart antenna | R1 | No No No |
| TR 25.837 Hybrid ARQ Type II/III (lub/lur at TR 25.838 Node B Synchronisation for TD TR 25.839 Uplink Synchronous Transmiss TR 25.840 Terminal power saving features TR 25.841 DSCH power control improvem TR 25.842 Smart antenna | R3 | No No |
| TR 25.838 Node B Synchronisation for TD TR 25.839 Uplink Synchronous Transmiss TR 25.840 Terminal power saving features TR 25.841 DSCH power control improvem TR 25.842 Smart antenna | O (lub/lur aspects) R3 on Scheme (USTS) (lur/lub aspects) R3 R1 ent in soft handover R1 R1 | No |
| TR 25.839 Uplink Synchronous Transmiss TR 25.840 Terminal power saving features TR 25.841 DSCH power control improvem TR 25.842 Smart antenna | on Scheme (USTS) (Iur/Iub aspects) R3 R1 ent in soft handover R1 R1 | |
| TR 25.839 Uplink Synchronous Transmiss TR 25.840 Terminal power saving features TR 25.841 DSCH power control improvem TR 25.842 Smart antenna | on Scheme (USTS) (Iur/Iub aspects) R3 R1 ent in soft handover R1 R1 | |
| TR 25.840 Terminal power saving features TR 25.841 DSCH power control improvem TR 25.842 Smart antenna | R1 ent in soft handover R1 R1 | No |
| TR 25.841 DSCH power control improvem TR 25.842 Smart antenna | ent in soft handover R1 | No |
| TR 25.842 Smart antenna | <u>R1</u> | No |
| TR 25.843 1,28 Mcps TDD UE Radio Acce | 0 1337 | No |
| | ss Capabilities R2 | No |
| TR 25.844 Radio acces bearer support enl | | No |
| TR 25.845 FDD RACH and AICH performa | | No |
| TR 25.847 UE positioning enhancements | R2 | No |
| | A High Speed Downlink Packet Access R1 | No |
| TR 25.849 DSCH power control improvem | | No |
| TR 25.850 UE positioning in UTRAN lub/li | | No |
| TR 25.851 RAB Quality of Service Renego | | No |
| TR 25.852 Radio access bearer support er | | No |
| TR 25.853 Delay budget within the access | | No |
| , , | otocol description and error handling R2 | Yes |
| TR 25.922 Radio Resource Management S | | Yes |
| TR 25.924 Opportunity Driven Multiple Acc | 9 | Yes |
| | A TDD physical layer1,28Mcps UTRA TDD R1 | Yes |
| Physical Layer | A TOO physical layer 1,20mcps of the Too | 163 |
| TR 25.931 UTRAN Functions, examples of | n signalling procedures R3 | Yes |
| TR 25.933 IP Transport in UTRAN | R3 | Yes |
| TR 25.934 AAL2 QoS optimization | R3 | Yes |
| TR 25.935 RRM optimisation | R3 | Yes |
| TR 25.936 Handover for realtime services | from PS-domain R3 | Yes |
| TR 25.937 UTRAN TDD low chiprate | R3 | Yes |
| TR 25.938 Terminal power saving features | | Yes |
| TR 25.942 RF system scenarios | R4 | Yes |
| TR 25.943 Deployment aspects | R4 | Yes |
| TR 25.944 Channel coding and multiplexin | g examples R1 | Yes |
| TR 25.945 RF requirements for low chip ra | | Yes |
| TR 25.946 RAB Quality of Service Negotia | | Yes |
| TR 25.950 UTRA high speed downlink page | | Yes |
| TR 25.951 Base Station classification (FDI | | Yes |
| TR 25.952 Base Station classification (TDI | | Yes |
| TR 25.953 TrFO/TFO | R3 | Yes |
| TR 25.954 Migration to modification proced | | Yes |
| TR 25.956 UTRA repeater: Planning guide | | Yes |
| TS 26.071 AMR speech Codec; General d | | Yes |
| TS 26.073 AMR speech Codec; C-source | | Yes |
| TS 26.074 AMR speech Codec; Test sequ | | Yes |
| | ments for Noise Suppresser Application to the S4 | Yes |
| AMR Speech Encoder | | |
| TS 26.090 AMR speech Codec; Transcodi | | Yes |
| TS 26.091 AMR speech Codec; Error cond | | Yes |
| | sise for AMR Speech Traffic Channels S4 | Yes |
| TS 26.093 AMR speech Codec; Source Co | | Yes |
| | vity Detector for AMR Speech Traffic Channels S4 | Yes |
| TS 26.101 AMR speech Codec; Frame Str | | Yes |
| TS 26.102 AMR speech Codec; Interface t | o lu and Uu S4 | Yes |
| TS 26.103 Codec lists | S4 | Yes |
| TS 26.104 AMR speech Codec; Floating p | pint C-Code S4 | Yes |
| | media Telephony Service; General Description S4 | Yes |
| | media Telephony Service; Modifications to S4 | Yes |
| | Control Planning For Speech and Multi-Media S4 | Yes |

| Туре | Number | Title | WG prime | For pub- |
|---------------|-------------------|--|-----------------|----------|
| TS | 26.131 | Narrow Band (3,1kHz) Speech & Video Telephony Terminal Acoustic Characteristics | S4 | Yes |
| TS | 26.132 | Narrow Band (3,1kHz) Speech & Video Telephony Terminal Acoustic Test Specification. | S4 | Yes |
| TS | 26.233 | End-to-end transparent streaming service; General description | S4 | Yes |
| TS | 26.234 | End-to-end transparent streaming service; Protocols and codecs | S4 | Yes |
| TS | 26.235 | Packet switched conversational multimedia applications; Default codecs | S4 | Yes |
| TR | 26.901 | AMR Wideband Speech Codec Feasibility Study Report | S4 | Yes |
| TR | 26.911 | Codec for Circuit switched Multimedia Telephony Service; Terminal Implementor's Guide | S4 | Yes |
| TR | 26.912 | Codec for Circuit switched Multimedia Telephony Service; Quantitative performance evaluation of H.324 Annex C over 3G | S4 | Yes |
| TR | 26.913 | Quantitative performance evaluation of real-time packet switched multimedia- services over 3G | \$ 4 | Yes |
| TR | 26.975 | Performance characterization of the AMR speech codec | S4 | Yes |
| TR | 26.978 | Results of the AMR noise suppression selection phase | S4 | Yes |
| TS | 27.001 | General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS) | N3 | Yes |
| TS | 27.002 | Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities | N3 | Yes |
| TS | 27.003 | Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities | N3 | Yes |
| TS | 27.005 | Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE - DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS) | T2 | Yes |
| TS | 27.007 | AT command set for 3G User Equipment (UE) | T2 | Yes |
| TS | 27.010 | Terminal Equipment to User Equipment (TE-UE) multiplexer protocol User Equipment (UE) | T2 | Yes |
| TS | 27.060 | GPRS Mobile Stations supporting GPRS | N3 | Yes |
| TS | 27.103 | Wide Area Network Synchronisation | T2 | Yes |
| TS | 27.104 | vObjects and other constructs for data synchronization | T2 | Yes |
| TS | 27.226 | Global Text telephony;Terminal aspects | T2 | Yes |
| TR | 27.901 | Report on Terminal Interfaces - An Overview | T2 | Yes |
| TR | 27.903 | Discussion of Synchronisation Standards | T2 | Yes |
| TS | 28.020 | Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface | - <u>N3</u> | Yes |
| TS | 28.062 | Inband Tandem Free Operation (TFO) of Speech Codecs; Service Description; Stage 3 | S4 | Yes |
| TS | 29.002 | Mobile Application Part (MAP) | N4 | Yes |
| TS | 29.007 | General requirements on Interworking between the PLMN and the ISDN or PSTN | N3 | Yes |
| TS | 29.010 | Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP) | N4 | Yes |
| TS | 29.011 | Signalling Interworking for Supplementary Services | N4 | Yes |
| TS | 29.013 | Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols | N4 | Yes |
| TS | 29.016 | Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification | N1 | Yes |
| TS | 29.018 | Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Layer 3 Specification | N1 | Yes |
| TS | 29.060 | GPRS Tunnelling protocol (GTP) across the Gn and Gp interface | N4 | Yes |
| TS | 29.061 | General Packet Radio Service (GPRS); Interworking between the Public Land Mobile Network (PLMN) supporting GPRS and Packet | N3 | Yes |
| TS | 29.078 | CAMEL; Stage 3 | N2 | Yes |
| TS | 29.108 | Application of the Radio Access Network Application Part (RANAP) on the E-interface | R3 | Yes |
| TS | 29.119 | GPRS Tunnelling Protocol (GTP) specification for Gateway Location Register (GLR) | N4 | Yes |
| TS | 29.120 | Mobile Application Part (MAP) specification for Gateway Location Register (GLR); Stage 3 | N4 | Yes |
| TS | 29.198- 01 | Open Service Access (OSA) Application Programming Interface (API); Part 1: Overview | N5 | Yes |

| Туре | Number | Title | WG prime | For pub- |
|---------------|-------------------------------------|--|-------------|----------|
| TS | 29.198- 02 | Open Service Access (OSA) Application Programming Interface (API); Part 2: Common data | N5 | Yes |
| TS | 29.198- 03 | Open Service Access (OSA) Application Programming Interface (API); Part 3: Framework | N5 | Yes |
| TS | 29.198- 04 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control | N5 | Yes |
| TS | 29.198- 05 | Open Service Access (OSA) Application Programming Interface (API); Part 5: Generic user interaction | N5 | Yes |
| TS | 29.198- 06 | Open Service Access (OSA) Application Programming Interface (API); Part 6: Mobility | N5 | Yes |
| TS | 29.198- 07 | Open Service Access (OSA) Application Programming Interface (API); Part 7: Terminal capabilities | N5 | Yes |
| TS | 29.198- 08 | Open Service Access (OSA) Application Programming Interface (API); Part 8: Data session control | N5 | Yes |
| IS | 29.198- 09 | Open Service Access (OSA) Application Programming Interface (API); Part 9: Generic messaging SCF | N5 | Yes |
| IS | 29.198- 10 | Open Service Access (OSA) Application Programming Interface (API); Part 10: Connectivity manager SCF | N5 | Yes |
| TS | 29.198- 11 | Open Service Access (OSA) Application Programming Interface (API); Part 11: Account management | N5 | Yes |
| TS | 29.198- 12 | Open Service Access (OSA) Application Programming Interface (API); Part 12: Charging | N5 | Yes |
| TS | 29.202 | SS7 signalling transport in Core Network; stage 3 | N4 | Yes |
| TS | 29.205 | Application of Q.1900 series to bearer-independent circuit-switched core network architecture; Stage 3 | N4 | Yes |
| TS | 29.226 | reserved | N4 | Yes |
| TS | 29.232 | Media gateway controller - media gateway interface; Stage 3 | N4 | Yes |
| TS | 29.414 | Core network Nb nata transport and transport signalling | N3 | Yes |
| TS | 29.415 | Nb user plane protocols | N3 | Yes |
| TR | 29.998- 01 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 1: General Issues on API Mapping | N5 | Yes |
| TR | 29.998- 04-1 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 4: Call Control Service Mapping; Subpart 1: API to CAP Mapping | N5 | Yes |
| TR | 29.998- 05-1 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 5: User Interaction Service Mapping; Subpart 1: API to CAP Mapping | N5 | Yes |
| TR | 29.998- 05-4 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 5: User Interaction Service Mapping; Subpart 4: API to SMS Mapping | N5 | Yes |
| TR | 29.998- 06 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 6: User Location – User Status Service Mapping to MAP | N5 | Yes |
| TR | 29.998- 08 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 8: Data Session Control Service Mapping to CAP | N5 | Yes |
| TR | 30.504 | Work Plan and Study Items - RAN WG4 | R4 | No |
| TS | 31.102 | Characteristics of the USIM Application | T3 | Yes |
| TS | 31.110 | Numbering system for telecommunication IC card applications | T3 | Yes |
| TS | 31.111 | USIM Application Toolkit (USAT) | T3 | Yes |
| TS | 31.121 | UICC-terminal interface; USIM application test specification | T3 | Yes |
| TS | 31.122 | USIM conformance test specification | T3 | Yes |
| TS | 32.101 | 3G Telecom Management principles and high level requirements | S5 | Yes |
| TS | 32.102 | 3G Telecom Management Architecture | S5 | Yes |
| TS | 32.104 | 3G Performance Management | S5 | Yes |
| TS | 32.105 | 3G charging and billing; Stage 2 description | S5 | Yes |
| TS | 32.106-1 | Telecommunication Management; Configuration Management; Part 1: 3G configuration management; Concept and requirements | S5 | Yes |
| TS | 32.106-2 | Telecommunication Management; Configuration Management; Part 2: Notification Integration Reference Point; Information Service version 1 | S5 | Yes |
| TS | 32.106-3 | Telecommunication Management; Configuration Management; Part 3: Notification Integration Reference Point; CORBA solution set version 1:1 | S5 | Yes |

| Туре | Number | Title | WG | For pub- |
|-----------|---------------|---|------------|------------|
| TS | 32.106-4 | Telecommunication Management; Configuration Management; Part 4: Notification Integration Reference Point: CMIP Solution Set Version 1:1 | S5 | Yes |
| TS | 32.106-5 | Telecommunication Management; Configuration Management; Part 5: Basic Configuration Management IRP information model (including NRM) version 1 | S5 | Yes |
| TS | 32.106-6 | Telecommunication Management; Configuration Management; Part 6: Basic Configuration Management IRP CORBA solution set version 1:1 | S5 | Yes |
| TS | 32.106-7 | Telecommunication Management; Configuration Management; Part 7: Basic Configuration Management IRP CMIP solution set version 1:1 | S5 | Yes |
| TS | 32.106-8 | Telecommunication Management; Configuration Management; Part 8: Name convention for Managed Objects | S5 | Yes |
| TS | | Telecommunication Management; Fault Management; Part 1: 3G fault management requirements | S5 | Yes |
| TS | 32.111-2 | Telecommunication Management; Fault Management; Part 2: Alarm Integration Reference Point: Information Service | S5 | Yes |
| TS | 32.111-3 | Telecommunication Management; Fault Management; Part 3: Alarm Integration Reference Point: CORBA solution set version 1:1 | S5 | Yes |
| TS | | Telecommunication Management; Fault Management; Part 4: Alarm Integration Reference Point: CMIP solution set | S5 | Yes |
| <u>TS</u> | <u>31.112</u> | <u>USAT Interpreter Architecture Description; Stage 2</u> | <u>TP</u> | <u>Yes</u> |
| <u>TS</u> | <u>31.113</u> | <u>USAT interpreter byte codes</u> | <u>TP</u> | <u>Yes</u> |
| TS | 32.140 | 3G Service Management Requirements & Framework | S5 | Yes |
| TS | 32.205 | 3G charging data description for the CS domain | S5 | Yes |
| TR | 32.800 | Management level procedures and interaction with UTRAN | S5 | Yes |
| TS | 33.102 | Security Architecture | S3 | Yes |
| TS | 33.103 | Security Integration Guidelines | S3 | Yes |
| TS | 33.105 | Cryptographic Algorithm requirements | S3 | Yes |
| TS | 33.106 | Lawful interception requirements | S3 | Yes |
| TS | 33.107 | Lawful interception architecture and functions | S3 | Yes |
| TS | 33.120 | Security Objectives and Principles | S3 | Yes |
| TS | 33.200 | Network Domain Security - MAP | S3 | Yes |
| TR | 33.800 | Principles for Network Domain Security | S3 | No |
| TR | 33.900 | Guide to 3G security | S3 | Yes |
| TR | 33.901 | Criteria for cryptographic Algorithm design process | S3 | Yes |
| TR | 33.902 | Formal Analysis of the 3G Authentication Protocol | S3 | Yes |
| TR | 33.903 | Access Security for IP based services | S3 | Yes |
| TR | 33.904 | Report on the Evaluation of 3GPP Standard Confidentiality and Integrity Algorithms | S3 | Yes |
| TR | 33.908 | Security Algorithms Group of Experts (SAGE); General report on the design, specification and evaluation of 3GPP standard confidentiality and integrity algorithms | S3 | Yes |
| TR | 33.909 | ETSI SAGE 3GPP Standards Algorithms Task Force: Report on the evaluation of 3GPP standard confidentiality and integrity algorithms | S3 | Yes |
| TS | 34.108 | Common Test Environments for User Equipment (UE) Conformance Testing | T1 | Yes |
| TS | 34.109 | Logical Test Interface (TDD and FDD) | R2 | Yes |
| TS | 34.121 | Terminal Conformance Specification, Radio Transmission and Reception (FDD) | T1 | Yes |
| TS | 34.122 | Terminal Conformance Specification, Radio Transmission and Reception (TDD) | T1 | Yes |
| TS | 34.123-1 | UE Conformance Specification, Part 1 – Conformance specification | T1 | Yes |
| TS | | UE Conformance Specification, Part 2 – ICS | T1 | Yes |
| TS | | UE Conformance Specification, Part 3 Abstract Test suites | T1 | Yes |
| TS | 34.124 | Electromagnetic compatibility (EMC) requirements for Mobile terminals and ancillary equipment | R4 | Yes |
| TR | 34.910 | Conformance Test specifications – Relevant for Regulatory use | T1 | Yes |
| TR | 34.926 | Table of International EMC requirements | R4 | Yes |
| TS | 35.201 | Specification of the 3GPP confidentiality and integrity algorithms; Document 1: f8 and f9 specifications | S3 | Yes |
| TS | 35.202 | Specification of the 3GPP confidentiality and integrity algorithms; Document 2: Kasumi algorithm specification | S 3 | Yes |
| TS | 35.203 | Specification of the 3GPP confidentiality and integrity algorithms; Document 3: Implementors' test data | S3 | Yes |

| Type | Number | Title | WG | For pub- |
|------|--------|--|-------|----------|
| | | | prime | lication |
| TS | 35.204 | Specification of the 3GPP confidentiality and integrity algorithms; Document 4: Design conformance test data | S3 | Yes |
| TR | 35.205 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions; Document 1: General | S3 | Yes |
| TR | 35.205 | 3G Security; Specification of the MILENAGE Algorithm Set: An example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 1: General3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions; Document 1: General | S3 | Yes |
| TS | 35.206 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 2: Algorithm specification | S3 | Yes |
| TS | 35.206 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 2: Algorithm specification | S3 | Yes |
| TS | 35.207 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 3: Implementors' test data | S3 | Yes |
| TS | 35.207 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 3: Implementors' test data | S3 | Yes |
| TS | 35.208 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 4: Design conformance test data | S3 | Yes |
| TS | 35.208 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 4: Design conformance test data | S3 | Yes |
| TR | 35.909 | 3G security; Report on the design and evaluation of the MILENAGE algorithm set; Deliverable 5: An example algorithm for the 3GPP Authentication and Key Generation functions3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions | S3 | Yes |