TSG-SA Working Group 1 (Services) meeting #2 Edinburgh, Scotland 9th-12th March 1999

TSGS1#2(99)150 Agenda: 9.2.1

	CHANGE REQUEST No : Please see embedded help file at the bottom of this page for instructions on how to fill in this form correct		
Technical	Specification GSM / UMTS: 22.05	Version 3.2.0	
Submitted to SMGfor approvalwithout presentation ("non-strategic")list plenary meeting or STC here ↑for informationwith presentation ("strategic")			
PT SMG CR cover form. Filename: crf26_3.doc			
Proposed change affects: SIM ME X Network (at least one should be marked with an X)			
Work item:			
Source:	Nokia	Date:	19.2.1999
Subject:	Support of GSM BSs		
Category: (one category and one release only shall be marked with an X) Reason for	 F Correction A Corresponds to a correction in an ear B Addition of feature C Functional modification of feature D Editorial modification 	rlier release	Phase 2 Release 96 Release 97 Release 98 Release 99 X UMTS
<u>change:</u>			
Clauses affected:			
Other specs affected:	Other core specifications - MS test specifications / TBRs - BSS test specifications -	 → List of CRs: 	
<u>Other</u> comments:			
double-click here for help and instructions on how to create a CR.			

2.1 Normative references

- [1]
 GSM 02.02: "Digital cellular telecommunications system (Phase 2+); Bearer services supported by a GSM Public Land Mobile Network (PLMN)".
- [2+] GSM 02.03: "Digital cellular telecommunications system (Phase 2+); Teleservices supported by a GSM Public Land Mobile Network (PLMN)".

5.7 Support of GSM general bearer services

As a minimum set of bearers, UMTS shall support GSM General Bearer Services (GBS) and interworking scenarios as specified in 02.02.