

23-26 May, 2000

Yokohama, Japan

## Proposal for the Release 2000 Features, Building Blocks and Work Tasks Version 1.0

### Introduction

This document proposes the 3GPP **Work Plan for Release 2000**. It describes the complete set of *R00 work items* and classify them as *feature*, *building block* and *work task*: a *feature* is subdivided into *building blocks* and a *building block* is subdivided into *work tasks* (definitions are given bellow).

This tree structure is established to ease the monitoring of the 3GPP work progress for R00, and to make explicit the purpose of the work assigned to one WG in the global system.

**The aim of this Work Plan is to lead in a consistent way the activities of the full 3GPP community for the Release 2000.**

### Background

Short explanations of the concepts used in this document are provided bellow (extracted from SP-000109).

**Feature:** New, or substantially enhanced functionality which represents added value to the existing system. A feature should normally embody an improved service to the customer and / or increased revenue generation potential to the supplier.

**Building block:** A sub-division of a feature, representing a set of technical functionality which would generally be expected to reside in a single system element, i.e. a single physical or logical entity or a single protocol. Building blocks may be "re-usable" - that is, a single building block may be common to two or more features.

**Work task:** A sub-division of a building block, representing a self-contained, well-scoped and well-scheduled item of work. A work task will almost certainly be the responsibility of a single Working Group. The output of a work task is the creation of one or more new Technical Specifications (or Reports) and / or Change Requests to existing TSs / TRs.

**Work item:** A generic term to refer to a given *feature*, *building block* or *work task*, i.e. all the individual elements of the table bellow should soon become work items (some work tasks may however be grouped within a single WI). A full description of the term *work item* can be found in the 3GPP Working Procedures, as detailed in the annex (the complete 3GPP Working Procedures can be found at [http://www.3gpp.org/About\\_3GPP/3gpp\\_wp.zip](http://www.3gpp.org/About_3GPP/3gpp_wp.zip)).

### Status of review by the 3GPP Groups

This version encompasses the comments made by the Working Groups and the TSGs on version 0.9 or v.0.10. Most of the 3GPP WGs have reviewed the proposal, as shown in the following table.

Group	has reviewed v.0.9 or 0.10	comments
SA	No	This version will be reviewed at TSG SA#8.
<b>S1 (services)</b>	<b>No</b>	<b>No time allocated at last meeting</b>
S2 (architecture)	Yes	Originator of the proposal
S3 (security)	Yes	in tdoc S3-000305
S4 (Codecs)	partly	No meeting held. Comments from the chairman included.
S5 (OAM)	Yes	e-mail reviewed.
CN	Yes	in tdoc S2-000670, encompassing comments from N1 and N4.
N1 (CC, MM)	Yes	in tdoc S2-000670
N2 (CAP)	partly	e-mail discussion. No formal output.
N3 (IW)	Yes	in tdoc N3-000199
N4 (MAP)	Yes	in tdoc S2-000670
N5 (VHE)	partly	e-mail discussion. No formal output.
T	No	This version will be reviewed at TSG T#8.
T1 (testing UE)	No (not needed yet?)	
T2 (capabilities)	partly	No meeting held. Comments from the chairman included.
<b>T3 (USIM)</b>	<b>No</b>	

RAN	partly	Comments from F. Courau included according to decisions taken at RAN#7. This version will be reviewed at RAN#8.
R1 (radio phy.)	No	
R2 (RR)	Yes	R2-000836, R2-000938
R3 (Iu, Iur, Iub)	Yes	R3-001224
R4 (RF, BS testing)	No (not needed yet?)	

### Next steps

#### *Approval of Work Items:*

All the Work Items identified in this document have to be officially approved. Several Work Items can nevertheless be approved using a single work item coversheet (in particular, several work tasks can be approved together).

#### *Transfer from MS Word to MS Project:*

This MS Word version has limited capabilities in term of readability. For this reason, the content of this document will be soon transferred to MS Project 98. This software will also provide some useful tools, like filtering the information to present only the work items to be fulfilled by a given (set of) WGs.

### Contacts for comments

For sake of sharing the work load, S2 has established 12 Inter-Group Co-ordination (**IGCs**). Each IGC has the responsibility to monitor the work progress on a number of work items, and each work item is monitored by a single IGC. In case of inconsistencies, comments should be made to the responsible IGC's convenor. The e-mail addresses of all the IGC convenors are provided bellow.

<b>IGC</b>	<i>Convenor</i>	convenor's e-mail address
<b>1. Bearer and Access Stratum</b>	<i>François Courau,</i> Alcatel	francois.courau@alcatel.fr
<b>2. QoS</b>	<i>Oscar Lopez-Torres,</i> T-Mobil	Oscar.Lopez@t-mobil.de
<b>3. CC and roaming</b>	<i>Ulrich Dropmann,</i> Siemens	Ulrich.Dropmann@icn.siemens.de
<b>4. Codecs</b>	<i>Ian Doig,</i> Motorola	IANDOIG1@email.mot.com
<b>5. Messaging</b>	<i>Martin Guntermann,</i> Mannesmann Mobilfunk	martin.guntermann@d2mannesmann.de
<b>6. Terminal local features</b>	<i>Paul Voskar,</i> Nokia	paul.voskar@nokia.com
<b>7. Service platforms</b>	<i>Christophe Gourraud,</i> Ericsson	christophe.gourraud@lmc.ericsson.se
<b>8. Security</b>	<i>Chris Pudney,</i> Vodafone-Airtouch	chris.pudney@vf.vodafone.co.uk
<b>9. Billing, charging and management</b>	<i>Yukio Hiramatsu,</i> NTT	hiramatu@MAGNET.NETLAB.NTT.CO.JP
<b>10. Testing</b>	<i>N.N.,</i> Motorola	by interim teuvo.jarvela@nokia.com
<b>11. Location related issues</b>	<i>Jan Kall,</i> Nokia	jan.kall@nokia.com
<b>12. Overall Co-ordination and general issues</b>	<i>Alain Sultan,</i> ETSI/MCC	alain.sultan@etsi.fr

## Proposal for the Features, Building Blocks and Work Tasks of R00

<i>Inter Group Co-ordination</i>	<i>Feature</i>	<i>Building block</i>	<i>WG: work task expected completion date</i>
<b>Bearer and Access Stratum</b>	<b>Evolution of transport</b>	<b>Evolution of the Transport in the UTRAN<sup>1</sup></b>	<b>R3:</b> Introduction of an option allowing an IP transport in the UTRAN <b>R3:</b> new RAB support (this belongs also to the RAN Improvements) <b>R3:</b> QoS optimisation for AAL2 connections
		<b>Evolution of the Transport in the CN<sup>2</sup></b> <b>* WI formulation assigned to N4</b>	?: User/signalling data transport on TCP/RTP/UDP/IP based bearers (Nb/Nc)
			?: User/signalling data transport on ATM/AAL2 bearers (Nb/Nc)
			<b>N4:</b> Separation of call and bearer control
	<b>Evolution of Bearers in the CN<sup>3</sup></b> <b>* (Combine with above for WI)</b>	<b>N4:</b> Evolution of the bearers inside the PLMN	
		<b>N3:</b> Evolution of the bearers at the inter-working point with other types of networks	
	<b>Radio Interface Improvement</b>	<b>Hybrid ARQ (Feasibility study)</b>	<b>R2; R3</b>
		<b>Improved usage of CCTrCH (Feasibility study)</b>	<b>R2; R3</b>
		<b>High Speed DL packet Access 5feasibility study)</b>	<b>R2; R3</b>
		<b>Terminal Power Saving (Feasibility study)</b>	<b>R2; R3</b>
		<b>USTS (Feasibility Study)</b>	<b>R2; R3</b>
	<b>Low Chip Rate TDD<sup>4</sup></b>	<b>To be further investigated</b>	<b>R1; R2; R3; R4</b>
	<b>RAN improvement<sup>5</sup></b>	<b>RRM Support over Iub and Iur</b>	<b>R3:</b> RRM optimisation (5 issues)
<b>Node B synchronisation for TDD<sup>6</sup></b>		<b>R3:</b> Node B synchronisation for TDD	

<sup>1</sup> These building blocks are considered as independent.

<sup>2</sup> These building blocks are considered as independent.

<sup>3</sup> Transport and bearers are distinguished in this proposal because it is assumed that Bearer can be provided using different transport techniques as they shall fit the requirement in terms of QoS.

<sup>4</sup> BB and WT associated to this feature are still under discussion

<sup>5</sup> These building blocks shall be considered as independent from any features and followed as such.

<sup>6</sup> This Building block belongs also to the Radio Interface Improvements for R2 activities

		<b>Improvement of Inter-Frequency and Intersystem measurement (Feasibility study)</b>	<b>R2; R3</b>
		<b>BTS classification</b>	<b>R2; R4:</b> At least, two aspects have to be covered: FDD BTS and TTD BTS
<b>QoS</b>	<b>Real Time QoS for packet services including VoIP</b>	<b>HOs: maintenance of real-time QoS while moving between cells in the PLMN including inter-SGSN change and SRNS relocation or possibly other mechanisms (S2 writes WI Desc)</b>	<b>S2:</b> End-to-End multimedia QoS negotiation, <i>Sept</i> <b>N1:</b> End-to-End multimedia QoS negotiation <i>Nov</i>
			New or enhanced packet handling procedures to maintain real-time and non real-time services throughout packet session: <b>S2:</b> on QoS architecture and GPRS improvements, <i>July</i> RAN3 handover for real time services in PS domain, <i>August</i> <b>N1:</b> on GPRS GMM and SM aspects, <i>July</i> <b>N4:</b> on GTP aspects, <i>July</i> <b>N1:</b> changes to QoS re-negotiation procedure, <i>August</i>
			<b>End-to-end/UMTS reservation and (re-)negotiation of QoS parameters (S2 writes WI Desc)</b>
			<b>S2, N3:</b> Study external QoS negotiation mechanisms, and as a result propose QoS negotiation and reservation mechanisms to be used in UMTS, <i>July</i>
			<b>S2, N3:</b> Define interactions between external QoS negotiation and reservation mechanisms and UMTS QoS negotiation and reservation mechanisms <i>August</i>
			<b>N1:</b> Possible new code points in QoS IE from external networks, <i>Oct</i> <b>N1:</b> inclusion of UMTS QoS Architecture (23.107) new point codes, <i>July</i>
			<b>S5, N3, S2, S1:</b> Consider issues related to charging for end-to-end QoS, <i>Sept.</i>
			<b>S2, N1, N3, T2:</b> Mapping between UMTS QoS attributes and the attributes used by external QoS mechanisms, <i>Nov.</i>
			<b>SMG2, SMG7:</b> GERAN QoS Aspects, <i>Dec.?</i>
			<b>Non-real time QoS Enhancements for packet services</b>
	<b>Evolution of maximum SDU size (S2 writes WI Desc)</b>	<b>N4:</b> Impacts on CN protocols (e.g., GTP, MAP) anticipated, <i>Sept.</i> <b>N3:</b> impact on interworking over GTP e.g. PPP, <i>August</i>	
	<b>End-to-end (re-)negotiation of QoS parameters (S2 writes WI Desc)</b>	See “Real Time QoS for packet services” above.	

		<p><b>HOs: maintenance of non real-time QoS while moving between cells in the PLMN including inter-SGSN change and SRNS relocation or possibly other mechanisms</b></p> <p>(S2 writes WI Desc)</p>	<p>New or enhanced packet handling procedures to support real-time and non real-time services, See “Real Time QoS for packet services” above.</p>
	<p><b>QoS for circuit switched services</b></p>	<p><b>HOs: support of inter-MSC change and SRNS relocation</b></p> <p>(S2 writes WI Desc)</p>	<p><b>SMG2, SMG7:</b> GERAN QoS Aspects, <i>Dec.</i></p>
<p><b>Call Control and Roaming</b></p>	<p><b>Provisioning of IP-based multimedia services</b>  S1 WI proposed <a href="#">S1-000290</a>  <a href="#">TR22.976</a>, WI Rapporteur, Mark Cataldo, Motorola</p>	<p><b>Call control and roaming to support IP-based multimedia services in UMTS</b></p>	<p><b>Definition of service requirements.</b> <i>17.-21.7., S1#9</i>  Issues include e.g.: <ul style="list-style-type: none"> <li>• roaming requirements</li> <li>• Requirements on supplementary services</li> <li>• Interworking requirements</li> </ul> S1 WI proposed <a href="#">S1-000290</a>  <a href="#">TR22.976</a></p>
			<p><b>Architecture and Stage 2</b> <i>80% complete in TSGS #8 21.-23.6.2000</i>  Approved S2 WI in <a href="#">SP-000150</a>.  WI Rapporteur Liz Daniel, Lucent  <b>S2, N1, N3, N4:</b> Stage 2 description  Issues include e.g.: <ul style="list-style-type: none"> <li>• Mobile IP</li> <li>• RAB selection principles</li> <li>• Optimized VoIP bearer mechanisms</li> <li>• SIP multimedia protocol</li> </ul> <a href="#">TR23.821</a></p>
			<p><b>N4:</b> Study on impacts on HSS July</p>
			<p><b>N1, S2:</b> SIP Call Control protocol over Gm reference point (CSCF – UE) <i>Dec.</i>  WI to be defined</p>
			<p><b>N1,S3:</b> SIP Call Control security <i>Dec.</i>  [to be reviewed with security area]</p>
			<p><b>N1:</b> SIP Call Control SS, Gm IF <i>Dec.</i></p>
			<p><b>N4:</b> SIP Call Control SS and relationship to Mg, Mw and Cx <i>Dec.</i></p>
			<p><b>N1, T2:</b> Multimedia Terminal capabilities, e.g. CC version, MS CM, etc. <i>Dec.</i></p>
			<p><b>N1, N4:</b> Multimedia Network capabilities, e.g. CC version, Protocol version, etc. <i>Dec.</i></p>

	<p><b>N2, N4, S2:</b> CSCF – HSS (Cx) applications and services (SCP) <i>Dec.</i></p> <p><b>S2, N4 (HSS), N3 (interworking):</b> Addressing, Identities <i>June</i></p> <p><b>N1, N3,(S1 for requirements):</b> Interworking with other multimedia protocols <i>Dec.</i></p> <ul style="list-style-type: none"> <li>• Legacy systems (e.g., H.323, 3GH.324/M, H.320, H.248)</li> <li>• PSTN</li> <li>• GSM PLMN</li> <li>• (Should be extensible to other protocols)</li> </ul>
<p><b>Emergency call enhancements</b></p> <p><b>N1 to define WI</b></p>	<p><b>S1:</b> creation of 22.976 on Service Requirements for IP-based emergency calls: <i>July</i></p> <p><b>S1, N1, N4:</b> Distinction of emergency call types to different emergency services</p> <p><b>N1:</b> SIP emergency calls and packet emergency calls in general (S1 requirements needed) <i>Dec.</i></p> <p><b>S2:</b> Stage 2 for emergency calls and packet emergency calls in general <i>80% stable: Sept.</i></p>
<p><b>Security features to support IP-based multimedia services in UMTS</b> (**** see Security section ***) <b>S3</b>, for requirements cf. <b>IGC Security</b></p> <p>S3 to define WI(s)</p>	<intentionally left blank>
<p><b>RAN improvements and evolution of the bearers on the Radio interface to enable efficient IP-based multimedia services in UMTS</b></p> <ul style="list-style-type: none"> <li>• <b>RAN:</b> for detailed planning cf. <b>IGC Bearer and Access Stratum</b></li> </ul>	<intentionally left blank>
<p><b>Non-real time QoS Enhancements for packet services</b></p> <ul style="list-style-type: none"> <li>• <b>S2:</b> for detailed planning cf. <b>IGC QoS</b></li> </ul>	<intentionally left blank>
<p><b>Real Time QoS for packet services including VoIP</b></p> <ul style="list-style-type: none"> <li>• <b>S2:</b> for detailed planning cf. <b>IGC QoS</b></li> </ul>	<intentionally left blank>

	<b>Billing, charging and management aspects for IP-based multimedia services in UMTS</b> <ul style="list-style-type: none"> <li><b>S5:</b> for detailed planning cf. <b>IGC Billing, charging and management</b></li> </ul> <p>S5 to define WI(s)</p>	<intentionally left blank>
	<b>Codec aspects for the provisioning of IP-based multimedia services in UMTS</b> <ul style="list-style-type: none"> <li><b>S4:</b> for detailed planning cf. <b>IGC on Codecs</b></li> </ul> <p>S4 to define WI(s)</p>	<intentionally left blank>
	<b>Roaming support within and between IP Multi-media network and CS Domain networks</b>	<b>S2, N4:</b> Stage 2 <i>80% stable: June</i> Covered by work item in <a href="#">SP-000150 TR23.821</a> <b>N3:</b> Internetwork roaming aspects <b>S1:</b> Roaming requirements <i>July</i> Covered by work item proposed in <a href="#">S1-000290 TR22.976</a>
	<b>Support of VHE/OSA by R00 network entities and protocols of the IM subsystem (e.g. CSCF)</b> <ul style="list-style-type: none"> <li><b>N5 to define work item:</b> for detailed planning cf. <b>IGC on Service Platform</b></li> </ul>	<intentionally left blank>
	<b>CAMEL control of VoIP</b> <ul style="list-style-type: none"> <li><b>N5 to define work item:</b> for detailed planning cf. <b>IGC on Service Platform</b></li> </ul>	<intentionally left blank>
<b>Enable bearer independent Circuit-switched network architecture</b> <ul style="list-style-type: none"> <li><b>S2 WI</b> on architecture (<a href="#">SP-000149</a>)</li> <li>Rapporteur Ulrich Dropmann, Siemens</li> </ul>	<b>Enable bearer-independent call control</b>	<b>S2:</b> Architecture and Stage 2 description on <a href="#">23.821</a> <i>80% complete in TSGS #8 21.-23.6.2000</i> <b>N3:</b> Standardisation of protocols (user plane) over reference points between MGWs <i>Dec.</i> <b>N4:</b> Standardisation of protocols over reference points between MSC server and Gateway MSC server <i>Dec.</i> [additional work tasks possible as architecture evolves] <i>Dec.</i> <b>N4:</b> Bearer control between MSC server and MGW <i>Dec.</i> <b>N3, N4:</b> Bearer control (control plane, e.g., Q.AAL2) between MGWs <i>Dec.</i>

	<b>Bearer independence and codec control issues</b> for detailed planning cf. <b>IGC Codecs</b>	<intentionally left blank>
<b>Circuit-switched multimedia services</b>	<b>Circuit-switched multimedia swap and fallback</b> <ul style="list-style-type: none"> <li>• <b>Agreed WI NP-000051</b></li> </ul> Rapporteur: Juha Räsänen (juha.a.rasanen@nokia.com)	<b>N1:</b> call control and signalling aspects <i>Dec.</i>
		<b>N3:</b> transport aspects <i>Dec.</i>
		<b>N3:</b> inband signalling <i>Dec.</i>
		<b>S1, S2:</b> Review whether service/stage 1 or architecture/stage 2 aspects need to be aligned <i>Dec.</i>
<b>Facsimile</b>	<b>Real Time Fax</b> postponed from R99 to R00, <b>SP-000169</b>	<b>T2:</b> Terminal capabilities, AT commands <i>Dec.</i>
		<b>N1:</b> signalling aspects (e.g. ICM) <i>Dec.</i>
		<b>N3:</b> service provision <i>Dec.</i>
		<b>S1, S2:</b> Review whether service/stage 1 or architecture/stage 2 aspects need to be aligned <i>Dec.</i>
<b>Text telephony</b> <ul style="list-style-type: none"> <li>• <b>SP-000162</b> agreed WI. Rapporteur Gunnar Hellström, Ericsson Radio Systems AB, email: gunnar.hellstrom@omnitor.se tel: +46 708 204 288</li> </ul>	<b>H.324 based</b>	[to be defined]
	<b>H.323 based</b>	[to be defined]
	<b>Text telephony (WI to be supplied)</b>	<b>N3:</b> transport aspects (V.18) <i>Dec.</i>
<b>Bearer Modification without pre-notification</b>  Preliminary as no official work item exists on the issue	<b>Bearer Modification without pre-notification between Speech and modem</b> Preliminary as no official work item exists on the issue	<b>N1:</b> signalling aspects <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>N3:</b> interworking function, TAF <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>N4:</b> Out of band Transcoder Control <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>T2:</b> AT commands <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>N1:</b> signalling aspects <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>N3:</b> interworking function, TAF <i>Dec.</i> Preliminary as no official work item exists on the issue
	<b>Bearer Modification without pre-notification between Speech and FAX</b> Preliminary as no official work item exists on the issue	<b>N4:</b> Out of band Transcoder Control <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>T2:</b> AT commands <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>N1:</b> signalling aspects <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>N3:</b> interworking function, TAF <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>N4:</b> Out of band Transcoder Control <i>Dec.</i> Preliminary as no official work item exists on the issue
		<b>T2:</b> AT commands <i>Dec.</i> Preliminary as no official work item exists on the issue
<b>Optimisation of signalling.</b>	<b>Turbocharger (N1?)</b> <ul style="list-style-type: none"> <li>• <b>N1</b> internal WI</li> <li>• postponed from R99, open whether part of R00 (<b>SP-000169</b>)</li> </ul>	[to be defined] <i>Dec.</i>



		<b>Layer 3 Segmentation</b> <ul style="list-style-type: none"> <li>N1, N4, R3 (?) WI postponed from R99, open whether part of R00 (<b>SP-000169</b>)</li> </ul>	[to be defined] <i>Dec.</i>
<b>Codecs</b>	Wideband Telephony Service	<b>AMR – Wideband specification</b>	<b>S4,TD SP-000024:</b> TR 26.901 v2.0.0 AMR Wideband Speech Codec Feasibility Study Report (Release 2000).
			<b>S4,TD SP-000027:</b> AMR Wideband Permanent project document WB-3: Performance Requirements, completed <i>TSG#7</i>
			<b>S4,TD SP-000028:</b> AMR Wideband Permanent project document WB-4: Design Constraints, completed <i>TSG#7</i>
			<b>S4,WB</b> AMR speech Codec Qualification (see section 7.1) <i>June</i>
			<b>S4,WB</b> AMR speech Codec Selection Tests <i>June to Sept.</i>
			<b>S4,WB</b> AMR speech Codec Selection <i>Oct.</i>
			<b>S4,</b> Wide Band Speech Telephony Terminal Acoustic Characteristics <i>Dec.</i>
			<b>T1,</b> to review Wide Band Speech Telephony Terminal Acoustic Characteristics <i>Nov.</i>
			<b>S4,</b> Wide Band Speech Telephony Terminal Acoustic Test Specification <i>Dec.</i>
			<b>T1,</b> to review Wide Band Speech Telephony Terminal Acoustic Test Specification <i>Nov.</i>
			<b>S4,</b> Wideband Speech Codec General Description <i>Dec.</i>
			Wideband Speech Codec ANSI C-Code <i>Dec.</i>
			Wideband Speech Codec Test Sequences <i>Dec.</i>
			Wideband Speech Codec Speech Transcoding Functions <i>Dec.</i>
			Wideband Speech Codec Error Concealment of lost frames <i>Dec.</i>
Wideband Speech Codec Source Controlled Bit-Rate Operation <i>Dec.</i>			
Wideband Speech Codec Voice Activity Detector <i>Dec.</i>			
Wideband Speech Codec Frame Structure <i>Dec.</i>			
Wideband Speech Codec Performances Characterization <i>Tbd 2001</i>			
Codec lists <i>Dec.</i>			
<b>T1</b> Conformance tests (CRs to 34 series) <b>IGC Testing</b> <i>June 2001</i>			

		<b>WB AMR Implementation in UTRAN</b>	<b>RAN WG Tasks (CRs) <i>Dec.</i></b>
		<b>WB AMR Implementation in CN</b>	<b>CN WG Tasks (CRs) <i>Dec.</i></b>
		<b>WB Telephony Requirements</b>	<b>S1 requirements (CRs) <i>Dec.</i></b>
		<b>QoS for speech and multimedia codec IGC QoS. Common Building Block. See IGC QoS documentation.</b>	
	<b>Transcoder-Free Operation (TrFO)</b> SP-000094	<b>OoBTC<sup>7</sup></b>	<p><b>N1:</b> Adding new codecs and the signalling mechanism to negotiate the activation of the fcodecs should be studied for . Codec Negotiation between UE and MSC. Signalling for See NP-000085 24.008, 23.009, 23.108 (29.002) Assumption for <b>R99</b>: As there is only one Codec, AMR, this does not need to be signalled.</p> <p><b>N2:</b> Codec Negotiation inter MSC, Bearer establishment inter MSC. TS 23.153 <b>R99</b> part complete. capabilities moved to annex. See NP-000127</p> <p><b>Open issues:</b></p> <p>Handling of Conference Calls; Handling of Multi Party Supplementary Services; Handling of Handover UMTS to GSM; Handling of Sending a tone or Announcement; Protocol between MSCs (i.e. Iu UP Framing versus I.366).</p> <p><b>S2</b></p> <p><b>R2:</b> Bearer establishment between UE and RAN, TFC control by RRC</p> <p><b>R3:</b> Bearer establishment between MSC and RNC as well as RNC and Node B, Notification of the Codec mode to RAN, Iu UP control procedure (rate control, initialization, time alignment)</p>
		<b>TrFO specification</b>	<p><b>N1</b></p> <p><b>N4</b></p> <p><b>R3</b></p>
<p><sup>7</sup> The Out of Band Transcoder is deleted from the TSG RAN Work Programme as the solution does not involve the UTRAN (i.e. it is not proposed to delete the Out of Band Transcoder function). TSG RAN will not work on this unless it is found to be necessary, at which time a Work Item will be established to deal with this.</p>			

			<b>S3</b> Prevention of user fraud <b>S4</b> 26.103 Codec list, 3G equivalent of GSM 08.62 <b>WG ?</b> Harmonization of TFO and TrFO may be required
	<b>Support of Transcoder in CN</b>	<b>WI description and Tdoc S2-99352</b> <b>Speech Transcoder: Location and Control at the UMTS Core Network Border</b> <b>Transcoder at Edge</b>	The TrFO feature is linked (use of BICC, codec negotiation) with the “work item which is due to R00 (same use of BICC and of AAL2 switching). Nevertheless, the specification of the “TrFO/OoBTc” Shall not be delayed in the case the specification of the “Transcoder at the Edge” Work Item were delayed.
	<b>Tandem Free aspects for 3G and between 2G and 3G systems</b>	<b>Tandem Free AMR</b>	<b>S4 TFO AMR Specification</b> <i>June</i>
<b>TFO AMR Implementation in UTRAN ?? Inband</b>		<b>RAN WG</b> Tasks (CRs) <i>Dec.</i>	
<b>TFO AMR Implementation in CN</b>		<b>CN WG</b> Tasks (CRs) <i>Dec.</i>	
	<b>Transmission planning in 3G networks</b>	<b>03.50 equivalent Transmission Planning Aspects of the Services in UMTS</b>	<b>RWGs</b> Specifications/Reports
<b>Messaging</b>	<b>Multimedia Messaging</b>	<b>Service Requirements</b>	<b>T2/S1:</b> Review of MMS Stage 1 <b>S1:</b> Integrated Media Streaming <i>May</i>
		<b>Technical Realization</b>	<b>T2/S2:</b> Define Reference Architecture Model <b>T2:</b> Fulfill open Requirements of MMS Stage 1 Release 99: e.g. minimum set of media formats, media format conversion, personalization of MMS. <b>R99</b> <b>T2/S2:</b> Fulfill new requirements of MMS Release 00 (streaming, ...) <b>T2:</b> Definition of MMS primitives in MMS Stage 2
	<b>Advanced Cell Broadcast</b>	<b>Service Requirements</b>	<b>S1:</b> Enhancements to release 99 CBS e.g. Charging requirements, Capacity Enhancements <i>May</i>
		<b>CBC-RNC Protocol</b>	<b>R3:</b> Refinements of TS 25.419
	<b>IP Multicast</b>	<b>Service Requirements</b>	
<b>Terminal local features</b>	<b>Alternatives to AT commands</b>	<b>TBD</b>	<b>TBD</b>
	<b>AT commands</b>	<b>Edge AT commands.</b>	<b>T2 :</b> New AT commands to be added to 27. 007
		<b>MMS AT commands.</b>	<b>T2 :</b> New AT commands to be added to 27. 007
	<b>UE capabilities</b>	<b>Packet Switched capabilities description.</b>	<b>T2:</b> Addition to Terminal Report 21. 904.
<b>UE Multiplexer</b>	<b>Multiplexing protocol ( simultaneous sessions over UE).</b>	<b>T2:</b> Addition to 27. 010.	

	<b>UICC/ME interface</b>	<b>UICC/ME Performance Enhancements</b>	<b>T3:</b> Feasibility study on speed enhancements on existing UICC interface and alternatives .
	<b>UICC API</b>	<b>Test specification for UICC</b>	<b>T3:</b> UICC interface.
		<b>Java API transfer to 3GPP</b>	<b>T3:</b> Java API specification affects T1 specs.
<b>Service platforms</b>	<b>VHE/OSA</b>	<b>Evolutions of VHE concepts</b>	TBD (N5, N4, S2, T2, N2)
		<b>Support of VHE/OSA by R00 network entities and protocols of the IM subsystem (e.g. CSCF)</b>	<b>S1:</b> Requirements on OSA for multimedia call control <b>S2, N2, N5:</b> Interaction between multimedia call control and VHE/OSA
		<b>Support of VHE/OSA by other new R00 network entities and protocols (e.g. MExE entities)</b>	TBD
		<b>Personal Service Environment (PSE), user profiles and user profile management</b>	<b>S2:</b> PSE architecture and interfaces
			<b>S2?, N5?, N4:</b> User Profiles definition
			<b>N4:</b> SCFs for user profile access/management by OSA applications
		<b>VHE/OSA management aspects</b>	TBD
		<b>Improvements to VHE/OSA security</b>	<b>S1; S2:</b> Principles and architecture definition
			<b>N5 :</b> (possibly) security related SCF(s) definition
			<b>N2, N4, N5:</b> (possibly) changes required from supporting platforms, e.g. gsmSCF, HLR
		<b>New Network Service Capability Features (N-SCFs) and evolutions of existing ones e.g. GPRS &amp; SMS charging Multimedia SCF(s) Conferencing Prepaid charging</b>	<b>S1; S2:</b> SCFs requirements
	<b>N2?, N5, N4:</b> SCFs stage 2 specification		
	<b>N2?, N5, N4:</b> SCFs stage 3 specification		
	<b>New Framework Service Capability Features and evolutions of existing ones (F-SCFs) e.g. Interfaces between framework and service capability servers</b>	<b>S1; S2:</b> SCFs requirements	
		<b>N5:</b> SCFs stage 2 specification	
<b>N5:</b> SCFs stage 3 specification			
<b>Harmonisation/co-ordination with non UMTS related initiatives (e.g. SPAN3/SPAN6, Parlay group)</b>	TBD		
<b>CAMEL phase 4</b>	<b>MO calls: Mid call procedure</b>	<b>N2, N4 (TBD)</b>	
<b>N2 to define WI</b>	<b>MO/MF calls: Creation of call parties - Call Party Handling</b>	<b>N2, N4 (TBD)</b>	
<b>New feature to be added for CAMEL phase 4</b>	<b>MT calls: Mid Call procedure</b>	<b>N2, N4 (TBD)</b>	
	<b>CSE Initiated call setup</b>	<b>N2, N4 (TBD)</b>	

		<b>Procedures for USSD</b>	<b>N2, N4 (TBD)</b>
		<b>User Interaction scripts</b>	<b>N2: TBD</b>
		<b>Enhancements to CSE control of call duration – playing of tones</b>	<b>N2, N4 (TBD)</b>
		<b>Enhancements to Call Forwarding interactions</b>	<b>N2, N4 (TBD)</b>
		<b>Interactions with Optimal Routing</b>	<b>N2, N4 (TBD)</b>
		<b>CAMEL control of VoIP</b>	<b>N2, N4 (TBD)</b>
	<b>MExE</b>	<b>3<sup>rd</sup> MExE classmark</b>	<b>T2: Additional features for MExE R2000</b>
		<b>Support of the Terminal parts of the VHE /User Profile</b>	<b>T2 : Enhancements to MExE R99</b>
		<b>AT command support</b>	<b>T2: Feasibility Study</b>
		<b>Secure download mechanism and capabilities to support SDR concepts</b>	<b>T2 :Feasibility study with further identification of the ways to support SDR concept.</b>
		<b>Support of MP3/MPEG4 content</b>	<b>T2: Only feasibility study at this stage</b>
		<b>Support of SAT/OSA/CAMEL interaction to provide advance services</b>	<b>T2: Feasibility Study</b>
<b>Security</b>	<b>protection for user plane data</b>	<b>Integrity protection in access network (Rx?, S3?)</b>	
<b>S3 should generate WIs</b>		<b>Integrity protection in core network (e.g., provided by IPsec) (S3?, N4)</b>	
		<b>Network wide encryption of user plane</b>	<b>S2, S3, R2, R3, N1, N4, SMG 2 WPA</b>
	<b>Core network signalling security</b>	<b>MAP/GTP/CAP</b>	<b>S2, S3, N2, N4</b>
	<b>FIGS</b>		<b>N2, N4</b>
	<b>Secure mobile platform for applications</b>		<b>S3, T2, T3</b>
	<b>[Study on the evolution of GSM CS algorithms]</b>		<b>S3, N4, N1, SMG 2 WPA</b>
	<b>[GEA 2]</b>		<b>S3, N1, N4</b>
	<b>Ability of terminal/USIM to reject unencrypted “calls”</b>	<b>[“Mandatory“ GPRS encryption]</b>	<b>N2, N4 (TBD) Mandatory clearing by the MS of non-ciphered PDP contexts. (still under discussion)</b> <b>S3, T2, T3</b>
		<b>CS domain issues</b>	<b>N1, T2, T3, S3</b>
	<b>[Issues arising from GERAN and Iu-ps]</b>	<b>Access network encryption, [integrity protection], key length, algorithm selection/design</b>	<b>S3, N1SMG 2 WP A, SAGE</b>

	<b>Enhanced User Identity Confidentiality</b>		<b>N1:</b> <ul style="list-style-type: none"> <li>Procedures using encrypted IMSI</li> <li>Response to paging with non-encrypted IMSI (roaming)</li> </ul> <b>S2, R2, R3, N4</b>
	<b>OSA/VHE security</b>		<b>S3, N2</b>
	<b>Visibility and Configurability</b>		
	<b>Security features to support IP-based multimedia services in UMTS</b>	<b>Access network security (encryption, integrity, authentication)</b>	<b>S2, S3, R2, R3, N1, N4, SMG2 WPA</b>
		<b>Lawful intercept</b>	<b>S3, N1, N4</b>
		<b>Protection for user plane data</b>	See above [feature/BB]
		<b>Ip security solutions</b>	<b>S3</b>
<b>Billing, charging and management</b>	<b>Definition of Architecture and Principles</b>		<b>S5:</b> Key Administration & Distribution. Impacts on 32.101, 32.102, 30.808 and on 2G/3G Interworking. <b>R3:</b> Co-ordination O&M messaging Specification.
	<b>Performance Management</b>		<b>S5:</b> XML. File Format Enhancements on Plug & Measure, Measurement Definitions, PM Monitoring. Impacts on 32.104
	<b>Fault Management</b>		<b>S5:</b> IRP Alarm Solution Set for CMIP and SNMP Test Management. Impacts on 32.111. Specify possible impact on Cell Broadcast Services, Location Services, ATM Maintenance.
	<b>Configuration Management</b>		<b>S5:</b> IRP Notification Solution Set for CMIP, SNMP. Configuration Management IRP IS and Network Resource Model. IRP CM Solution Set for CORBA, CMIP, WBEM, SNMP. Impacts on 32.106. R2000 Naming Convention Updates. CM support of LCS/CBS functions ( Network Resource Model).
	<b>Charging</b>		<b>S5:</b> creation of 30.802. Impacts on 32.005, 32.015, 32.105
	<b>Call Trace</b>		<b>S5:</b> creation of 32.108
	<b>Security Management</b>		<b>S5; S3:</b> Key Administration and Distribution for MAP
	<b>[GSM LCS O&amp;M Project]</b>		<b>T1.P1:</b> Project Management

<b>Testing</b>	<p>identified technical <i>questions</i> related to testing (no break-down to features, building blocks or work tasks performed yet)</p> <ul style="list-style-type: none"> <li>• Terminal Acoustic Test Spec</li> <li>• UE Test Specs – FDD</li> <li>• UE Test Specs – TDD</li> <li>• UE Test Specs – Protocols</li> <li>• UE Test Specs – ATS</li> <li>• UE Test Environment</li> <li>• UE Test Interface</li> <li>• UE Test Specs – Proforma</li> <li>• UE Electromagnetic Compatibility</li> <li>• UICC Interface Test</li> <li>• UICC Test</li> <li>• Base Station Testing</li> </ul>		
<b>Location related issues</b>	<p><b>Support of Localized Service Area (SoLSA)</b></p> <p>The situation regarding SoLSA in 3GPP R00 is unclear at the moment, since only one company supported a new Work Item on UTRAN-SoLSA in the S1 April meeting.</p>	<p><b>Basic concept of SoLSA (broadcast LSA ids, zone tariffing)</b></p> <p>(The list of Work Tasks is from the Work Item description contribution to S1, tdoc. S1-000278)</p>	<p>Creation of Work Item for UTRAN-SoLSA (This was supported only by one company in the S1 April meeting)</p> <p><b>S1:</b> Development of SoLSA service descriptions</p> <p><b>S1, RAN:</b> LSA definition</p> <p><b>S1, RAN:</b> LSA selection</p> <p><b>R2:</b> LSA information broadcast</p> <p><b>R3:</b> Iu signalling support for SoLSA</p> <p><b>R3:</b> Possible Iur signalling support for SoLSA</p> <p><b>R3:</b> Possible Iub signalling support for SoLSA</p> <p><b>S2, R2:</b> Adapt GSM stage 2 SoLSA for UTRAN</p> <p><b>CN WGs :</b> Adapt SoLSA core network CRs</p> <p><b>RAN WGs:</b> SoLSA specifications for UTRAN</p> <p><b>T WGs:</b> Adapt SoLSA UE and USIM specifications</p> <p><b>S1:</b> Study the usage of geographical information for SoLSA</p> <p><b>Localized Service Area (LSA) indication</b></p> <p><b>S1:</b> LSA display in UE</p> <p><b>Preferential access (cell access priority for LSA users)</b></p> <p><b>SA, CN and RAN WGs:</b> Iu interface and MAP signalling</p> <p><b>Idle mode support (favouring LSA cells in idle mode)</b></p> <p><b>S2, RAN and T WGs :</b> Adapt GSM specifications for UTRAN and UE</p> <p><b>Active mode support (favouring LSA cells in active mode)</b></p> <p><b>SA, CN, RAN and T WGs:</b> Adapt GSM specifications for UMTS, UTRAN and UE:</p> <p><b>Exclusive access (private cells)</b></p> <p><b>S1:</b> To be studied if supported in UTRAN</p> <p><b>LSA only access (type cordless or WLL)</b></p> <p><b>S1:</b> To be studied if supported in UTRAN</p>

	<b>SoLSA interoperation aspects</b>	<b>S2:</b> GERAN-SoLSA and UTRAN-SoLSA interoperation
<b>Location Services</b>	<b>Service description (Stage 1 development in S1)</b>	<b>S1:</b> Describe new service features <i>July</i> predefined areas, location of all UE in area? accuracy classes?
	<b>Overall system aspects of LCS</b>	<b>S2:</b> Agree Work Item on LCS system and core network aspects <i>May</i>
		<b>S2:</b> Specify LCS Stage 2 for R00 and new service features <i>Sept.</i> predefined areas, location of all UE in area? accuracy classes?
		<b>S2:</b> Exception procedures <i>Sept.</i> <b>CN WGs:</b> corresponding Stage 3
	<b>LCS network management</b>	<b>S5</b> (to be more detailed)
	<b>Security aspects of LCS</b>	<b>S3</b> (to be more detailed) <i>Sept.</i>
	<b>LCS support in the core network CS domain</b>	<b>N4:</b> Impact of R00 architecture e.g. on MAP signalling for LCS
	<b>LCS support in the core network PS domain (in R00 architecture)</b>	<b>N1:</b> Layer 3 LCS signalling UE (MS) -SGSN (UMTS PS and GSM-GPRS)
		<b>N4 :</b> MAP signalling for LCS
	<b>Iu interface support for LCS</b>	<b>R3:</b> Iu development <i>Sept.</i> - assistance data handling - to be further defined
	<b>LCS in UTRA TDD</b> <b>Work Item: "Support of Location Services in UTRA TDD"</b>	<b>R2:</b> UTRAN stage 2 <i>Sept.</i> - exception procedures - possible impact of new LCS service features
		<b>R2:</b> Radio Resource Management (for LCS TDD)
		<b>R1:</b> Location measurements TDD <i>Sept.</i>
<b>R3:</b> Iur, Iub support for LCS measurements +results TDD		
<b>[ LCS support in UTRAN: cell coverage based, R99 ]</b>	<b>R3 :</b> [ Iur transport of cell co-ordinates - to be included in R99 ] <i>June</i>	
<b>Advanced LCS methods</b> - OTDOA-IPDL - assisted GPS <b>Work Item: "Support of Location Services in UTRA FDD"</b>	<b>R2:</b> LCS signaling UE-SRNC (TDD&FDD)	
	<b>R1:</b> Location measurements FDD <i>Sept.</i>	
	<b>R3:</b> Iur and Iub support for LCS measurements +results FDD	
	<b>R2, R3:</b> Stage 3 specifications on assistance data	



		<b>LCS interoperation aspects</b> <b>S2 and SMG2:</b> Co-ordinated development of GSM LCS Phase 2 and UMTS LCS <b>S2; SMG2; SMG12 :</b> Common LCS System and CN stage 2 specification, combine 23.171 & 03.71 add LCS in GPRS and PS domain <i>Sept.</i> [Separate GERAN LCS stage 2 specification based on radio parts of 03.71, SMG2] [Corresponding Stage 3 GSM specifications]	
		<b>LCS application interfaces (LCS-OSA) (Related to service platforms)</b> <b>S1 :</b> (LCS-OSA) Service description <i>July</i> <b>S2:</b> Corresponding LCS-OSA stage 2 specification, 23.171 <i>Sept.</i> Possible enhancements in MExE support for LCS?: <b>S1:</b> Impacts on 22.057 <b>T2:</b> Impacts on 23.057 <b>N2:</b> Possible enhancements in CAMEL Phase 4 for LCS?: <b>S1:</b> Impacts on 22.078 <b>N2:</b> Impacts on 23.078 & 29.078 <b>N5:</b> Possible OSA support for LCS, impacts on 29.198 & 29.998	
		<b>Universal Geographic Area Description (GAD)</b> <b>S2:</b> Possible update of 23.032 <i>Sept.</i>	
<b>TEI<sup>8</sup></b>	TEI Common WI for all TSGs needs to be approved.		Applicable to all WGs.
<b>Overall co-ordination and general issues</b>	There are no features, building blocks and work tasks from the overall co-ordination, rather: <ul style="list-style-type: none"> <li>• Overall Co-ordination</li> <li>• Vocabulary</li> </ul>		

---

<sup>8</sup> To be used carefully!