

3GPP TSG-T (Terminals) Meeting #19
Birmingham, UK
12 - 14 March, 2003

TP-030038

Agenda Item: 5.2.3

Source: T2

Title: Change Requests on Cell Broadcast Service

Document for: Approval

Spec	CR	Rev	Rel	Subject	Cat	Vers-Current	Vers-New	T2 doc	Workitem
23.041	012	-	Rel-4	CB Data length	F	4.3.0	4.4.0	T2-030086	TEI4
23.041	013	-	Rel-5	CB Data length	A	5.0.0	5.1.0	T2-030087	TEI5
23.041	014	-	Rel-6	CB Data length	A	6.0.0	6.1.0	T2-030088	TEI6

CHANGE REQUEST

⌘ **23.041 CR 012** ⌘ rev **-** ⌘ Current version: **4.3.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ CB Data length		
Source:	⌘ T2		
Work item code:	⌘ TEI4	Date:	⌘ 20/1/2003
Category:	⌘ F	Release:	⌘ REL-4
	Use <u>one</u> of the following categories: F (correction) A (corresponds to a correction in an earlier release) B (addition of feature), C (functional modification of feature) D (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	⌘ The maximum length of the parameter – CB Data is unclearly defined. T2 has been requested by T3 to clarify this
Summary of change:	⌘ A cross reference is given to 3GPP TS 25.324 where the maximum length of CB Data is defined has been clarified. The definition of CB Data has been made clearer
Consequences if not approved:	⌘ Questions may well arise in the future regarding lack of clarity of the CB data parameter

Clauses affected:	⌘ 9.4.2.2 and 9.4.2.2.5								
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Y</td> <td style="padding: 2px;">N</td> </tr> <tr> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> </tr> <tr> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> </tr> </table>	Y	N					Other core specifications	⌘
	Y	N							
Test specifications									
O&M Specifications									
Other comments:	⌘								

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be

downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.

- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

9.4.2.2 Message Parameter

Octet Number(s)	Parameter
1	Message Type
2 – 3	Message ID
4 – 5	Serial Number
6	Data Coding Scheme
7 – N	CB Data

The octets in the above table are transmitted in order, starting with octet 1. The bits within these octets are numbered 0 to 7; bit 0 is the low order bit and is transmitted first.

[For value N in the above table see 3GPP TS 25.324 \[19\]](#)

9.4.2.2.5 CB Data

This parameter consists of the [following](#) WRITE-REPLACE primitive parameters [as received from the CBC \(see 9.2.2\)](#)

- ~~Number-of-Pages;~~
- ~~CBS-Message-Information-Page~~ **and**
- ~~CBS-Message-Information-Length~~ **as received from the CBC (see also 3GPP TS 25.324 [19]). The CBS Message-Information-Page contains the user information (see clause 9.2.2).**

CHANGE REQUEST

⌘ **23.041 CR 013** ⌘ rev **-** ⌘ Current version: **5.0.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ CB Data length		
Source:	⌘ T2		
Work item code:	⌘ TEI5	Date:	⌘ 20/1/2003
Category:	⌘ A	Release:	⌘ REL-5
	Use <u>one</u> of the following categories: <i>F</i> (correction) <i>A</i> (corresponds to a correction in an earlier release) <i>B</i> (addition of feature), <i>C</i> (functional modification of feature) <i>D</i> (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	⌘ The maximum length of the parameter – CB Data is unclearly defined. T2 has been requested by T3 to clarify this
Summary of change:	⌘ A cross reference is given to 3GPP TS 25.324 where the maximum length of CB Data is defined has been clarified. The definition of CB Data has been made clearer
Consequences if not approved:	⌘ Questions may well arise in the future regarding lack of clarity of the CB data parameter

Clauses affected:	⌘ 9.4.2.2 and 9.4.2.2.5								
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Y</td> <td style="padding: 2px;">N</td> </tr> <tr> <td style="width: 20px; height: 15px;"></td> <td style="width: 20px; height: 15px;"></td> </tr> <tr> <td style="width: 20px; height: 15px;"></td> <td style="width: 20px; height: 15px;"></td> </tr> </table>	Y	N					Other core specifications	⌘
	Y	N							
Test specifications									
O&M Specifications									
Other comments:	⌘								

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be

downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.

- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

9.4.2.2 Message Parameter

Octet Number(s)	Parameter
1	Message Type
2 – 3	Message ID
4 – 5	Serial Number
6	Data Coding Scheme
7 – N	CB Data

The octets in the above table are transmitted in order, starting with octet 1. The bits within these octets are numbered 0 to 7; bit 0 is the low order bit and is transmitted first.

[For value N in the above table see 3GPP TS 25.324 \[19\]](#)

9.4.2.2.5 CB Data

This parameter consists of the [following](#) WRITE-REPLACE primitive parameters [as received from the CBC \(see 9.2.2\)](#)

- ~~Number-of-Pages;~~
- ~~CBS-Message-Information-Page~~ **and**
- ~~CBS-Message-Information-Length~~ **as received from the CBC (see also 3GPP TS 25.324 [19]). The CBS Message-Information-Page contains the user information (see clause 9.2.2).**

CHANGE REQUEST

⌘ **23.041 CR 014** ⌘ rev **-** ⌘ Current version: **6.0.0** ⌘

For **HELP** on using this form, see bottom of this page or look at the pop-up text over the ⌘ symbols.

Proposed change affects: UICC apps ME Radio Access Network Core Network

Title:	⌘ CB Data length		
Source:	⌘ T2		
Work item code:	⌘ TEI6	Date:	⌘ 20/1/2003
Category:	⌘ A	Release:	⌘ REL-6
	Use <u>one</u> of the following categories: <i>F</i> (correction) <i>A</i> (corresponds to a correction in an earlier release) <i>B</i> (addition of feature), <i>C</i> (functional modification of feature) <i>D</i> (editorial modification) Detailed explanations of the above categories can be found in 3GPP TR 21.900 .		Use <u>one</u> of the following releases: 2 (GSM Phase 2) R96 (Release 1996) R97 (Release 1997) R98 (Release 1998) R99 (Release 1999) Rel-4 (Release 4) Rel-5 (Release 5) Rel-6 (Release 6)

Reason for change:	⌘ The maximum length of the parameter – CB Data is unclearly defined. T2 has been requested by T3 to clarify this
Summary of change:	⌘ A cross reference is given to 3GPP TS 25.324 where the maximum length of CB Data is defined has been clarified. The definition of CB Data has been made clearer
Consequences if not approved:	⌘ Questions may well arise in the future regarding lack of clarity of the CB data parameter

Clauses affected:	⌘ 9.4.2.2 and 9.4.2.2.5										
Other specs affected:	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">Y</td> <td style="width: 20px; text-align: center;">N</td> </tr> <tr> <td style="width: 20px; text-align: center;">⌘</td> <td style="width: 20px; text-align: center;">⌘</td> </tr> <tr> <td style="width: 20px; text-align: center;">⌘</td> <td style="width: 20px; text-align: center;">⌘</td> </tr> <tr> <td style="width: 20px; text-align: center;">⌘</td> <td style="width: 20px; text-align: center;">⌘</td> </tr> </table> Other core specifications Test specifications O&M Specifications	Y	N	⌘	⌘	⌘	⌘	⌘	⌘	⌘	
Y	N										
⌘	⌘										
⌘	⌘										
⌘	⌘										
Other comments:	⌘										

How to create CRs using this form:

Comprehensive information and tips about how to create CRs can be found at <http://www.3gpp.org/specs/CR.htm>. Below is a brief summary:

- 1) Fill out the above form. The symbols above marked ⌘ contain pop-up help information about the field that they are closest to.
- 2) Obtain the latest version for the release of the specification to which the change is proposed. Use the MS Word "revision marks" feature (also known as "track changes") when making the changes. All 3GPP specifications can be

downloaded from the 3GPP server under <ftp://ftp.3gpp.org/specs/> For the latest version, look for the directory name with the latest date e.g. 2001-03 contains the specifications resulting from the March 2001 TSG meetings.

- 3) With "track changes" disabled, paste the entire CR form (use CTRL-A to select it) into the specification just in front of the clause containing the first piece of changed text. Delete those parts of the specification which are not relevant to the change request.

9.4.2.2 Message Parameter

Octet Number(s)	Parameter
1	Message Type
2 – 3	Message ID
4 – 5	Serial Number
6	Data Coding Scheme
7 – N	CB Data

The octets in the above table are transmitted in order, starting with octet 1. The bits within these octets are numbered 0 to 7; bit 0 is the low order bit and is transmitted first.

[For value N in the above table see 3GPP TS 25.324 \[19\]](#)

9.4.2.2.5 CB Data

This parameter consists of the [following](#) WRITE-REPLACE primitive parameters [as received from the CBC \(see 9.2.2\)](#)

- ~~Number-of-Pages;~~
- ~~CBS-Message-Information-Page~~ **and**
- ~~CBS-Message-Information-Length~~ **as received from the CBC (see also 3GPP TS 25.324 [19]). The CBS Message-Information-Page contains the user information (see clause 9.2.2).**